

# A Study on the Design of Windows and Window Modifications on Indoor Thermal Comforts in Sri Lankan Climatic Conditions

A dissertation submitted to the University of Moratuwa as partial fulfillment of the requirements for the Degree of Master of Science in


Architecture

University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
www.lib.mrt.ac.lk



සමස්තකලය  
මොරටුව විශ්ව විද්‍යාලය, ශ්‍රී ලංකාව  
මොරටුව.

74085



Thakshila Somarathne  
Department of Architecture  
University of Moratuwa

Sri Lanka.  
2000 May

72 "00"  
692.82 : 697.13

074085



University of Moratuwa

TH

74085

## Acknowledgement

In presenting this case study, I wish to acknowledge the valuable assistance received from several quarters – eminent members of the academic staff as well as outsiders whom we came across.

Particular mention must be made of my indebtedness to the Head of the Department, Prof. Nimal de Silva who willingly gave permission to obtain the necessary instruments required for the survey.

I am grateful to year Masters Dr. Ranjith Dayarathne and Dr. Ranjith Perera for their numerous valuable advice in guiding to have a successful approach to this compilation.

I must acknowledge with due respect the guidelines and knowledge given by the Tutor Dr. Rohinton Emmanuel, on this particular subject as well as on all other educational matters.



Mahinda Ayya devoted his precious time in coaching me from the preliminary steps of the survey, arranging site visits, lending texts and supplying valuable information etc. for which I express my sincere gratitude.

Finally I am thankful to Thushari – my friend for her sisterly assistance and also to my father, mother, ayya and nangi for encouraging me and to each and every good friend whom we met in outstations.



# Table of Contents

Acknowledgement .....	ii
Table of contents .....	iii
List of figures .....	vi

## Chapter One

### Introduction

1.1 Topic explanation .....	1
1.2 Need of study .....	2
1.3 Objectives .....	3
1.4 Method of study .....	3
1.5 Scope and limitations of the study .....	5

## Chapter Two

### Climate of Sri Lanka and designing for indoor climates

2.1 Introduction to climate .....	7
2.1.1 Climatic types .....	8
2.1.2 Warm Humid climate .....	9
2.2 Indoor climate and concept of comfort .....	10
2.2.1 Thermal comfort and design of climatic building element .....	11
2.2.2 Lighting comfort and design of climatic building elements .....	12
2.2.3 Ventilation air movement and design of climatic building elements .....	26
2.3 Window and window modifications as climatic building elements .....	51
2.3.1 Historical development of the window .....	53
2.3.2 Types of windows .....	57
2.3.3 Components of a window .....	61

2.4	Function of the window .....	62
2.4.1	Strategies in window design to control the lighting comfort .....	63
2.4.2	Strategies in window design to control the visual comfort .....	70

### Chapter Three

Thermal and lighting effect of windows and window modifications

3.1	Thermal effect on windows .....	76
3.2	Lighting effect on windows .....	78
3.3	Effect of shading devices / window .....	83
3.3.1	types of shading devices .....	86

### Chapter Four

Methodology - design of windows and window modifications for optimum thermal comfort levels.

4.1	Evolution of climatic data – Bio climatic approach .....	105
4.1.1	Evolution of climatic data in selected towns in Sri Lanka .....	107
4.1.2	Identification of comfort zones in selected towns in Sri Lanka .....	107
4.2	Principles in climatic design for comfort in warm humid climate like Sri Lanka .....	112
4.3	Indoor climatic analysis for design of windows and window modifications .....	114
4.4	Introduction to instrumentation and method of use .....	115

### Chapter Five

Architectural interpretation of windows and window modifications for thermal and lighting comfort in selected region.

5.1	Evaluation of graphical analysis of bio- climatic comfort in selected areas .....	116
5.2	Evaluation of graphical determination of windows in selected buildings .....	133
5.3	Evaluation of graphical determination of indoor thermal and lighting comfort in selected buildings .....	137
5.3.1	For thermal comfort - thermal comfort index .....	137
5.3.2	For lighting comfort – daylight factor .....	145
5.4	Architectural interpretation of windows and window modifications with referece to the selected regions .....	158

## Chapter Six

### Conclusion

6.1	Summary of ht study .....	177
6.2	Directions for future studies .....	181
	Bibliography .....	182



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

## LIST OF FIGURES

1.	Light in Architecture.....	13
2.	Windows are designed primarily for day lighting.....	15
3.	Size and placing of windows in relation to skyglare.....	16
4.	Identified parameters to determine the quality and quantity of natural light.....	17
5.	Key dimensioning for determining H.V.M ratios.....	19
6.	Spread of day light factor curves for windows.....	19
7.	Designing for side lighting.....	20
8.	Different types of sky lights.....	20
9.	Design solutions with horizontal openings.....	21
10.	Combination of both top lighting and vertical lighting.....	22
11.	Variables used to describe horizontal apertures.....	23
12.	Variation in illumination with horizontal openings.....	23
13.	Wind pressure differences created by natural greens.....	28
14.	Air movement due to stack effect.....	29
15.	Section.....	30
16.	The effect of external design on internal air movement.....	32
17.	Air movement and effect of topography.....	33
18.	Air movement trends to concentrate in the concave forms.....	34
19.	Influence of building depth and height.....	35
20.	Linearly arranged building block subsequent building from potential air flow.....	35


21.	Alternating and scattered arrangements enhance the potential of air flow around each building.....	36
22.	Air movement change according to the (a) the height and (b) the distance of the boundary wall.....	36
23.	Orientation of inlet openings and outlet openings.....	39
24.	Projecting wings and wind walls.....	39
25.	Upward projecting caves.....	40
26.	Cross-ventilation through inlet and outlet openings.....	41
27.	Air flow related to the position of the inlet on the wall.....	42
28.	With out outlet no cross-ventilation.....	42
29.	Effect of internal partitions on cross-ventilation.....	42
30.	Oblique air movement is more effective than perpendicular air movement.....	43
31.	Adjacent openings give better distribution for perpendicular air movement.....	43
32.	Pressure zones near the opening. Change the direction of air movement.....	44
33.	Effective air movement and pressure zones.....	45
34.	Small inlet with large outlet.....	46
35.	Large inlet with small outlet.....	47
36.	The effect of an external sunshade.....	48
37.	Control of opening and air movement pattern.....	49
38.	Effect of shutters for air movement.....	50
39.	Bauhaus building at Dessau.....	55
40.	Light in ancient chapels.....	56
41.	Building facades with day light openings.....	56

42. Types of windows.....	58
43. Types of side lit windows.....	59
44. Types of roof lights or sky lights.....	60
45. Ventilators.....	61
46. Components of a window frame.....	62
47. Components of a window casement.....	62
48. Design skies.....	64
49. Sky conditions.....	65
50. Components contribute to the day light factor.....	68
51. Components of daylight factor.....	68
52. Visual efficiency.....	69
53. Vertical windows.....	78
54. Nomenclature.....	79
55. Impact of daylight penetration in a sunless room with various light shelves.....	80
56. Performance of horizontal lovers and blinds .....	80
57. Illumination variation from skylight.....	82
58. Externally adjustable shades.....	84
59. Pergolas as an externally fixed shading device.....	84
60. Modern types of externally adjustable shading device.....	85
61. Horizontal louvers.....	87
62. Horizontal shading devices.....	90
63. The shading characteristics of a simple window.....	91



64.	Horizontal pergolas placed parallel to the wall.....	93
65.	Pergolas placed parallel to the wall.....	94
66.	Pergolas placed angular to the wall.....	94
67.	Types of roof canopies used in Sri Lanka.....	96
68.	Fixed and moveable horizontal louvers.....	98
69.	A vertical shading device.....	99
70.	Narrow blades for close spacing and broader blades for wider spacing.....	100
71.	Recessed window side walls act as vertical fins.....	101
72.	Vertical fins.....	102
73.	A shading device with vertical and horizontal elements.....	103
74.	Different types of egg-crate devices.....	104
75.	Regional climatic data plotted on bio-climatic chart - Colombo.....	119
76.	Regional climatic data plotted on bio-climatic chart - Badulla.....	120
77.	Regional climatic data plotted on bio-climatic chart - Hambanthota.....	121
78.	Regional climatic data plotted on bio-climatic chart - N'Eliya.....	122
79.	Bio-climatic analysis and comfort need for Colombo.....	123
80.	Bio-climatic analysis and comfort need for Badulla.....	124
81.	Bio-climatic analysis and comfort need for Hambanthota.....	124
82.	Bio-climatic analysis and comfort need for N'Eliya.....	125
83.	Yearly chart – Colombo.....	126
84.	Yearly chart – Badulla ( Hamdanthota ).....	127
85.	Yearly chart – N'Eliya.....	128
86.	THI contour diagram – Colombo – Sri Lanka ( room type 1 ).....	138


 University of Moratuwa, Sri Lanka  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)



87. THI contour diagram – Colombo – Sri Lanka ( room type 2 ).....	139
88. THI contour diagram – Badulla – Sri Lanka ( room type 1 ).....	140
89. THI contour diagram – Badulla – Sri Lanka ( room type 2 ).....	141
90. THI contour diagram – Hambanthota – Sri Lanka ( room type 1 )...	142
91. THI contour diagram – Hambanthota – Sri Lanka ( room type 2 )...	143
92. THI contour diagram – N'Eliya – Sri Lanka ( room type 1 ).....	144
93. DLF – contour diagram – plan Colombo - Sri Lanka ( room type 1 )	145
94. DLF – contour diagram – plan Colombo - Sri Lanka ( room type 2 )	146
95. DLF – contour diagram – plan Badulla - Sri Lanka ( room type 1 )	147
96. DLF – contour diagram – plan Badulla - Sri Lanka ( room type 2 )	148
97. DLF – contour diagram – plan Hambanthota - Sri Lanka ( room type 1 ).....	149
98. DLF – contour diagram – plan Hambanthota – Sri Lanka ( room type 1 ).....	150
99. DLF – contour diagram – plan N'Eliya – Sri Lanka.....	151
100. Illuminance due to day light section ( room type 1 ) Colombo.....	153
101. Illuminance due to day light section ( room type 2 ) Colombo.....	154
102. Illuminance due to day light section ( room type 1 ) Badulla.....	155
103. Illuminance due to day light section ( room type 2 ) Badulla.....	155
104. Illuminance due to day light section ( room type 1 ) Hambantota....	
105. Illuminance due to day light – section ( room type 2 ) Hambanthota	156
106. Illuminance due to day light – section ( room type 1 ) N'Eliya.....	157
107. Graphical interpretation of identified thermal comfort zones – Colombo ( room type 1 ).....	160

108. Graphical interpretation of identified thermal comfort zones – Colombo ( room type 2 ).....	161
109. Graphical interpretation of identified thermal comfort zones – Badulla ( room type 1 ).....	162
110. Graphical interpretation of identified thermal comfort zones – Badulla ( room type 2 ).....	163
111. Graphical interpretation of identified thermal comfort zones – Hambanthota ( room type 1 ).....	164
112. Graphical interpretation of identified thermal comfort zones – Hambanthota ( room type 2 ).....	165
113. Graphical interpretation of identified thermal comfort zones – N'Eliya ( room type 2 ).....	166
114. Windows type for Colombo.....	168
115. Windows type for Badulla.....	170
116. Windows type for Hambanthota.....	173
117. Windows type for Nuwara Eliya.....	174


 University of Moratuwa, Sri Lanka.  
 Electronic Theses & Dissertations

