

REFERENCES:

1. Abou-Sekkina, M. M., Issa, R. M., Bastawisy, A. E.-D. M., & El-Helece, W. A. (2010). Characterization and Evaluation of Thermodynamic Parameters for Egyptian Heap Fired Rice Straw Ash (RSA). *Journal of Chemistry*, 2(1), 81-84.
2. Anonymous. (2008). *Silica in the workplace*: Industrial Accident Prevention Association.
3. Anonymous. (2010). *Waste Biomass Quantification and Characterization* National Cleaner Production Center Sri Lanka.
4. Asada, M., Hara, Y., Kuroda, Y., Tanaka, S., Horikawa, T., & Miyake, Y. (2009). Preparation of Spherical Magnetic Mesoporous Silica Containing Magnetite Nanoparticles by Phase Transfer. *Ind. Eng. Chem. Res.*, 48, 2577–2582.
5. Begam, P. M. S. (2009). *Studies on the use of nano zinc oxide and modified silica in NR, CR and SBR*. Cochin University of Science and Technology.
6. Chen, H., Wang, F., Zhang, C., Shi, Y., Jin, G., & Yuan, S. (2010). Preparation of nano-silica materials: The concept from wheat straw. *Journal of Non-Crystalline Solids*, 356(50–51), 2781-2785.
University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
7. Chen, Y., Peng, Z., Kong, L. X., Huang, M. F., & Li, P. W. (2008). Natural Rubber Nanocomposite Reinforced With Nano Silica. *Polymer Engineering and Science*, 1674-1675.
8. Choi, S.-S., & Choi-Seok, J. (2006). Influence of Silane Coupling Agent Content on Crosslink Type and Density of Silica-Filled Natural Rubber Vulcanizates. *Bull. Korean Chem. Soc.*, 27(9), 1473-1477.
9. Chonkaew, W., Mingvanish, W., Kungliean, U., Rochanawipart, N., & Brostow, W. (2011). Vulcanization Characteristics and Dynamic Mechanical Behaviour of Natural Rubber Reinforced with Silane Modified Silica. *Journal of nanoscience and nanotechnology*, 11, 2018-2024.
10. Della, V. P., Kuhn, I., & Hotza, D. (2002). Rice husk ash as an alternate source for active silica production. *Materials Letters* 57 818–821.

11. Ek, S., Root, A., Peussa, M., & Niinisto, L. (2001). Determination of the hydroxyl group content in silica by thermogravimetry and a comparison with ^1H MAS NMR results. *Thermochimica Acta*, 379, 201-212.
12. Estevez, M., Vargas, S., Castano, V. M., & Rodriguez, R. (2009). Silica nanoparticles produced by worms through a bio-digestion process of rice husk. *Journal of Non-Crystalline Solids*, 355, 844–850.
13. H.M.Khater, B.A.El-Sabbagh, M.Fanny, M.Ezzat, & M.Lottfy. (2012). Effect of Nano-Silica on Alkali Activated Water-Cooled Slag Geopolymer *ARPN Journal of Science and Technology*, 2(3), 2225-7217.
14. Haslinawati, M. M., Matori, K. A., Wahab, Z. A., Sidek, H. A. A., & Zainal, A. T. (n.d.). Effect of Temperature on Ceramic from Rice Husk Ash. *Basic & Applied Sciences* 9(9), 111-117.
15. Hessiena, M. M., Rashada, M. M., Zakya, R. R., Abdel-Aala, E. A., & El-Barawy, K. A. (2009). Controlling the synthesis conditions for silica nanosphere from semi-burned rice straw. *Materials Science and Engineering B*, 162 14–21.
16. Hollauer, C. (2007). *Modeling of thermal oxidation and stress effects*. Technical University of Vienna, Austria.
17. Ileperuma, O. A. (1996). *Silica as a raw material for the future*. Paper presented at the Silica based Industries - Future prospects.
 *University of Moratuwa Sri Lanka*
Electronic Theses & Dissertations
www.lib.mrt.ac.lk
18. Indhumathi, P., Shabhudeen, S. P. S., & P.Saraswathy, C. (2011). Synthesis and Characterization of Nano Silica from Pods os Delonix Regia Ash. *International Journal of Advanced Engineering Technology*, 2(4), 421-426.
19. Iwasawa, Y. (1986). Surface hydroxyl groups on inorganic oxides. In Y. Iwasawa (Ed.), *Taylored Metal Catalysis; Catalysis by Metal Complexes*. Holland: D. Reidel Publishing Company.
20. Jal, P. K., Sudarshan, M., Saha, A., Patel, S., & Mishra, B. K. (2004). Synthesis and characterization of nanosilica prepared by precipitation method, *Colloids and Surfaces A: Physicochem. Eng. Aspects* 240 173–178.
21. Javed, S. H., Naveed, S., Feroze, N., Zafar, M., & Shafaq, M. (2010). Crystal and Amorphous Silica from KMnO₄ Treated and Untreated Rice Husk. *Quality and Technology Management*, 4(1), 81-90.

22. Kalapathy, U., Proctor, A., & Shultz, J. (2000). A simple method for production of pure silica from rice hull ash. *Bioresource Technology*, 73, 257-262.
23. Kaya, S. (2007). *Structural and catalytic investigations on vanadium oxide nanoparticles supported on silica films grown on a Mo (112) substrate*. Humboldt University, Berlin.
24. Kingery, W. D., Bowen, H. K., & Uhlmann, D. R. (1976). *Introduction to ceramics* / (2 ed.). New York: Wiley.
25. koohdaragh, M., & Mohamadi, H. H. (2011). Comparison of Mechanical of the Concrete Samples Containing Micro-Silica and Nano-Silica, *Australian Journal of Basic and Applied Sciences*, 5(10), 560-563.
26. Lazaro, A., & Brouwers, H. J. H. (2010). *Nano-silica production by a sustainable process; application in building materials*. Paper presented at the 8th fib PhD Symposium in Kgs. Lyngby, Denmark.
27. Li, X., Cao, Z., Zhang, Z., & Dang, H. (2006). Surface-modification in situ of nano-SiO₂ and its structure and tribological properties. *Applied Surface Science*, 252(22), 7856-7861.
28. Li, Z., & Zhu, Y. (2003). Surface-modification of SiO₂ nanoparticles with oleic acid. *Applied Surface Science* 211, 315-320.
29. Ma, X., Lee, N.-H., Oh, H.-J., Hwang, J.-S., & Kim, S.-J. (2010). Preparation and Characterization of Silica/Polyamide-imide Nanocomposite Thin Films. *Nanoscale Res Lett*, 5, 1846-1851.
30. Madsen, F. A., Rose, M. G., & Gee, R. (1995). Review of Quartz Analytical Methodologies: Present and Future Needs. *Applied Occupational and Environmental Hygiene*, 10(12), 991-1002.
31. Manuel Lujan, J., & Ary, T. S. (1992). Crystalline silica primer; Staff, branch of industrial minerals. U.S. bureau of mines.
32. Maroto Valer, M. M., Fauth, D. J., Kuchta, M. E., Zhang, Y., & Andresen, J. M. (2005). Activation of magnesium rich minerals as carbonation feedstock materials for CO₂ sequestration. *Fuel Processing Technology*, 86(14–15), 1627-1645.

33. Mathew, L. (2011). *Development of Elastomeric Hybrid Composite Based on Synthesised Manosilica and Short Nylon Fiber*. Cochin University of Science and Technology.
34. Maya, K. S. (2007). *Studies on in situ precipitated silica filled rubber composites with special reference to NR, NBR and SBR*. Cochin University of Science and Technology.
35. Mohamad, N., Muchtar, A., Ghazali, M. J., Mohd, D. H., & Azhari, C. H. (2008). The Effect of Filler on Epoxidised Natural Rubber-Alumina Nanoparticles Composites. *European Journal of Scientific Research*, 24(4), 538-547.
36. Muniandy, K., Ismail, H., & Othman, N. (2012). Effects of partial replacement of rattan powder by commercial fillers on the properties of natural rubber composites. *Bio Resources*, 7(4), 4640-4657.
37. Napierska, D., Thomassen, L. C., Lison, D., Martens, J. A., & Hoet, P. H. (2010). The nanosilica hazard: another variable entity. *Particle and Fibre Toxicology* 7(39), 1-32.
38. Nikje, M. M. A., Khanmohammadi, M. R., Bagheri, A., Garmarudi, & Haghshenas, M. (2012). Nanosilica reinforced epoxy floor coating composites: preparation and thermophysical characterization, *Current Chemistry Letters 1* 13–20.
 University of Moratuwa Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk
39. Olawale, Olamide, & Oyawale, F. A. (2012). Characterization of Rice Husk via Atomic Absorption Spectrophotometer for Optimal Silica Production. *International Journal of Science and Technology*, 2(4), 210-213.
40. Pai, A. R. (2011). *Dispersion of silica and carbon black in NR/ BR blends*.
41. Peng, D.-X., & Chen, C.-H. (2010). Size effects of SiO₂ nanoparticles as oil additives on tribology of lubricant, *Industrial Lubrication and Tribology*, 62(2), 111–120.
42. Prasad, R., & Pandey, M. (2012). Rice Husk Ash as a Renewable Source for the Production of Value Added Silica Gel and its Application: An Overview. *Bulletin of Chemical Reaction Engineering & Catalysis*.

43. Rahim, T. N. A. T., Mohamad, D., Ismail, A. R., & Akil, H. M. (2011). Synthesis of nanosilica fillers for experimental dental nanocomposites and their characterisations. *Journal of Physical Science*, 22(1), 93–105.
44. Reig, F. B., Adelantado, J. V. G., & Moreno, M. C. M. M. (2002). FTIR quantitative analysis of calcium carbonate (calcite) and silica (quartz) mixtures using the constant ratio method. Application to geological samples. *Talanta*, 58, 811-821.
45. Saikia, B. J., Parthasarathy, G., & Sarmah, N. C. (2008). Fourier transform infrared spectroscopic estimation of crystallinity in SiO₂ based rocks. *Bull. Mater. Sci.*, 31(5), 775-779.
46. Salh, R. (2011). Silicon nanocluster in silicon dioxide: Cathodoluminescence, energy dispersive X-ray analysis, infrared spectroscopy studies. In S. Basu (Ed.), *Crystalline silicon - Properties and uses* (pp. 137): CC BY-NC-SA
47. Singh, L. P., Agarwal, S. K., Bhattacharyya, S. K., Sharma, U., & Ahlawat, S. (2011). Preparation of Silica Nanoparticles and Its Beneficial Role in Cementitious Materials. *Nanomater. nanotechnol.*, 1 (1), 44-51.
48. Smyth, J. R. (2008). *Quartz* (Adopt-a-Mineral Project, Example Paper).
49. Sousa, A. M. d., Visconde, L., Mansur, C., & Furtado, C. (2009). Silica Sol Obtained from Rice Husk Ash. *Chemistry and Chemical Technology*, 3(4), 321-326.
 University of Moratuwa Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk
50. Souza, M. F. d., Batista, P. S., Regiani, I., J.B.L.Liborio, & Souza, D. P. F. d. (2000). Rice Hull-Derived Silica: Applications in Portland Cement and Mullite Whiskers. *Materials Research*, 3(2), 25-30.
51. Sun-Jae, K., Seong-Gyu, S., & Sang-Chul, J. (2010). Preparation of high purity nano silica particles from blast-furnace slag. *Korean journal of chemical engineering*, 27(6), 1901-1905.
52. Swain, S., Sharma, R. A., Bhattacharya, S., & Chaudhary, L. (2013). Effects of Nano-silica/Nano-alumina on Mechanical and Physical Properties of Polyurethane Composites and Coatings. *Trans. Electr. Electron. Mater.*, 14(1), 1-8.

53. Tabatabaei, S., Shukohfar, A., Aghababazadeh, R., & Mirhabibi, A. (2006). Experimental study of the synthesis and characterisation of silica nanoparticles via the sol-gel method. *Journal of Physics: Conference Series*, 26 371–374.
54. Taib, M. R. B. (2007). *Production of Amorphous Silica from Rice Husk in Fluidised Bed System*. University of Technology Malaysia.
55. Thongpin, C., Sripetdee, C., Papaka, N., Pongsathornviwat, N., & Sombatsompop, N. (2009). The effect of second filler on cure characteristic and mechanical properties of Si-69 treated precipitate silica/NR composite. *Advanced Materials Research* 79-82, 2183-2186.
56. Thuadaij, N., & Nuntiya, A. (2008). Preparation of Nanosilica Powder from Rice Husk Ash by Precipitation Method. *Chiang Mai J. Sci.*, 35 (1), 206-211.
57. Uia, S.-W., Lima, S.-J., Leeb, S.-H., & Choi, S.-C. (2009). Control of the size and morphology of nano-size silica particles using a sodium silicate solution. *Journal of Ceramic Processing Research*, 10(4), 553~558.
58. Wang, H. (2012). *Development of silica based nanopigments*. RWTH Aachen University, RWTH Aachen University 01 Faculty of Mathematics, computer science and natural sciences. Institute for Textile Chemistry and Macromolecular Chemistry. www.lib.mrt.ac.lk University of Moratuwa, Sri Lanka.
59. Wattanasiriwech, S., Wattanasiriwech, D., & Svasti, J. (2010). Production of amorphous silica nanoparticles from rice straw with microbial hydrolysis pretreatment. *Journal of Non-Crystalline Solids*, 356 1228–1232.
60. Wu, N., Fu, L., Su, M., Aslam, M., Wong, K. C., & Dravid, V. P. (2004). Interaction of Fatty Acid Monolayers with Cobalt Nanoparticles, *Nano Letters*, 4(2), 383-386.
61. Yaacob, Y., Saad, S. Z., Othman, M. R., & SarinahMohd, N. (2009). *The Morphology of Nanosilica Prepared from Rice Husk Ash by Precipitation Method*. Paper presented at the Malaysia Polymer International Conference.
62. Yang, H. (2012). *Strength and Shrinkage Property of Nano Silica Powder Concrete*. Paper presented at the 2nd International Conference on Electronic & Mechanical Engineering and Information Technology.

63. Yuan, J., Xing, W., Gu, G., & Wu, L. (2006). The properties of organic pigment encapsulated with nano-silica via layer-by-layer assembly technique *Dyes and Pigments*, 76 463-469.
64. Yuvakkumar, R., Elango, V., Rajendran, V., & Kannan, N. (2012). High-purity nano silica powder from rice husk using a simple chemical method. *Journal of Experimental Nanoscience*, 1-10.
65. Zaky, R. R., Hessien, M. M., El-Midany, A. A., Khedr, M. H., Abdel-Aal, E. A., & El-Barawy, K. A. (2008). Preparation of silica nanoparticles from semi-burned rice straw ash. *Powder Technology* 185 31–35.
66. Zawrah, M. F., El-Kheshen, A. A., & Abd-El-Aal, H. M. (2009). Facile and economic synthesis of silica nanoparticles. *Journal of Ovonic Research* 5(5), 129 - 133.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

