

References

1. A Model Sri Lankan code of practice for reinforced concrete design, Institution of Engineers, Sri Lanka, Colombo, 1984.
2. Barnbrook G, Dore E, Jeffery A.H, Keen R, Parkinson J.D, Sawtell D.L, Shacklock B.W, Spratt B.H, (1975), *Concrete Practice*, Cement and Concrete Association, England, 63 p.
3. Ben-Bassat M, Nison P. J, Hardcastle J, (1990) "The effect of difference in the composition of Portland cement on the properties of hardened concrete" *Magazine of Concrete Research*, Volume: 42, Number: 151, pp 59-66.
4. BS 1881: part 6: 1971, *Analysis of hardened concrete*, BSI, England
5. BS 812 : Part 1: 1975, *Methods for sampling and testing of mineral aggregates*, BSI, England.
6. BS 812 : Part 2: 1975, *Methods for sampling and testing of mineral aggregates, sands and fillers, Part 1, sampling, size, shape and characteristics*, BSI, England.
7. BS 8110 : Part 1: 1997, *Structural use of concrete, Part 1. Code of practice for design and construction*, BSI, England.
8. Central Bank of Sri Lanka (2001), Economic and social static of Sri Lanka.
9. Chandrakerthy S. R. De. S, Wanigedera G.H.U.A, Tissera P.K.D, Wijeratne A.S.(1986) "Influence of compaction on 1:2:4 volume batched concrete", *The Institution of Engineers Sri Lanka - Transactions* Volume:1, pp 87-99.
10. Chandrakerthy S.R.De.S.(1987), "Improvements to 1:2:4 volume batched concrete in Sri Lanka", *The Indian Concrete journal*, Volume: 61, Number: 5, pp 129-138.
11. Changes in cement properties and their effects on concrete (1984) *Report of a Concrete Society Working party*, Concrete Society, London
12. Corish A. T, Jakson P. J, Portland cement properties – past and present, *Magazine of Concrete Research* , July 1982 pp 16-18
13. Deacon C, Dewar J, (1982) Concrete durability – Specifying more simply and surely by strength, *Magazine of Concrete Research*, pp 19-21
14. Dhir R. K, Hewlett P. C, Chan Y.N (1987), "Near Surface characteristic of concrete: assessment and development of in situ test methods", *Magazine of Concrete Research* Vol. 89, No. 141, pp 183-195

15. Dias W. P. S. (1994) Discussion on "Influence of surface finish on sorptivity of concrete", by W. J. McCarter. ASCE Journal of Materials in Civil Engineering, Volume: 6, Number: 2.
16. Dias, W.P.S. (1991), "Specifying for concrete durability: Part 1 – A critical review", *Engineer*, The journal of the Institution of Engineers, Sri Lanka, Volume: XIX, pp 51-63
17. Dias, W.P.S. (1994), "Influence of mix constituents and workmanship factors on concrete strength and durability", *Engineer*, The Journal of the Institution of Engineers, Sri Lanka, Volume: XX, pp 3-17
18. Dias W.P.S.(1992) "Specifying for concrete durability: Part 2- The Sri Lankan context", *Engineer*, The Journal of the Institution of Engineers, Sri Lanka, Volume XX, pp 4-24
19. Dias W. P. S. (1995), "Sorptivity testing for assessing concrete quality" proc. Int. Cont. on concrete under Severe Exposure Conditions (CONEC 95), Spon, London, pp 433-442
20. Fidjestol P. (1993), "Applied silica fume concrete", *Concrete International*, Volume 15, Number 11, pp33-36
21. Fidjestol P (2001), "Using silica fume for hydraulic structures", *The Indian concrete journal*, Volume: 75, Number: 10, pp 667-669
22. Forrester J. A (1975) "Wet analysis, current practice sheet', *concrete*, pp 45-47
23. Grube H (1987), "Measuring gas permeability of concrete for assessing Factors of durability. Durability of Construction Materials", 1st Int. RILEM Congress (Vol3), pp 1206-1213
24. Hasbi S.A, Lewis, R.C. (2001), "Use of silica fume concrete: Selective case studies", *The Indian concrete journal*, Volume: 75, Number: 10, pp 645-652
25. Hail C (1989) "Water sorptivity of mortars and concretes: a review." *Magazine of concrete Research*, Vol 41 No. 147, pp 51-61
26. Ho D.W. S , Lewis R. K.(1987) " The water sorptivity of concrete: the influence of constituents under continues curing" *Durability of Building Materials*, Volume 4, pp 241-252

27. Ho D. W. S , Lewis, R. K (1987) " The water sorptivity of concrete: the influence of constituents under continues curing", *Durability of Building Materials*, Volume 4, pp 241-252
28. Joshi N.G. (2001), " Bandra-Worli sea link: Evaluation of HPC mixes containing silica fume", *The Indian concrete journal*, Volume: 75, Number: 10, pp 627-633
29. Keck R.H. (2001) "Improving concrete durability with cementious materials", *Concrete International*, Volume23, Number 9, pp 47-51
30. Kuhlmann K, Ellerbrock, H. G. and Sprung, S(1985) " Particle size distribution and properties of cement: part 1 strength of Portland Cement. Zement – Kalk – Gips No 6/1985, pp 136-144
31. Lewis R.C. (2001), "Ensuring long –term durability with high performance microsilica concrete", *The Indian concrete journal*, Volume:75, Number:10, pp 621-626
32. Meyer A(1987) "The importance of the surface layer for the durability of concrete structures" sp 100-concrete Durability: Katherine and Bryant Mather International Conference, *American Concrete Institute*, Detroit, 1987, pp 49-61
33. Neville A.M. (2001), "Silica fume in a concrete specification: prescribed, permitted or omitted", *Concrete International*, Volume: 23, Number: 3, pp73-77
34. Parrott L. J(1990) "carbonation, corrosion and standerdisation", *Protection of concrete*, (eds) R. K. Dhir and J. W. Green. E & F. N. Spon, London, 1990. pp 31-52
35. Patel R.G, Killon D.C, Parrott L. J, Gutteridge W. A (1988), "Influence of curing at different relative humadities upon compound reactions and porosity of Portland cement paste", *Materials and Struciures*, 21, No. 123, pp 192-197
36. Permeability of concrete and its control (1984), *Report of a concrete Society working party. Concrete society*, London
37. Powers T. C (1947), A discussion of cement hydration in relation to the curing of concrete, *proc. Higher. Res. Bd.* 27, pp 178-88
38. Popovics S. (1990) "Analysis of the concrete Strength Versus water/cement ration relationship" *ACI Materials Journal*, Volume: 87, Number. 6, pp 517-529
39. Ramey G.E, Cope B.L (2001), "Reducing drying shrinkage of bridge deck concrete", *Concrete International*, Volume 23, Number 8, pp76-82

40. Ranasinghe M (1997), “ Clay mining for building materials: Future land use”, *Engineer*, The Journal of Institution of Engineers, Sri Lanka, Volume XXVI, pp 42-49
41. Rasheetiszzafar A I, Ciahtani, A. S. Saadoun S.S (1985) “Influence of construction practice on concrete durability” *ACI Materials Journal*, Vol. 86, No. 6, Nov – Dec 1989, pp 566-575
42. Rashieduzzafar AI – Gahtani, A. S. and Saadoun, S.S (1989) “Influence of construction practice on concrete durability”, *ACI Materials Journal*, Volume. 86, Number. 6 , pp 566-575
43. Sani, S, Dhure, S.S, Kanhere, D.K, Momin, S.S, “High-performance concrete for an urban viaduct in Mumbai”, *The Indian concrete journal*, Volume: 75, Number: 10, pp 634-640
44. Shacklock B.W.(1974), *Concrete constituents and mix propotions*, Cement and concrete Association, England, 102 p.
45. Specification for Building Works – Sri Lanka (Volume 1). Institute for Construction Training and Developments (ICTAD), Ministry of Local Government, Housing and Construction, ICTAD publication No SCA/4 (Vol. 1), Colombo, 1986

