## References

- G. Karagiannis, O. ltintas, E. Ekici, G.Heijenk, B. Jarupan, K. Lin, and T. Weil, "Vehicular networking: A survey and tutorial on requirements, architectures, challenges, standards and solutions," *IEEE Communications Surveys and Tutorials*, vol. 13, pp. 584 – 616, Jul. 2011.
- [2] T. D. Hewer, High Performance Simulation and Modeling of Wireless Vehicular ad-hoc Networks. Thesis. University College London, 2011.
- [3] P. Singh and K. Lego, "Comparative study of radio propagation and mobility models in vehicular ad-hoc network," *International Journal of Computer Applications*, vol. 16, pp. 37–42, Feb. 2011.
- [4] C. Perkins and E. Royer, "Adhoc on-demand distance vector routing," in Proc. IEEE Workshop on Mobile Computing Systems and Applications, Feb. 1999, pp. 90–100.
- [5] P. Jacquet, P. Muhlethaler, T. Clausen, A. Laouiti, A. Qayyum, and L. Viennot, "Optimized link state routing protocol for ad-hoc networks," in *Proc. IEEE International Multi-Topic Conference*, 2001, pp. 62–68.
- [6] P. Katkar and V. Ghorpade, "Comparative study of network simulator: NS2 and NS3," International Journal of Advanced Research in Computer Science and Software Engineering, vol. 6, pp. 608–612, Mar. 2016.
- [7] C. Raj, U. Upadhayaya, T. Makwana, and P. Mahida, "Simulation of VANET using NS-3 and SUMO," International Journal of Advanced Research in Computer Science and Software Engineering, vol. 4, pp. 563–569, Apr. 2014.
- [8] Y. J. Li, An Overview of the DSRC/WAVE Technology. Springer Berlin Heidelberg, 2012, vol. 74, ch. Quality, Reliability, Security and Robustness in Heterogeneous Networks, pp. 544–558.

- J. B. Kenney, "Dedicated short-range communications (DSRC) standards in the United States," *Proceedings of the IEEE*, vol. 99, no. 7, pp. 1162–1182, Jul. 2011.
- [10] C. Daniel, A. Saavedra, and P. Serrano, "Device-to-device communication with Wi-Fi Direct: Overview and experimentation," *IEEE Wireless Commun.*, vol. 20, no. 3, pp. 96–104, Jun. 2013.
- [11] R. Ramaswamy, N. Weng, and T. Wolf, "Characterizing network processing delay," in *Proc.IEEE Global Telecommunications Conference*, Dec. 2004.
- [12] M. H. Manshaei and J. Hubaux, "Performance analysis of the IEEE 802.11 distributed coordination function: Bianchi model," *IEEE Journal on Selected Areas in Communications*, vol. 18, no. 3, pp. 535–547, Seb. 2006.
- [13] A. ZAtuquete, "Improved csma/ca protocol for ieee 802.11," in Proc.Next Generation Internet Networks, Apr. 2008.
- [14] C. Profentzas, Studying Routing Issues in VANETs by Using NS-3. Thesis. Alexander Technological Educational Institute of Thessaloniki, 2012.
- [15] C. Satish, Inter-vehicular Communication for Collision Avoidance Using Wi-Fi Direct. Thesis. Rochester Institute of Technology, 2014.
- [16] P. Angadi, Increased Persistence of Wi-Fi Direct Networks for Smart phone based Collision Avoidance. Thesis. Rochester Institute of Technology, 2014.
- [17] N. Shuhaimi, Heriansyah, T. Juhana, and A. Kurniawan, "Performance analysis for uniform and binomial distribution on contention window using DSRC and Wi-Fi Direct standard," *International Journal of Electrical and Computer Engineering*, vol. 5, no. 6, pp. 1452–1457, Dec. 2015.
- [18] S. Hu, H. Liu, L. Su, H. Wang, F. Abdelzaher, P. Hui, W. Zheng, Z. Xiek, and J. Stankovick, "Towards automatic phone-to-phone communication for vehicular networking applications," in *Proc. IEEE Conference on Computer Communications*, Apr. 2014, pp. 1752–1760.
- [19] W. Jin, C. Kwan, Z. Sun, H. Yang, and Q. Gan, "SPIVC: A smartphonebased inter-vehicle communication system," in *Proc. Transportation Research Board 91st Annual Meeting*, Jan. 2012.

- [20] S. Lee and A. Lim, "An empirical study on ad hoc performance of DSRC and Wi-Fi vehicular communications," *International Journal of Distributed Sensor Networks*, vol. 9, no. 11, Seb. 2013.
- [21] W. Lin, M. Li, K. Lan, and C. Hsu, A Comparison of 802.11a and 802.11p for V-to-I Communication: A Measurement Study. Springer Berlin Heidelberg, 2012, vol. 74, ch. Quality, Reliability, Security and Robustness in Heterogeneous Networks, pp. 559–570.
- [22] P. Choi, J. Gao, N. Ramanathan, M. Mao, S. Xu, C. Boon, S. Fahmy, and L. Peh, "A case for leveraging 802.11p for direct phone-to-phone communications," in *Proc. IEEE International Symposium on Low Power Electronics* and Design, Aug. 2014, pp. 207–212.
- [23] S. A. H. Tabatabaei, M. Fleury, N. N. Qadri, and M. Ghanbari., "Improving propagation modeling in urban environments for vehicular ad hoc networks." *IEEE Trans. Intelligent Transportation Systems.*, vol. 12, no. 3, pp. 1–12, Seb. 2011.
- [24] K. Mizutani and R. Kohno, "Analysis of multipath fading due to tworay fading and vertical fluctuation of the vehicles in its inter-vehicle communications." in Proc. IEEE 5th International Conference on Intelligent Transportation Systems, 2002, pp. 318–323.
- [25] M. Killat and H. Hartenstein, "An empirical model for probability of packet reception in vehicular ad hoc networks," *EURASIP Journal on Wireless Communications and Networking*, no. 4, Jan. 2009.
- [26] J. Yin, G. Holland, T. ElBatt, F. Bai, and H. Krishnan, "DSRC channel fading analysis from empirical measurement," in *Proc.First International Conference on Communications and Networking in China*, Oct. 2006.
- [27] L. Rubio, N. Cardona, S. Flores, J. Reig, and L. Juan-Llacer, "The use of semi-deterministic propagation models for the prediction of the shortterm fading statistics in urban environments," in *Proc.IEEE 49th Vehicular Technology Conference, Amsterdam*, 1999, pp. 1460–1464.
- [28] L. Rubio, J. Reig, and N. Cardona, "Evaluation of nakagami fading behaviour based on measurements in urban scenarios," *International Journal* of Electronics and Communication, pp. 135–138, Feb. 2007.

- [29] V. Taliwal, D. Jiang, H. Mangold, C. Chen, and R. Sengupta, "Empirical determination of channel characteristics for DSRC vehicle-to-vehicle communication," in *Proc.1st ACM International Workshop on Vehicular Ad Hoc Networks*, Oct. 2004.
- [30] T. Marc, D. Jiang, and H. Hartenstein, "Broadcast reception rates and effects of priority access in 802.11-based vehicular ad-hoc networks," in *Proc. ACM International Workshop on Vehicular ad-hoc Networks*, Oct. 2004, pp. 105– 110.
- [31] F. J. Martinez, C. Toh, J. Cano, C. T. Calafate, and P. Manzoni, "Realistic radio propagation models (RPMs) for VANET simulations," in *Proc. IEEE Wireless Communications and Networking Conference*, May. 2009.
- [32] S. E. Carpenter, "Obstacle shadowing influences in VANET safety," in Proc.IEEE 22nd International Conference on Network Protocols, Oct. 2014.
- [33] S. E. Carpenter and M. L. Sichitiu, "An obstacle model implementation for evaluating radio shadowing with NS-3," in *Proc. Workshop on ns-3, Spain*, May. 2015, pp. 17–24.
- [34] M. C. Aswathy and C. Tripti, "A cluster based enhancement to AODV for inter-vehicular communication in VANET," *International Journal of Grid Computing and Applications*, vol. 3, no. 3, pp. 41–50, Seb. 2012.
- [35] S. Jibhkate, S. Khare, A. Kamble, and A. Jeyakumar, "AODV and OLSR based routing algorithm for highway and city scenarios," *International Jour*nal of Advanced Research in Computer and Communication Engineering, vol. 4, no. 6, pp. 275–280, Jun. 2015.
- [36] J. Toutouh, J. G-Nieto, and E. Alba, "Intelligent OLSR routing protocol optimization for VANETs," *IEEE Trans. Vehicular Technology*, vol. 61, no. 4, pp. 1884–1894, May. 2012.
- [37] H. JAl'rAtme, F. Fethi, and B. Christian, "Performance comparison of AODV and OLSR in VANETs urban environments under realistic mobility patterns," in *Proc.5th IFIP Mediterranean Ad-Hoc Networking Workshop*, Jun. 2006.
- [38] P. Wong, V. Varikota, D. Nguyen, and A. Abukmail, "Automatic androidbased wireless mesh networks," *Informatica*, vol. 38, no. 4, pp. 313–320, Dec. 2014.