

REFERENCES

- [1] S. Kalpakjian and S.R. Schmid, *Manufacturing Engineering and Technology*, Fourth. Delhi: Addison Wesley Longman PTE Ltd, 2000.
- [2] T. Brockhoff and A. Walter, "Fluid Minimization in Cutting and Grinding," *Abrasives*, pp. 38–42, 1998.
- [3] S.W.M.A.I. Senevirathne, U.P. Kahangamage, and K.H.J. Mangala, "Development of Die & Mould Making Industry in Sri Lanka through Tripartite Collaboration of University-Industry-Government," in *15th ERU Symposium*, 2009, pp. 186–187.
- [4] Y. Yildiz and M. Nalbant, "A review of cryogenic cooling in machining processes," *Int. J. Mach. Tools Manuf.*, vol. 48, no. 9, pp. 947–964, Jul. 2008.
- [5] N. Abukhshim, P. Mativenga, and M. Sheikh, "Heat generation and temperature prediction in metal cutting: A review and implications for high speed machining," *Int. J. Mach. Tools Manuf.*, vol. 46, no. 7–8, pp. 782–800, Jun. 2006.
- [6] P. Majumdar, R. Jayaramachandran, and S. Ganesan, "Finite element analysis of temperature rise in metal cutting processes," *Appl. Therm. Eng.*, vol. 25, no. 14–15, pp. 2152–2168, 2005.
- [7] E.G. Ng, D.K. Aspinwall, D. Brazil, and J. Monaghan, "Modelling of temperature and forces when orthogonally machining hardened steel," *Int. J. Mach. Tools Manuf.*, vol. 39, no. 6, pp. 885–903, 1999.
- [8] S.Y. Hong and Y. Ding, "Cooling approaches and cutting temperatures in cryogenic machining of Ti-6Al-4V," *Int. J. Mach. Tools Manuf.*, vol. 41, no. 10, pp. 1417–1437, 2001.

- [9] A.A. Khan, M.Y. Ali, and M.M. Haque, "A New Approach of Applying Cryogenic Coolant in Turning AISI 304 Stainless Steel," *Mater. Eng.*, vol. 5, no. 2, pp. 171–174, 2010.
- [10] M.B. Da Silva, J. Wallbank, and M. Bacci, "Cutting temperature: prediction and measurement methods—a review," *J. Mater. Process. Technol.*, vol. 88, no. 1–3, pp. 195–202, 1999.
- [11] R. Komanduri and Z.B. Hou, "Thermal modeling of the metal cutting process — Part III: temperature rise distribution due to the combined effects of shear plane heat source and the tool–chip interface frictional heat source," *Int. J. Mech. Sci.*, vol. 43, no. 1, pp. 89–107, Jan. 2001.
- [12] R. Autret and S.Y. Liang, "Minimum Quantity Lubrication in Finish Hard Turning," *HNICEM*, pp. 1–9, 2003.
- [13] J.P. Byers, "Selecting the 'Perfect' Metalworking Fluid," *Tribol. Lubr. Technol.*, no. October, pp. 29–36, 2009.
- [14] A. Attanasio, M. Gelfi, C. Giardini, and C. Remino, "Minimal quantity lubrication in turning: Effect on tool wear," *Wear*, vol. 260, no. 3, pp. 333–338, Feb. 2006.
- [15] S.S. Bhambale, C.V. Patil, and S.R. Nirmal, "Experimental Investigation on Wet Lubrication System in Turning Operation of Mild Steel by Minimizing the Flow Rate of Cutting Lubricants," *Int. J. Eng. Innov. Technol.*, vol. 1, no. 4, pp. 201–205, 2012.
- [16] J.P. Byers, *Metalworking Fluids*. CRC/Taylor & Francis, 2006.
- [17] Institute of Advanced Manufacturing Sciences and Waste Reduction and Technology Transfer Foundation, *Shop Guide to Reduce the Waste of Metalworking Fluids*, no. 800. 1995.

- [18] Iowa Waste Reduction Center, *Cutting Fluid Management for Small Operations*. 2003.
- [19] J.P. Byers, "Selecting the 'Perfect' Metalworking Fluid," *Tribol. Lubr. Technol.*, no. October, pp. 29–36, 2009.
- [20] Occupational Safety and Health Administration Metalworking Fluids Standards Advisory Committee, "Final Report of the OSHA Metal Working Fluids Standards Advisory Committee," 1999.
- [21] University of Pretoria, "Properties of Cutting Fluids." pp. 37–47, 2000.
- [22] J. Geier, *Metalworking Fluids*. Society of Tribologists and Lubrication Engineers, 2014.
- [23] J.P. Byers, *Metalworking Fluids*. Boca Raton, FL: CRC/Taylor & Francis, 2006.
- [24] M.J. Bermingham, S. Palanisamy, D. Kent, and M.S. Dargusch, "A comparison of cryogenic and high pressure emulsion cooling technologies on tool life and chip morphology in Ti-6Al-4V cutting," *J. Mater. Process. Technol.*, vol. 212, no. 4, pp. 752–765, Nov. 2011.
- [25] A.K. Nandy and S. Paul, "Effect of Coolant Pressure, Nozzle Diameter, Impingement Angle and Spot Distance in High Pressure Cooling with Neat Oil in Turning Ti-6AL-4V," *Mach. Sci. Technol.*, vol. 12, no. 4, pp. 445–473, Oct. 2008.
- [26] Z. Pu, J.C. Outeiro, A.C. Batista, O.W. Dillon Jr., D.A. Puleo, and I.S. Jawahir, "Enhanced surface integrity of AZ31B Mg alloy by cryogenic machining towards improved functional performance of machined components," *Int. J. Mach. Tools Manuf.*, vol. 56, pp. 17–27, May 2012.
- [27] V. Upadhyay, P.K. Jain, and N.K. Mehta, "Minimum Quantity Lubrication Assisted Turning - An Overview," in *Daaam International Scientific Book*

2012, K. BRANKO, Ed. Vienna: DAAAM International Vienna, 2012, pp. 463–478.

- [28] P.W. Marksberry and I.S. Jawahir, “A comprehensive tool-wear/tool-life performance model in the evaluation of NDM (near dry machining) for sustainable manufacturing,” *Int. J. Mach. Tools Manuf.*, vol. 48, no. 7–8, pp. 878–886, 2008.
- [29] N. Boubekri, “An Investigation in Drilling 1020 Steel Using Minimum Quantity Lubrication,” *Int. J. Appl. Sci. Technol. Vol.*, vol. 1, no. 5, pp. 60–67, 2011.
- [30] N.R. Dhar, M.T. Ahmed, and S. Islam, “An experimental investigation on effect of minimum quantity lubrication in machining AISI 1040 steel,” *Int. J. Mach. Tools Manuf.*, vol. 47, no. 5, pp. 748–753, Apr. 2007.
- [31] H. Ay and W.J. Yang, “Heat transfer and life of metal cutting tools in turning,” *Int. J. Heat Mass Transf.*, vol. 41, no. 3, pp. 613–623, 1998.
- [32] Y. Yildiz and M. Nalbant, “A review of cryogenic cooling in machining processes,” *Int. J. Mach. Tools Manuf.*, vol. 48, no. 9, pp. 947–964, Jul. 2008.
- [33] Y. Su, N. He, A. Iqbal, M.H. Xiao, S. Xu, and B.G. Qiu, “Refrigerated cooling air cutting of difficult-to-cut materials,” *Int. J. Mach. Tools Manuf.*, vol. 47, pp. 927–933, 2007.
- [34] M. Rahman, A.S. Kumar, M.U. Salam, and M.S. Ling, “Effect of Chilled Air on Machining Performance in End Milling,” *Int. J. Adv. Manuf. Technol.*, vol. 21, no. 10, pp. 787–795, 2003.
- [35] S.W. Kim, D.W. Lee, M.C. Kang, and J.S. Kim, “Evaluation of machinability by cutting environments in high-speed milling of difficult-to-cut materials,” *J. Mater. Process. Technol.*, vol. 111, pp. 256–260, 2001.

- [36] S.M.A. Choudhury, N.R. Dhar, and M.M.A. Bepari, "Effect of Minimum Quantity Lubricant on Temperature Chip and Cutting Force in Turning Medium Carbon Steel," *Int. Conf. Mech. Eng. 2007*, no. December, pp. 29–31, 2007.
- [37] N.R. Dhar, M.W. Islam, S. Islam, and M.A.H. Mithu, "The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel," *J. Mater. Process. Technol.*, vol. 171, no. 1, pp. 93–99, Jan. 2006.
- [38] N.R. Dhar, M. Kamruzzaman, and M. Ahmed, "Effect of minimum quantity lubrication (MQL) on tool wear and surface roughness in turning AISI-4340 steel," *J. Mater. Process. Technol.*, vol. 172, no. 2, pp. 299–304, Feb. 2006.
- [39] M. Hameedullah and L.B. Abhnag, "Experimental Investigation of Minimum Quantity Lubricants," *Int. J. Eng. Sci. Technol.*, vol. 2, no. 7, pp. 3045–3053, 2010.
- [40] A.D. Jayal and A.K. Balaji, "Effects of cutting fluid application on tool wear in machining: Interactions with tool-coatings and tool surface features," *Wear*, vol. 267, no. 9–10, pp. 1723–1730, Sep. 2009.
- [41] Y. Kamata and T. Obikawa, "High speed MQL finish-turning of Inconel 718 with different coated tools," *J. Mater. Process. Technol.*, vol. 192–193, pp. 281–286, Oct. 2007.
- [42] Central Bank of Sri Lanka, "Annual Report," 2011.
- [43] U. Galappaththi, "Investigation of Problematic Issues of Mould Design and Manufacture for Plastic-Based Industry in Sri Lanka 2007," University of Moratuwa, 2007.
- [44] Mitsubishi, "MITSUBISHI Materials- Turning Tool Catalogue." 2013.
- [45] Uddeholm, "Uddeholm Impax Supreme Tool Steel." pp. 1–8, 2011.

- [46] Uddeholm, "Uddeholm sverker 21 Tool Steel," 2014.
- [47] M.Z.A. Yazid, C.H. Che Haron, J.A. Ghani, G.A. Ibrahim, and A.Y.M. Said, "Surface integrity of Inconel 718 when finish turning with PVD coated carbide tool under MQL," *Procedia Eng.*, vol. 19, pp. 396–401, Jan. 2011.
- [48] B. Tasdelen, H. Thordenberg, and D. Olofsson, "An experimental investigation on contact length during minimum quantity lubrication (MQL) machining," *J. Mater. Process. Technol.*, vol. 203, no. 1–3, pp. 221–231, Jul. 2008.
- [49] C.R.V. Kumar and B. Ramamoorthy, "Performance of coated tools during hard turning under minimum fluid application," *J. Mater. Process. Technol.*, vol. 185, no. 1–3, pp. 210–216, Apr. 2007.
- [50] S.M. Yuan, L.T. Yan, W.D. Liu, and Q. Liu, "Effects of cooling air temperature on cryogenic machining of Ti–6Al–4V alloy," *J. Mater. Process. Technol.*, vol. 211, no. 3, pp. 356–362, Mar. 2011.
- [51] M.M.A. Khan, M.A.H. Mithu, and N.R. Dhar, "Effects of minimum quantity lubrication on turning AISI 9310 alloy steel using vegetable oil-based cutting fluid," *J. Mater. Process. Technol.*, vol. 209, no. 15–16, pp. 5573–5583, Aug. 2009.
- [52] N.B. Borkar, S.S. Chaudhari, and A.B. Amale, "Experimental Investigation on the Role of MQL and its Effects on Tool Wear in Turning of mild Steel," *Int. J. Mod. Eng. Res.*, vol. 1, pp. 203–209.
- [53] F. Itoigawa, T.H.C. Childs, T. Nakamura, and W. Belluco, "Effects and mechanisms in minimal quantity lubrication machining of an aluminum alloy," *Wear*, vol. 260, no. 3, pp. 339–344, Feb. 2006.
- [54] N. Ranjan, S. Islam, and M. Kamruzzaman, "Effect of Minimum Quantity Lubrication (MQL) on Tool Wear , Surface Roughness and Dimensional

Deviation in Turning AISI-4340 Steel,” *G.U. J. Sci.*, vol. 20, no. 2, pp. 23–32, 2007.

- [55] V.N. Gaitonde, S.R. Karnik, and J.P. Davim, “Selection of optimal MQL and cutting conditions for enhancing machinability in turning of brass,” *J. Mater. Process. Technol.*, vol. 204, no. 1–3, pp. 459–464, Aug. 2008.
- [56] D.V. Lohar and C.R. Nanvaty, “Performance Evaluation of Minimum Quantity Lubrication (MQL) using CBN Tool during Hard Turning of AISI 4340 and its Comparison with Dry and Wet Turning,” *Bonfring Int. J. Ind. Eng. Manag. Sci.*, vol. 3, no. 3, pp. 102–106, Sep. 2013.