Reference

- Amarasinghe, N. (2009). *Importance of reporting accidents and Illness*, National Safety conference 20009 on "safe workplace healthy life" Colombo.
- Abbasi, H.A., and D.K. Fleming, (1988). Combustion Modifications for Control of NOx Emissions from Glass Melting Furnaces. Ceram. Eng. Sci. Proc. 9(3-4):168-177.
- American Conference of Governmental Industrial Hygienists, (2004). *Threshold Limit Values for Chemical Substances and Physical Agents & Biological Indices*, Cincinnati, HO.
- American Conference of Governmental Industrial Hygienists (2001). *TLVs and BEIs:*Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: pp: 112-127
- Adams, R.D., Victor, M. and Ropper, A.H. (1997). *Principles of Neurology*. McGraw-Hill, New York.
- Anderson, Wingren, G & Axelson, O (1990). Some hygienic observations from the glass industry int, Arch. Occupational, environment Health 62, pp: 249 -252.
- Agruss, C.D., Williams, K.R., and Fathallah, F.A, (2004). The Effect of Feedback

 Training on Lumbosacral Compression during Simulated Occupational

 Lifting. Ergonomics 47, pp. 1103-1115.
- Amell, T.K., Kumar S., (1999). Cumulative Trauma Disorders and Keyboarding Work. International Journal of Industrial Ergonomics 25, pp. 69-78.
- American Conference of Governmental Industrial Hygienists, (2001). *Threshold Limits Values and Biological Exposure Indices for Cincinnati*, HO.

- Association of the Glass and Ceramic Industry (AGCI) (2002). Czech Republic. Annual Report pp-56-92.
- American Conference of Governmental Industrial Hygienists, Cincinnati. ACGIH, (2001). Annual Reports of the Committees on TLVs and BEIs for Year pp: 236 p.
- Bai, Y., Suzuki, A.K., and Sagai, M., (2001). The Cytotoxic Effects of Diesel Exhaust Particles on Human Pulmonary Artery Endothelial Cells in Vitro: Role of Active Oxygen Species. Free Radical Biology & Medicine 30, pp: 555–562.
- Bazroy J, Gautam Roy, Ajit Sahai, MB (2003). Sound arssan are. Magnitude and risk factors of injuries in a glass bottle manufacturing plant. J Occupational Health 45: 53 59.
- Borghi L, Meschi T, Amato F, Nevarini A, Romanelli A, Cigala F. (1993). *Hot occupation and nephrolithiasis*. 150 (6): 1757 60 [Abstract from Medline].
- Bergdahl IA, Toren K, Eriksson K, Hedlund U, Nilsson T, Flodin R, Jarvholm B. (2004). *Increased mortality in COPD among construction workers exposed to inorganic dust*. Eur Respir J 23: pp: 402–406.
- Bogopane L P. (2013) A Critical Review of Pertinent Qualitative Research Processes, Approaches, and Tools in Social Sciences, North West University, Mafikeng Campus, North West Province, Republic of South Africa pp-22-pp32.
- Burroughs, G.E. & Horan, J. (1981) *Health Hazard Evaluation Report*. Becton-Dickinson Company, Columbus, Nebraski (HHE 80-023-80), Cincinnati OH, National institute for Occupation al Safety and Health.
- Brown T, (2009), Silica exposure, smoking, silicosis and lung cancer-complex interactions. Occupational Medicine. 9, 59 (2) pp: 89–95. doi: 10.1093/occ; med/kqn171.

- Cannon, L.J., Bernacki, E.J. and Walter, S.D., (1981). Personal and Occupational Factors Associated with Carpal Tunnel Syndrome, Journal of Occupational Medicine 23, pp. 255-258.
- Cameron, J.D. & Hill, J.W ln: Parmeggiani, L. (1983). *Encyclopedia of Occupational Health and Safety*, 3rd rev. Ed., Vol. 1, Geneva, International Labour Office, pp. 69 70.
- Cooper, M.D., and Phillips, R.A. (2004). *Exploratory analysis of the safety climate and safety behavior relationships*. Journal of Safety Research, Vol. 35, No. 05, pp 497-512.
- Chapanis, A. (1985). Some reflections on progress. Proceedings of the human factors 29 the annual meeting. Santa Monica. USA. pp. 1-8.
- Dahlberg, R., Karlqvist, L., Bildt, C., and Nykvist, K, (2004). *Do Work Technique* and Musculoskeletal Symptoms Differ between Men and Women Performing the same type of Work Tasks? Applied Ergonomics 35, pp: 521-529.
- De Jong, B.H.W.S. (1989) Glass. In: Ullmann's Encyclopedia of industrial Chemistry, Vol. A 12, Weinheim.
- Energy Information Administration (EIA), (2000). *Glass industry analysis brief*. Washington, D.C. http://www.eia.doe.gov/emeu/mecs/iab/glass
- Enander, A. (1984). *Performance and sensory aspects of work in cold conditions: A review, Ergonomics*, 27(4), 365-378.
- European Economic and Social Committee (EESC). (2009). *The competitiveness of the European glass and ceramics industry*, with particular reference to the EU climate and energy package, opinion of the European Economic and Social Committee, CCMI/062 Glass and ceramics industry (exploratory opinion, Brussels..
- Foglemana, M., and Lewisb, R.J, (2002). Factors Associated with Self-reported Musculoskeletal Discomfort in Video Display Terminal (VDT) users. International Journal of Industrial Ergonomics.29, pp. 311–318.
- Fernando, (1991) Natural resources of Sri Lanka, RN ISN 8684.
- Filho M. T., Santos U. D. E. P. (2006) Silicone. Journal Brasileiro de Pneumologia.;32:41–47

- Dissanayake (2012) Country report Improvement of policy on occupational safety and health from policy development, Department of Labor
- Gode S. (1993). *Study of thermal environment in a glass factory*. University of Poona, No. 1328, Dissertation for MD (PSM).
- Glass fiber Europe. (2013). European glass industry calls on European Commission to investigate unfair practices of state-backed Chinese exporters, BP press release, Nov Brussels.
- Glass global Community. (2015). *Recovery of the glass industry in China*, online article. Available at: http://www.glassglobal.com/china.
- Grundy, (1990). *The global miracle of flat glass*: A Tribute to St Helens and its Glassworkers, St Helens, Merseyside.
- Glasss Aisa (2013) Reccent trends in glass industry in Asia, PT Vol 24, pp 22 pp 44, Moscow.
- Gordon SB, Curran AD, Fishwick D, Morice AH, Howard P, Greenburg (1998).

 Respiratory symptoms among glass bottle workers cough and airways irritancy syndrome Occupational Med (London); 48 (7): pp: 455 59.
- Health and Safety Executive (HSE) (2002). *Prevention for the health and safety in glass industries*, Glass Information Sheet No. 1 London.
- Handley W. ed (1977). *Industrial safety Handbook*, 2nd ed, UK: McGraw-Hill.
- ILO (1983). *Encyclopedia of Occupational Health and Safety*, Vol. I, 3rd (revised) ed., ILO: 966 970 Geneva.
- ILO (2010). Encyclopedia of Occupational Health and Safety Vol. 01, 02 nd, 3rd (revised) ed., ILO: 625 867 Geneva.
- ILO (2002). Encyclopedia of Occupational Health and Safety Vol. 01, 625 867.
- ILO (1991). Occupational lung diseases: Prevention and control. Geneva, Switzerland: international labour Office, Occupational Safety and Health Series No. 67, 85 Geneva.

- lARC (1987b) *lARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 42, Silica and Some Silicates, Lyon, pp. 39-143.
- lARC (1987f) *lARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, Overall *Evaluations of Carcinogenicity*: An Updating of IAC Monographs Volumes 1 ta 42, Lyon, pp. 252-254
- J. R. Schoor (1976). Source Assessment: Glass Container Manufacturing Plants, EPA-600/2-76-269, U. S. Environmental Protection Agency, Cincinnati, OH, October.
- Joel, A. (2007). *Health and safety practices on construction Site*. Agege, Star Publishing Press, Lagos.
- Karwowski, W. And Rodrick, D, (2001). *Physical tasks: analysis, design and operation, In Handbook of Industrial Engineering*, 3rd edn. G. Salvendy (Ed), 1041 1110 (New York: Wiley).
- Karwowski, W, (2005), *On measure of the human-system compatibility*. Theoretical Issues in Ergonomics Science (press released 2006) Moscow.
- Leithend, C. S. and Lind, A. R., (2008). *Heat Stress and Heat Discharges*. Davis Co, Philadelphia, PA.
- Laura M, (2011), A Research Report into Hearing Loss in the Workplace, The Royal National Institute for Deaf People, London, England.
- Lind, S., Nenonen, S. and Rahnasto, J.K. (2008). *Safety risk assessment in industrial maintenance. Journal of Quality in Maintenance Engineering*, 14(2), 205-217 Torento.
- Murrell, K. (1971). *Ergonomics-Man in his Working Environment*. Springer, London.
- Murray, J., Coetzee, L., Back, P., Banyini, A. and Ross, M. (2002) *Analysis of occupational lung disease identified at autopsy and compensated in the South African mining industry*. Occupational Health South Africa 8: 3–5.

- NIOSH [1979a]. Crystalline silica. In: Hutchison M, Kusnetz S, Eds. A guide to the work-relatedness of disease. Rev. ed. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Public Health Service, Centre for Disease Control, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 79–116, pp. 155–167.
- NIOSH [1992a]. *NIOSH alert: Request for assistance in preventing silicosis and deaths from sandblasting*, Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication p:p. 92–102.
- NIOSH [1986]. *Working in hot environments*. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication pp. 86–112.
- National Institute for Occupational Safety and Health NIOSH (2001) *Work Related Hearing-Loss* (Publication No. 2001-103). Cincinnati, OH: DHHS (NIOSH),
- NIOSH (2009). Working in hot environments in Heavy Industries. National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication pp. 186–215.
- OSHA (2009). *Heat stress*. In: OSHA technical manual. Sec 3 Chap 4. Washington, D.C. U.S. Department of Labour, Occupational Safety and Health Administration, TED 1-0.15A.
- Park K, Robelo (2009), *Park's Textbook of Preventive and Social Medicine*, Twentieth edition, Banarsidas Bhanot Publishers, Jabalpur, P.709-710.
- Patel Arshad, Rao Nellore Mohan, Saha Asim, (2006). *Indian Journal of Occupational and Environmental Medicine*, Vol. 10, No. 3, September-December, pp. 121-123 New Delhi.

- Palmer K, Coggon D, Griffin MJ, et al (1998). The development of a self-administered questionnaire to assess exposures to hand-transmitted and whole body vibration and their health effects. J Sound Vib;215:653–86.
- Piedrahita H, Oksa J, Malm C, Sormunen E, Rintamaki H (2007). Effects of cooling and clothing on vertical trajectories of the upper arm and muscle functions during repetitive light work. Eur J Appl Physiol DOI 10.1007/s00421-007-0657-7.
- Ramsey, Chan A.P.C., Yi W. (1983) *Heat stress and its impacts on occupational health and performance*. Indoor Built Environ. 2016;25:3–5. doi: 10.1177/1420326X15622724
- Rathod RA, Bhajia LJ, Pandya GL, Katajade VL, Parikh DJ, Chattarjee BB. (1989). *Thermal stress and physiological strain in the glass bangle industry*. Eur J App

 Physio Occup Physiol ; 59(4): 290 95
- Rastogi SK, Gupta BN, Hussain T. (1992). Wet bulb globe temperature index: a predictor of physiological strain in hot environment. (Lond); 42 (2): 93 7.
- Ritzel, D.O, (2003) Assessing definitions and concepts within the safety professions, the international electronic journal of health Education 6: pp 1-9.
- Rowell, L.B. (1974). *Human cardiovascular adjustments to exercise and thermal stress*. Physiol. Rev. 54: 75-148.
- Srivastava A, Kumar R, Joseph E, Kumar A (2000). *Heat exposure study in the work place in the glass-manufacturing unit in India*. Ann Occupational Hygiene, 44 (6): 449 53.
- Srivastava AK, Gupta BN. (1988). *Ophthalmic morbidity in glass workers*. India J Indus Med; 34 (4): 161 65.

- SHE (1988). *Quartz in respirable airborne dusts: Laboratory method using X-ray diffraction* (direct method), MDHS 51/2. In: Methods for the determination of hazardous substances. London: Health and Safety Executive.
- Sluchak, T.J. (1992). *Ergonomics: Origins, Focus and Implementation Considerations*. Journal of the American Association of Occupational Health Nurses, 40(3), 105-11.
- . Takala J (1992). *Safety and health information systems*: analysis of local, national and global methods. Doctoral Thesis, Publication no—109, Tampere University of Technology, Finland.
- WHO (1969). Health factors involved in working under conditions of heat stress.Geneva, Switzerland: World Health Organization. Technical Report SeriesNo. 412
- World Bank Group (2007), *Environmental, Health, and Safety Guidelines*, Vol 02, 2 pp- 22pp.