

## REFERENCES

- [1] A. Rave and S. Joksch, “Monitoring metalworking fluids,” *Metalwork. Fluids Cut. Grind. Fundam. Recent Adv.*, no. March, pp. 317–337, 2012, doi: 10.1016/B978-0-85709-061-4.50007-4.
- [2] A. Panda, J. Duplák, and K. Vasilko, “Analysis of Cutting Tools Durability Compared with Standard ISO 3685,” *Int. J. Comput. Theory Eng.*, vol. 4, no. 4, pp. 621–624, 2012, doi: 10.7763/IJCTE.2012.V4.544.
- [3] G. Arora *et al.*, “Vegetable oil based cutting fluids – green and sustainable machining - II,” *J. Mater. Sci. Mech. Eng.*, vol. 2, no. 9, pp. 1–5, 2015.
- [4] S. A. Lawal, I. A. Choudhury, and Y. Nukman, “Application of vegetable oil-based metalworking fluids in machining ferrous metals - A review,” *Int. J. Mach. Tools Manuf.*, vol. 52, no. 1, pp. 1–12, 2012, doi: 10.1016/j.ijmachtools.2011.09.003.
- [5] A. Antić, P. B. Petrović, M. Zeljković, B. Kosec, and J. Hodolič, “The influence of tool wear on the chip-forming mechanism and tool vibrations,” *Mater. Tehnol.*, vol. 46, no. 3, pp. 279–285, 2012.
- [6] E. Kuram, B. Ozcelik, E. Demirbas, E. Şik, and I. N. Tansel, “Evaluation of new vegetable-based cutting fluids on thrust force and surface roughness in drilling of AISI 304 using Taguchi method,” *Mater. Manuf. Process.*, vol. 26, no. 9, pp. 1136–1146, 2011, doi: 10.1080/10426914.2010.536933.
- [7] S. J. Skerlos, K. F. Hayes, A. F. Clarens, and F. Zhao, “Current advances in sustainable Metalworking Fluids research,” *Int. J. Sustain. Manuf.*, vol. 1, no. 1/2, p. 180, 2008, doi: 10.1504/IJSM.2008.019233.
- [8] H. Sasahara, T. Nitta, and K. Nishi, “Analysis of Tool Temperature in High-Speed Milling Temperature,” pp. 279–280, doi: 10.1007/s003380000118.
- [9] K. C. C. Wickramasinghe, G. I. P. I. P. Perera, and H. M. C. M. M. C. M. Herath, “Formulation and performance evaluation of a novel coconut oil-based metalworking fluid,” *Mater. Manuf. Process.*, vol. 32, no. 9, pp. 1026–1033, Jul. 2017, doi: 10.1080/10426914.2016.1257858.
- [10] H. R. Landis, K. F. Hayes, and S. J. Skerlos, “Experimental Comparison of Vegetable and Petroleum Base Oils in Metalworking Fluids Using Tapping Torque Test,” *Proc. JUSFA Japan-USA Symp. Flex. Autom.*, pp. 1–6, 2004.
- [11] G. Kant and K. S. Sangwan, “Prediction and optimization of machining parameters for minimizing power consumption and surface roughness in machining,” *J. Clean. Prod.*, vol. 83, pp. 151–164, 2014, doi: 10.1016/j.jclepro.2014.07.073.
- [12] E. M. Trent and P. K. Wright, *Metal Cutting*, 4th ed. United States of America: Butterworth–Heinemann, 2000.
- [13] E. Kuram, B. Ozcelik, E. Demirbas, and E. Şik, “Effects of the Cutting Fluid Types and Cutting Parameters on Surface Roughness and Thrust Force,” *World*

- Congr. Eng.*, vol. II, pp. 1–4, 2010, doi: 10.1109/MNRAO.1994.346257.
- [14] K. P. Sodavadia and A. H. Makwana, “Experimental Investigation on the Performance of Coconut oil Based Nano Fluid as Lubricants during Turning of AISI 304 Austenitic Stainless Steel,” *Int. J. Adv. Mech. Eng.*, vol. 4, no. 1, pp. 55–60, 2014.
  - [15] M. Sayuti, A. A. D. Sarhan, and F. Salem, “Novel uses of SiO<sub>2</sub> nano-lubrication system in hard turning process of hardened steel AISI4140 for less tool wear, surface roughness and oil consumption,” *J. Clean. Prod.*, vol. 67, pp. 265–276, 2014, doi: 10.1016/j.jclepro.2013.12.052.
  - [16] R. Yunus, A. Fakhru'l-Razi, T. L. Ooi, S. E. Iyuke, and J. M. Perez, “Lubrication properties of trimethylolpropane esters based on palm oil and palm kernel oils,” *Eur. J. Lipid Sci. Technol.*, vol. 106, no. 1, pp. 52–60, 2004, doi: 10.1002/ejlt.200300862.
  - [17] S. A. Lawal, “A review of application of vegetable oil-based cutting fluids in machining non-ferrous metals,” *Indian J. Sci. Technol.*, vol. 6, no. 1, pp. 3951–3956, 2013, doi: 10.1016/j.ijmachtools.2011.09.003.
  - [18] M. P. Groover, *Fundamentals of Modern Manufacturing: Materials, Processes, and Systems*. 2010.
  - [19] V. P. Astakhov, “The assessment of cutting tool wear,” *Int. J. Mach. Tools Manuf.*, vol. 44, no. 6, pp. 637–647, 2004, doi: 10.1016/j.ijmachtools.2003.11.006.
  - [20] S. A. Lawal, I. A. Choudhury, and Y. Nukman, “Developments in the formulation and application of vegetable oil-based metalworking fluids in turning process,” *Int. J. Adv. Manuf. Technol.*, vol. 67, no. 5–8, pp. 1765–1776, 2013, doi: 10.1007/s00170-012-4607-0.
  - [21] S. A. Lawal, I. A. Choudhury, and Y. Nukman, “A critical assessment of lubrication techniques in machining processes: A case for minimum quantity lubrication using vegetable oil-based lubricant,” *J. Clean. Prod.*, vol. 41, pp. 210–221, 2013, doi: 10.1016/j.jclepro.2012.10.016.
  - [22] E. Kuram, B. Ozcelik, and E. Demirbas, “Environmentally Friendly Machining: Vegetable Based Cutting Fluids,” in *Green Manufacturing Processes and Systems, Materials Forming, Machining and Tribology*, Springer, Berlin, Heidelberg, 2013, pp. 23–47.
  - [23] B. E, M. Garbrecht, C. Heinzel, T. Koch, and J. Eckebrecht, “Current approaches in design and supply of metalworking fluids,” *Tribol. Trans.*, vol. 52, no. 5, pp. 591–601, 2009, doi: 10.1080/10402000902825739.
  - [24] F. O. F. Application, “Tapping Torque Test for Cutting Fluid Evaluation,” pp. 1–7, 1988.
  - [25] M. A. El Baradie, “Cutting fluids: Part I. Characterisation,” *J. Mater. Process. Technol.*, vol. 56, no. 1–4, pp. 786–797, 1996, doi: 10.1016/0924-0136(95)01892-1.
  - [26] M. Kaladhar, K. V. Subbaiah, and C. S. Rao, “Determination of Optimum

- Process Parameters during turning of AISI 304 Austenitic Stainless Steels using Taguchi method and ANOVA," *Int. J. Lean Think.*, vol. 3, no. 1, 2012.
- [27] M. A. El Baradie, "Cutting fluids: Part II. Recycling and clean machining," *J. Mater. Process. Technol.*, vol. 56, no. 1–4, pp. 798–806, 1996, doi: 10.1016/0924-0136(95)01893-X.
  - [28] P. Adegbuyi, "Analysing the effect of cutting fluids on the mechanical properties of mild steel in a turning operation," *Am. J. Sci. Ind. Res.*, vol. 2, no. 1, pp. 1–10, 2011, doi: 10.5251/ajsir.2011.2.1.1.10.
  - [29] C. C. Wu and H. M. Liu, "Determinants of metals exposure to metalworking fluid among metalworkers in taiwan," *Arch. Environ. Occup. Heal.*, vol. 69, no. 3, pp. 131–138, 2014, doi: 10.1080/19338244.2012.750589.
  - [30] S. Mccoy, "The Development of An Engine Lubricant Containing Soyabean Oil," p. 80, 2007.
  - [31] K. Gerulová, O. Tatarka, T. Štefko, and T. Škulavík, "The Study Of Metalworking Fluids Biodegradability By Indirect Measurement Of Bacterial Inoculum Respiration," *Res. Pap. Fac. Mater. Sci. Technol. Slovak Univ. Technol.*, vol. 23, no. 36, pp. 65–75, 2015, doi: 10.1515/rput-2015-0008.
  - [32] A. Eisentraeger, M. Schmidt, H. Murrenhoff, W. Dott, and S. Hahn, "Biodegradability testing of synthetic ester lubricants - Effects of additives and usage," *Chemosphere*, vol. 48, no. 1, pp. 89–96, 2002, doi: 10.1016/S0045-6535(02)00084-X.
  - [33] A. Muszyński and M. Łebkowska, "Biodegradation of used metalworking fluids in wastewater treatment," *Polish J. Environ. Stud.*, vol. 14, no. 1, pp. 73–79, 2005.
  - [34] S. Z. Erhan, B. K. Sharma, and J. M. Perez, "Oxidation and low temperature stability of vegetable oil-based lubricants," *Ind. Crops Prod.*, vol. 24, no. 3, pp. 292–299, 2006, doi: 10.1016/j.indcrop.2006.06.008.
  - [35] Giraltoš P, Maga D, and Klekovkin V, "Ecological Aspects of Cutting Fluids & Minimization of the Ecological Impacts of Cutting Fluids," in *KOPES 2007*, 2007, [Online]. Available: [http://www.cybletter.com/index.php?s=file\\_download&id=20](http://www.cybletter.com/index.php?s=file_download&id=20).
  - [36] N. A. Negm, M. M. El-Sukkary, G. H. Sayed, M. G. Mohamed, and M. Bekhit, "Eco-Friendly Vegetable Oil-Based Metalworking Fluid (MWFs) from Modification of Glycolyzed Products of Polyurethane," *J. Surfactants Deterg.*, vol. 19, no. 3, pp. 455–466, 2016, doi: 10.1007/s11743-016-1806-y.
  - [37] P. S. Lathi and B. Mattiasson, "Green approach for the preparation of biodegradable lubricant base stock from epoxidized vegetable oil," *Appl. Catal. B Environ.*, vol. 69, no. 3–4, pp. 207–212, 2007, doi: 10.1016/j.apcatb.2006.06.016.
  - [38] K. Li, F. Aghazadeh, S. Hatipkarasulu, and T. G. Ray, "Health risks from exposure to metal-working fluids in machining and grinding operations," *Int. J. Occup. Saf. Ergon.*, vol. 9, no. 1, pp. 75–95, 2003, doi:

- 10.1080/10803548.2003.11076555.
- [39] E. O. Bennett, “Water based cutting fluids and human health,” *Tribol. Int.*, vol. 16, no. 3, pp. 133–136, 1983, doi: 10.1016/0301-679X(83)90055-5.
  - [40] D. Park, P. A. Stewart, and J. B. Coble, “A comprehensive review of the literature on exposure to metalworking fluids,” *J. Occup. Environ. Hyg.*, vol. 6, no. 9, pp. 530–541, 2009, doi: 10.1080/15459620903065984.
  - [41] D. Park, P. A. Stewart, and J. B. Coble, “Determinants of exposure to metalworking fluid aerosols: A literature review and analysis of reported measurements,” *Ann. Occup. Hyg.*, vol. 53, no. 3, pp. 271–288, 2009, doi: 10.1093/annhyg/mep005.
  - [42] S. A. Lawal, I. A. Choudhury, I. O. Sadiq, and A. Oyewole, “Vegetable-oil based metalworking fluids research developments for machining processes: survey, applications and challenges,” *Manuf. Rev.*, vol. 1, no. January 2016, p. 22, 2014, doi: 10.1051/mfreview/2014021.
  - [43] A. S. Abdul Sani, E. A. Rahim, S. Sharif, and H. Sasahara, “The influence of modified vegetable oils on tool failure mode and wear mechanisms when turning AISI 1045,” *Tribol. Int.*, vol. 129, no. August, pp. 347–362, 2019, doi: 10.1016/j.triboint.2018.08.038.
  - [44] S. Watanabe, “Characteristic Properties of Water-Soluble Cutting Fluids Additives for Iron Materials,” *J. Oleo Sci.*, vol. 397, no. 8, pp. 385–397, 2007, doi: 10.1504/IJMPT.2007.014719.
  - [45] A. C. Rustan and C. A. Drevon, “Fatty Acids: Structures and Properties,” *Encycl. Life Sci.*, pp. 1–7, 2005, doi: 10.1038/npg.els.0003894.
  - [46] U. S. Choi, B. G. Ahn, O. K. Kwon, and Y. J. Chun, “Tribological behavior of some antiwear additives in vegetable oils,” *Tribol. Int.*, vol. 30, no. 9, pp. 677–683, 1997, doi: 10.1016/S0301-679X(97)00039-X.
  - [47] C. C. Tsao, “An experiment study of hard coating and cutting fluid effect in milling aluminum alloy,” *Int. J. Adv. Manuf. Technol.*, vol. 32, no. 9–10, pp. 885–891, 2007, doi: 10.1007/s00170-006-0417-6.
  - [48] M. A. Islam, M. J. Uddin, M. A. Alim, and N. R. Dhar, “An ExperimentalInvestigation ofVegetable Oil Based Cutting Fluid on Drilling Medium Carbon Steel by HSS Drill Bit,” *ICME2009, held Dhaka, Bangladesh, 26th – 28th Dec.*, vol. 2009, no. December, pp. 26–28, 2009.
  - [49] E. Brinksmeier, D. Meyer, A. G. Huesmann-Cordes, and C. Herrmann, “Metalworking fluids - Mechanisms and performance,” *CIRP Ann. - Manuf. Technol.*, vol. 64, no. 2, pp. 605–628, 2015, doi: 10.1016/j.cirp.2015.05.003.
  - [50] N. S. S. & R. . Vaibhav Koushik A.V, “Vegetable Oil-Based Metal Working Fluids-A Review,” *Int. J. Theor. Appl. Res. Mech. Eng. Signif.*, vol. 1, no. 1, pp. 95–101, 2012.
  - [51] K. H. W. Seah and X. Li, “Influence of Coolant on Cutting Tool Performance,” *Journal of Materials Science & Technology*, vol. 13. pp. 199–205, 1997.

- [52] K. A. Gopala, G. Raj, A. S. Bhatnagar, P. Kumar, and P. Chandrashekhar, “Coconut oil: chemistry, production and its applications - A Review,” *Indian Coconut J.*, pp. 15–27, 2010, doi: 10.1111/j.1751-908X.2004.tb00761.x.
- [53] Steven ODI-OWEI, “Tribological Properties of Some Vegetable Oils and Fats,” *J. Soc. Tribol. Lubr. Eng.*, vol. 45, no. 11, pp. 685–690, 2011.
- [54] E. Benedicto, D. Carou, and E. M. Rubio, “Technical, Economic and Environmental Review of the Lubrication/Cooling Systems Used in Machining Processes,” *Procedia Eng.*, vol. 184, pp. 99–116, 2017, doi: 10.1016/j.proeng.2017.04.075.
- [55] M. A. Hasib, A. Al-Faruk, and N. Ahmed, “Mist application of cutting fluid,” *Int. J. Mech. Mech. Eng.*, vol. 10, no. 4, pp. 13–18, 2010.
- [56] P. C. Raynor, S. W. Kim, and M. Bhattacharya, “Mist generation from metalworking fluids formulated using vegetable oils,” *Ann. Occup. Hyg.*, vol. 49, no. 4, pp. 283–293, 2005, doi: 10.1093/annhyg/meh092.
- [57] S. Pervaiz, “Investigation Cooling and Lubrication Strategies for Sustainable Machining of Titanium Alloys,” KTH Royal Institute of Technology, 2015.
- [58] M. M. A. Khan and N. R. Dhar, “Performance evaluation of minimum quantity lubrication by vegetable oil in terms of cutting force, cutting zone temperature, tool wear, job dimension and surface finish in turning AISI-1060 steel,” *J. Zhejiang Univ. A*, vol. 7, no. 11, pp. 1790–1799, 2006, doi: 10.1631/jzus.2006.A1790.
- [59] P. Taylor and Khandekar, “Nano-Cutting Fluid for Enhancement of Metal Cutting Performance,” *Mater. Manuf. Process.*, vol. 27, no. 9, pp. 963–967, 2012, doi: 10.1080/10426914.2011.610078.
- [60] M. Amrita, R. R. Srikant, and A. V. Sitaramaraju, “Evaluation of Cutting Fluid With Nanoinclusions,” *J. Nanotechnol. Eng. Med.*, vol. 4, no. 3, p. 031007, 2014, doi: 10.1115/1.4026843.
- [61] Speeds and feeds for turning stainless steels, British Stainless Steel Association, Sheffield, UK, 2015. <https://www.bssa.org.uk/topics.php?article=193>.
- [62] General Tool Catalog PARAMET, Dormer Paramet, Barlborough, Chesterfield, UK 2017.
- [63] E. Abboud, B. Shi, H. Attia, V. Thomson, and Y. Mebrahtu, “Finite element-based modeling of machining-induced residual stresses in Ti-6Al-4V under finish turning conditions,” *Procedia CIRP*, vol. 8, pp. 63–68, 2013, doi: 10.1016/j.procir.2013.06.066.
- [64] B. Shi and M. H. Attia, “Evaluation criteria of the constitutive law formulation for the metal-cutting process,” *Proc. Inst. Mech. Eng. Part B J. Eng. Manuf.*, vol. 224, no. 9, pp. 1313–1328, 2010, doi: 10.1243/09544054JEM1787.
- [65] B. Shi, H. Attia, and N. Tounsi, “Identification of material constitutive laws for machining - Part II: Generation of the constitutive data and validation of the constitutive law,” *J. Manuf. Sci. Eng. Trans. ASME*, vol. 132, no. 5, 2010, doi: 10.1115/1.4002455.

- [66] R. A. Mahdavinejad and S. Saeedy, "Investigation of the influential parameters of machining of AISI 304 stainless steel," *Sadhana - Acad. Proc. Eng. Sci.*, vol. 36, no. 6, pp. 963–970, 2011, doi: 10.1007/s12046-011-0055-z.
- [67] K. Nakayama, "Machining of hard materials," *Mach. Hard Mater.*, vol. 37, no. 1, pp. 89–92, 1988, doi: 10.1007/978-1-84996-450-0.
- [68] Tool-life testing with single-point turning tools, ISO 3685:1993, 1993.