A TOKEN BASED TRANSLATOR TO CONVERT BPMN TO SOLIDITY SMART CONTRACTS

Govinnage Rasika Perera

(168250J)

Degree of Master of Science

Department of Computer Science and Engineering

University of Moratuwa Sri Lanka

April 2020

A TOKEN BASED TRANSLATOR TO CONVERT BPMN TO SOLIDITY SMART CONTRACTS

Govinnage Rasika Perera

(168250J)

Thesis submitted in partial fulfillment of the requirements for the degree

Master of Science in Computer Science

Department of Computer Science and Engineering

University of Moratuwa Sri Lanka

April 2020

Declaration

I declare that this is my own work and this dissertation does not

incorporate without acknowledgement any material previously submitted

for degree or Diploma in any other University or institute of higher

learning and to the best of my knowledge and belief it does not contain any

material previously published or written by another per-son except where

the acknowledgement is made in the text.

Also, I hereby grant to University of Moratuwa the non-exclusive right to

reproduce and distribute my dissertation, in whole or in part in print,

electronic or other medium. I retain the right to use this content in whole

or part in future works (such as articles or books).

Signature:	Date:	

Name: G R Perera

The supervisor/s should certify the thesis/dissertation with the following

declaration.

I certify that the declaration above by the candidate is true to the best of my knowledge and that this report is acceptable for evaluation for the MSc

Research Thesis.

Signature of the supervisor:	Date:

Name: Dr. Indika Perera

Acknowledgement

I would like to place record my deepest gratitude to Dr. Indika Perera in Department of Computer Science and Engineering, University of Moratuwa for the generous and invaluable guidance, suggestions and help provided to fulfil this research. Allowing me to experiment and explore my own and steps are altered whenever needed is a great fortunate I received. Thus, I would like to appreciate the guidance and allocating his precious time for my research throughout the whole time.

Also, I would like to thank Dr. Charith Chitraranjan, Department of Computer Science and Engineering, University of Moratuwa for coordinating the research and allocating his time for these works.

Last, but definitely not the least I wish to extend my sincere appreciation to Mrs. D. N. Perera (My Wife) for her inspiration and inputs for this research and all the hardships she went through to make this research a success. I have no valuable words to express my thanks for the all those people who helped me in this research in various aspects to make this dissertation possible.

Table of Contents

Declaration	3
Abstract	4
Acknowledgement	5
Table of Contents	7
List of Figures	Э
List of Tables1	1
List of Abbreviations	2
List of Appendices	2
1. INTRODUCTION13	3
1.1. Problem Statement15	5
1.2. Goals and Objectives	5
1.3. Scope and Limitations	5
1.4. Research Contributions	7
2. LITERATURE REVIEW18	3
2.1. A brief introduction to the Smart Contracts	3
2.2. Analysis of Business Process Modelling (BPM) Techniques 19	9
2.3. Analysis of Modeling Tools & Plugins for BPMN24	1
2.4. Analysis of BPMN 2.0 Specification and Solidity Language25	5
2.5. Existing Systems 26 2.6.1. Caterpillar 26 2.6.2. Unibright 26 2.6.3. Petri-Nets Translation and Reduction Approach 27 2.6.4. Choreography Diagrams Approach 28 2.6.5. Extended Choreography Diagrams Approach 29	6 6 7 8
3. RESEARCH METHODOLOGY30	o
3.1. High Level Steps of the Research Methodology30)
3.2. Data Collection	1
3.3. Implementation of the Translator	3
3.4. BPMN-to-Solidity Abstract Syntax Tree (AST) Transformation	1
4. EVALUATION AND RESULTS60	o

	4.1.	Translator Evaluation	60
	4.1.1		
	4.1.2		
	4.2.	Re-generated Solidity Smart Contract Code Evaluation	68
	4.3.	Comparative Analysis with the Existing Systems	
	4.3.1	•	
	4.3.2 $4.3.3$	8	
	4.3.4		
	4.3.5	9 1 1 9 11	
	4.3.6		
	4.3.7	Comparative Analysis of the Generated Solidity Codes	86
	4.4.	Input BPMN Diagrams and Re-generated Solidity Codes	
	4.4.1		
	4.4.2 $4.4.3$	112111460 11 0441114 0111	
	4.4.4		
	4.4.5		
	4.4.6	. Crowd Sale	. 100
	4.5.	Gap Analysis of the Supported BPMN 2.0 Constructs	103
	4.6.	Gap Analysis of the Supported Solidity Constructs	104
	4.6.	BPMN 2.0 Modelling Recommendations	
	4.7.	Chapter Conclusion	107
5.	. Con	clusion and Future Work	
	5.1.	Conclusion	
	5.2.	Limitation and Future Work	110
R	eferen	ces	112
6.	. Арр	endices	115
	A1. Ur	nibright Workflow Designer generated Solidity Code for the Demo	
		ow Example	
	B1. Pr	ocess Model XML Source for the Loan Assessment Example Using	
		villar v3.0	121
	B2 Pro	ocess Model XML Source for the Loan Assessment Example Using	
		ed Approach	128
	C1. Ge	nerated Smart Contract for Loan Assessment Example Using	
		illar	137
	C2 Ge	nerated Smart Contract for Loan Assessment Example Using Propo	sed
		ach	
		uffle Test Written for Invoice Handling Smart Contract	
	D2: Tr	uffle Test Written for Lottery Smart Contract	151

D3: Truffle Test Written for Marriage Smart Contract	. 151
List of Figures	
Figure 2.1: Structure of the literature review	
Figure 2.2: A Process Model Example in Caterpillar [13]	26
Figure 2.3: Multiparty Approval Example using Unibright	27
Figure 2.4: An example of PetriNets Translation and Reduction Approx	ach
[16]	28
Figure 2.5: A Supply Chain Example using Choreography Based	
Approach [17]	28
Figure 2.6: A Rental Agreement Example [7] using Extended	
Choreography Diagrams	29
Figure 3.1: High level view of the Research Methodology	30
Figure 3.2: Crowdsale Solidity Smart Contract	31
Figure 3.3: Sequence Diagram Representation of Crowd Sale Example	32
Figure 3.4: Top Level View of BPMN to Solidity Translator	34
Figure 3.5: ANLRv4 Parser Generation for BPMN XML	35
Figure 3.6: BPMN ANTLR g4 Grammar	35
Figure 3.7: BPMN ANTLR g4 Lexer	36
Figure 3.8: Hello-World Example	38
Figure 3.9: BPMN Process Model for the Hello-World Example	39
Figure 3.10: Configure A Return Text for the Hello-World Task	39
Figure 3.11: An Excerpt of Hello-World Example's BPMN XML	40
Figure 3.12: HelloWorld example's BPMN AST	41
Figure 3.13: HelloWorld example's Solidity AST	41
Figure 3.14: BPMN private process example	42
Figure 3.15: BPMN public process example	
Figure 3.16: An Example for Start Events and End Events	
Figure 3.17: Solidity Code for Start Event and End Event Example	
Figure 3.18: Configuring Conditional Start Event	44
Figure 3.19: An Example for the Conditional Start Events	45
Figure 3.20: Solidity Code for the Conditional Start Event Example	45
Figure 3.21: Configuring Message for Escalation Event	46
Figure 3.22: Throw Event with Escalation Event Definition Example	46
Figure 3.23: Soldity Code for the Throw Event with Escalation Event	
Definition	48
Figure 3.24: Generic Tasks Example	
Figure 3.25: Configuring Documentation for BPMN Elements	
Figure 3.26: Solidity Code for Tasks Example	
Figure 3.27: Example for Script Task	
Figure 3.28: Configuring Script Value of the Script Task	
Figure 3.29: Solidity Code for Script Task	
Figure 3.30: Example for Send Task	
Figure 3.31: Configuring Input Data Mapping for Send Task	53

Figure 3.32: Solidity Code for Send Task Example	53
Figure 3.33: Configuring Incoming Message for Receive Task	54
Figure 3.34: Example for Receive Task	54
Figure 3.35: Solidity Code for the Receive Task	55
Figure 3.36: Data Objects and Data Store References Example	56
Figure 3.37: Solidity Code for Data Objects and Data Store References	
Example	56
Figure 3.38: Solidity Top-Level Constructs Example	57
Figure 3.39: Solidity Code for the Top-Level Constructs Example	57
Figure 4.1: BPMN to Solidity Translator Evaluation Using Abstract	
Features	60
Figure 4.2: Summary of the BPMN Knowledge Ratings	63
Figure 4.3: Summary of the Programming Skills Ratings	63
Figure 4.4: Summary of the Solidity Language Ratings	64
Figure 4.5: Summary of the Readability of the Input Diagram	64
Figure 4.6: Summary of the Correctness of the Business Logic	65
Figure 4.7: Summary of the Correctness of the State Transitions	66
Figure 4.8: Summary of the Correctness of the Entry Points	67
Figure 4.9: Truffle Test Written for the Basic Token Smart Contract	
Figure 4.10: Test Execution Output of the Tests Written in Truffle	71
Figure 4.11: Annotating Solidity Variables in BPMN Diagram in	
Caterpillar	73
Figure 4.12: Unibright excerpt code for the multi-party approval template example)
(complete code is available in Appendix A, page 115)	
Figure 4.13: An Excerpt of the Generated Solidity Code in [16]	76
Figure 4.14: Process Instance Contract Implementation Templating	
Algorithm [18]	
Figure 4.15: Code of the Generated Common Interface (excerpt)	77
Figure 4.16: BPMN Diagram of the Loan Assessment Process Model	
using Caterpillar [13]	
Figure 4.17: Solidity Annotations Required for the Global Process Level	
•	81
Figure 4.18: Solidity Annotations Required for the 'Enter Loan	
Application' Task in Caterpillar	
Figure 4.19: Solidity Annotation Syntax for the Tasks in Caterpillar [13	
Figure 4.20: BPMN Diagram of the Loan Assessment Process using the	
Proposed Approach	
Figure 4.21: Summary of Metrics Results of the Total Solidity Contract	
Complexity	
Figure 4.22: Summary of the Average Metrics Results of Solidity Contra	
Complexity	
Figure 4.23: Truffle Framework Output of the Deployment of Contracts	91

Figure 4.24: BPMN Diagram for the Rental Agreement Business Contract
93
Figure 4.25: Re-generated Solidity Code for the Rental Agreement
Business Contract
Figure 4.26: BPMN Diagram for the Marriage_Wedding Gift Business
Contract
Figure 4.27: Re-generated Solidity Code for the Marriage_Wedding Gift
Business Contract
Figure 4.28: BPMN Diagram for the Sellable Business Contract96
Figure 4.29: Re-generated Solidity Code for the Sellable Business
Contract
Figure 4.30: BPMN Diagram for the Lottery Business Contract98
Figure 4.31: Re-generated Solidity Code for the Lottery Business
Contract
Figure 4.32: BPMN Diagram for the Basic Token Business Contract 100
Figure 4.33: Re-generated Solidity Code for the Basic Token Business
Contract
Figure 4.34: BPMN Diagram for the Crowd Sale Business Contract 101
Figure 4.35: Re-generated Solidity Code for the Crowd Sale Business
Contract
Figure 4.36: Abstract BPMN Diagram for the Crowd Sale 106
List of Tables
Table 2.1: Criterion for the Business Process Modelling Techniques
Comparison [10]
Table 2.2: Business Modeling Techniques (BPM) Comparison [10] 21
Table 2.3: BPMN Modelling Tools & Plugins Comparison [11]24
Table 4.1: A List of Abstract Features in BPMN and Solidity
Table 4.2: Summary of Abstract Feature Matching in BPMN XML and
Solidity
Table 4.3: Details of the Participant
Table 4.4: Example Input and Output of the Translator
Table 4.5: Sample Contracts against Covered BMPN Elements72
Table 4.6: Summary of the Similar Translators
Table 4.7: Loan Assessment Steps Comparison
Table 4.8: Solidity Source Code Metrics for Smart Contracts [21]
Table 4.9: Cyclomatic Complexity Recommendations [22]
Table 4.10: Generated Solidity Code Complexity Analysis Metrics Results
Table 4.11: Deployment Gas consumption Identification
Table 4.12: Gap Analysis of the Supported BPMN 2.0 Constructs 103
Table 4.13: Gap Analysis of the Solidity Language Constructs Supported
Table 6.1: Detailed Responses for the Survey Study

List of Abbreviations			
BPM	:	Business Process Model	
BPMN	:	Business Process Modelling Notation	
XML	:	Extensible Markup Language	
XSD	:	XML Schema Definition	
AST	:	Abstract Syntax Tree	
PoC	:	Proof Of Concept	
SLOC	:	Source Lines of Code	
LLOC	:	Logic Lines of Code	
List of Appendices			
Appendix A: Unibright Workflow Designer Generated Solidity Code115			
Appendix B: Diagram Source for the Loan Assessment Example using			
Caterpillar and Proposed Approach121			
Appendix C: Generated Solidity Code for the Loan Assessment Example			
using Caterpillar and Proposed Approach137			
Appendix D: Truffle Test Cases for the Generated Code150			
Appendix E: Detailed Responses of the Survey152			