

REFERENCES

- Ahmad, F., Farideh, A., Omid, T., & Ehyaei, M. A. (2016). Modeling and Assessment of Indoor Air Quality in Residential Units . *Journal of Applied Environmental and Biological Sciences*, 6(1), 151-174.
- Alberts, W. (1994). Indoor air pollution: NO, NO₂, CO, and CO₂. *The Journal of Allergy and Clinical Immunology*, 289- 295.
- Alevantis, L. (1999). Reducing Occupant Exposure to Volatile Organic Compounds (VOCs) from Office Building Construction Materials: non-binding guidelines. Retrieved August 03, 2016, from https://www.cdph.ca.gov/programs/IAQ/Documents/reducing_occupant_exposure_vocs_guidelines.pdf
- Amin, N., Akasah, Z., & Razzaly, W. (2015). Architectural Evaluation of Thermal Comfort: Sick Building Syndrome Symptoms in Engineering Education Laboratories. *Procedia - Social and Behavioral Sciences* , 204, 19 – 28.
- ANSYS, Inc. (2010 (a)). Introduction to CFD Methodology. Retrieved February 17, 2016, from http://imechanica.org/files/fluent_13.0_lecture02-intro-to-cfd.pdf
- ANSYS, Inc. (2010 (b)). ANSYS Meshing Solutions. Retrieved 03 11, 2016, from <http://www.mallett.com/wp-content/uploads/ANSYS-Meshing-Solutions-13.0.pdf>
- Apte, M. G., Fisk, W. J., & Daisey, J. M. (2000). Indoor Carbon Dioxide Concentrations and SBS in Office Workers. *Proceedings of Healthy Buildings 2000, Vol. 1* (pp. 133-138). Espoo: International Society of Indoor Air Quality and Climate.
- Apte, M., & Erdmann, C. (2002). Associations of Indoor Carbon Dioxide Concentrations, VOCs, and Environmental Susceptibilities with Mucous Membrane and Lower Respiratory Sick Building Syndrome Symptoms in the BASE Study: Analyses of the 100 Building Dataset. *Indoor Environment Department, Environmental Energy Technologies Division, Lawrence Berkeley National Laboratory*.
- ASHRAE. (1995). Interpretation IC 62-1989-20 of ASHRAE Standard 62-1989 Ventilation for Acceptable Indoor Air Quality. *American Society of Heating, Refrigerating and Air-Conditioning Engineers*.
- ASHRAE. (2002). IEQ and the Impact On Building Occupants. *ASHRAE Journal*, 50-52.
- ASHRAE. (2004). Ventilation for Acceptable Indoor Air Quality. *ANSI/ASHRAE Standard 62.1-2004*.
- ASHRAE. (2010). ASHRAE Standard: Ventilation for Acceptable Indoor Air Quality. American Society of Heating, Refrigerating and Air-Conditioning Engineers. Retrieved September 19, 2016.
- ASTM. (2003). Standard Guide for Using Indoor Carbon Dioxide Concentrations to Evaluate Indoor Air Quality and Ventilation. *D6245-98*.
- Atkinson, J., Chartier, Y., Pessoa-Silva, C. L., Jensen, P., Li, Y., & Seto, W.-H. (2009). Natural Ventilation for Infection Control in Health-Care Settings. (W. Publication/Guidelines, Producer, &

WHO Publication/Guidelines) Retrieved February 28, 2016, from WHO Publication/Guidelines:http://www.who.int/water_sanitation_health/publications/natural_ventilation.pdf

ATSDR, (2000). Toxicological Profile for Polychlorinated Biphenyls (PCBs). Retrieved July 31, 2016, from <http://www.atsdr.cdc.gov/toxprofiles/tp17.pdf>

ATSDR, (2002). Toxicological Profile for Di(2-ethylhexyl)Phthalate. Retrieved July 31, 2016, from <http://www.atsdr.cdc.gov/toxprofiles/tp9.pdf>

Aun, A., Golim, M., Nogueira, F., Souza, K., Arruda, N., Braz, J., Braz, M. (2018). Monitoring Early Cell Damage in Physicians Who are Occupationally Exposed to Inhalational Anesthetics. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 5-9.

Automotive Manufacturing Solutions. (2009). A Green and Better Paint Finish at Mazda. Retrieved December 13, 2015, from <http://www.automotivemanufacturingsolutions.com/process-materials/a-green-and-better-paint-finish-at-mazda>

Backman, H., & Haghigat, F. (1999). Indoor-Air Quality and Ocular Discomfort. *Journal of the American Optometric Association*, 70(5), 309-16.

Batterman, S., Chin, J., Jia, C., Godwin, C., Parker, E., Robins, T., Lewis, T. (2012). Sources, Concentrations, and Risks of Naphthalene in Indoor and Outdoor Air. *Indoor Air*.

Berglund, B., Clausen, G., De Ceauriz, J., Kettrup, A., Lindvall, T., Maroni, M., Younes, M. (1997). Total Volatile Organic Compounds (TVOCs) in Indoor Air Quality Investigations. Luxembourg: European Commission, Joint Research Centre - Environment Institute.

Blondeau, P., Tiffonnet, A., Allard, F., & Haghidhat, F. (2008). Physically Based Modelling of the Material and Gaseous Contaminant Interactions in Buildings: Models, Experimental data and Future Developments. (M. Santamouris, Ed.) *Advances in Building Energy Research*, 2, pp. 57-93.

Bonefacic, I., Wolf, I., & Frankovic, B. (2015). Numerical Modelling of Thermal Comfort Conditions in an Indoor Space with Solar Radiation Sources. *Journal of Mechanical Engineering*, 61(11), 641-650.

Bornehag, C.-G., Sundell, J., Weschler, C., Sigsgaard, T., Lundgren, B., Hasselg, M., & Hägerhed-Engman, L. (2004). The Association between Asthma and Allergic Symptoms in Children and Phthalates in House Dust: A Nested Case-Control Study. *Environmental Health Perspectives*, 112(14), 1393-1397.

Bourbeau, J., Brisson, C., & Allaire, S. (1997). Prevalence of the Sick Building Syndrome Symptoms in Office Workers Before and Six Months and Three Years After Being Exposed to a Building with an Improved Ventilation System. *Occupational and Environmental Medicine*, 54, 49-53.

Bourdin, D., Mocho, P., Desauziers, V., & Plaisance, H. (2014). Formaldehyde Emission Behavior of Building Materials: On-Site Measurements and Modeling Approach to Predict Indoor Air Pollution. *Journal of Hazardous Materials*, 164-173.

Brace, M., Stevens, E., Taylor, S., Butt, S., Sun, Z., Hu, L., Gibson, M. (2014). 'The air that we breathe': Assessment of Laser and Electrosurgical Dissection Devices on Operating Theater Air Quality. *Journal of Otolaryngology- Head and Neck Surgery*.

- Branco, P., Alvim-Ferraz, M., Martin, F., & Sousa, S. (2019). Quantifying Indoor Air Quality Determinants in Urban and Rural Nursery and Primary Schools. *Environmental Research*.
- Brook, R., Rajagopalan, S., Pope, C., Brook, J., Bhatnagar, A., Diez-Roux, A., . . . Kaufman, J. (2010). Particulate Matter Air Pollution and Cardiovascular Disease: An Update to the Scientific Statement From the American Heart Association. *Circulation*, 2331- 2378.
- Brunekreef, B., & Holgate, S. (2002). Air pollution and health. *THE LANCET*, 1233- 1242.
- Can, E., Özden Üzmez, Ö., Döğeroğlu, T., & Gaga, E. (2015). Indoor Air Quality Assessment in Painting and Printmaking Department of a Fine Arts Faculty Building. *Atmospheric Pollution Research*, 1035-1045.
- Canadian Center for Occupational Health and Safety. (2016). OSH Answers Fact Sheets. Retrieved August 06, 2016, from [http:// www. ccohs.ca/ oshanswers /chemicals /iaq_ intro.html](http://www.ccohs.ca/oshanswers/chemicals/iaq_intro.html)
- Casale, T., Caciari, T., Rosati, M. V., Gioffrè, P. A., Schifano, M. P., Capozzella, A., Pimpinella, B., Tomei, G., Tomei, F. (2014). Anesthetic Gases And Occupationally Exposed Workers. *Environmental Toxicology and Pharmacology*, 267–274.
- CEN, (1999). Ventilation for Buildings: Design Criteria for the Indoor Environment. *Committee of European Normalization*.
- Centers for Disease Control and Prevention. (2015). Carbon Monoxide Poisoning. Retrieved August 4, 2016, from <http://www.cdc.gov/co/faqs.htm#how>
- Chang, C. J., Yang, H.-H., Wang, Y. F., & Li, M. S. (2015). Prevalence of Sick Building Syndrome-Related Symptoms among Hospital Workers in Confined and Open Working Spaces. *Aerosol and Air Quality Research*, 2378–2384.
- Chau, C., Hui, W., & Tse, M. (2007). Evaluation of Health Benefits for Improving Indoor Air Quality in Workplace. *Environment International*, 33, 186-198.
- Chemical & Engineering News. (2009). Epidemiology Long-Term Exposure to Ozone Increases Risk of Death. *doi:10.1021/cen-v087n011.p009a*
- Chen, T.-M., Gokhale, J., Shofer, S., & Kuschner, W. (2007). Outdoor Air Pollution: Nitrogen Dioxide, Sulfur Dioxide, and Carbon Monoxide Health Effects. *The American Journal of The Medical Sciences*, 249- 256.
- Cheng Lee, S., & Wang, B. (2004). Characteristics of Emissions of Air Pollutants from Burning of Incense in a Large Environmental Chamber. *Atmospheric Environment* , 941–951.
- Chlor, E. (2009). Guidelines for the Measurement of Air Flow and Mercury in Cellroom Ventilation. Retrieved February 28, 2016, from [http:// www. unep. org /chemicalsand waste/Portals/9/Mercury/Chloralkali/WCC-publications/ENV%20PROT%205%20 Edition %203.pdf](http://www.unep.org/chemicalsandwaste/Portals/9/Mercury/Chloralkali/WCC-publications/ENV%20PROT%205%20Edition%203.pdf)
- Christian, T., Yokelson , R., C´ardenas , B., Molina, L., Engling , G., & Hsu , S. C. (2010). Trace Gas and Particle Emissions from Domestic and Industrial Biofuel Use and Garbage Burning in Central Mexico. *Atmospheric Chemistry and Physics*, 565 - 584.

- Cibellaa, F., Cuttittaa, G., Maggioreb, R., Ruggieria, S., Panunzic, S., Gaetanoc, A.,Viegia, G. (2015). Effect of Indoor Nitrogen Dioxide on Lung Function in Urban Environment. *Environmental Research*, 138, 8-16.
- CIEC Promoting Science, D. U. (2015). The Essential Chemical Industry online. Retrieved November 13, 2015, from <http://www.essentialchemicalindustry.org/materials-and-applications/paints.html>
- Cincinelli, A., Martellini, T., Amore, A., Dei, L., Marrazza, G., Carretti, E., Leva, P. (2016). Measurement of Volatile Organic Compounds (VOCs) in Libraries and Archives in Florence (Italy). *Science of the Total Environment*, 572, 333–339.
- Clark, C., Kumar, A., Mohapatra, P., Rajankar, P., Nycz, Z., Hambartsumyan, A., Peng, H. (2014). Examination of Lead Concentrations in New Decorative Enamel Paints in Four Countries with Different Histories of Activity in Lead Paint Regulation. *Environmental Research*, 233–243.
- Cobb, N., & Etzel, R. (1991). Unintentional Carbon Monoxide Related-Deaths in the United States, 1979 Through 1988. *JAMA*, 659- 683.
- Cohen, A., Janssen, S., & Solomon, G. (2007). Clearing the Air: Hidden Hazards of Air Fresheners. *Natural Resources Defense Council*.
- Colt, J., Severson, R., Lubin, J., Rothman, N., Camann, D., Davis, S., Hartge, P. (2005, July). Organochlorines in Carpet Dust and Non-Hodgkin Lymphoma. *Epidemiology*, 16(4), 516-25.
- Crump, D., Squire, R., & Yu, C. (1997). Sources and Concentrations of Formaldehyde and Other Volatile Organic Compounds in the Indoor Air of Four Newly Built Unoccupied Test Houses . *Indoor Built Environment*, 6, 45-55 .
- Dai, H., Jing , S., Wang, H., Ma, Y., Li, L., Song, W., & Kan, H. (2017). VOC characteristics and Inhalation Health Risks in Newly Renovated Residences in Shanghai, China. *Science of the Total Environment*, 73-83.
- Daisey, J. M., Angell, W. J., & Apte, M. G. (2003). Indoor Air Quality, Ventilation and Health Symptoms in Schools: An Analysis of Existing Information. *Indoor Air*, 53-64.
- Dascalaki , E., Lagoudi , A., Balaras , C., & Gaglia, A. (2008). Air Quality in Hospital Operating Rooms. *Building and Environment* , 43, 1945–1952.
- Demokritou, P. (2016). Introduction to Indoor Air Quality Modeling. (H. University, Editor, & Harvard School of Public Health) Retrieved February 14, 2016, from *Indoor Environmental Quality & Health*
- Deng, Q. H., & Zhang, G. (2004). Indoor Air Environment: More Structures to See? *Building and Environment* , 39, 1417–1425.
- Department of Environment and Energy, A. (2005). Sulfur Dioxide (SO₂). Retrieved August 5, 2016, from [https:// www.environment.gov.au/protection/publications/factsheet-sulfur-dioxide-so2](https://www.environment.gov.au/protection/publications/factsheet-sulfur-dioxide-so2)
- Dlugokencky, E., & Tans, P. (2015). ESRL Global Monitoring Division. Retrieved August 03, 2016, from <http://www.esrl.noaa.gov/gmd/ccgg/trends/global.html>

- Durand, M. (2006). Indoor Air Pollution Caused by Geothermal Gases. *Building and Environment*, 41, 1607 – 1610.
- Durand, M., & Scottb, B. J. (2005). Geothermal Ground Gas Emissions and Indoor Air Pollution in Rotorua, New Zealand. *Science of The Total Environment*, 345(1-3), 69–80.
- Duty, S., Singh, N., Silva, M., Barr, D., Brock, J., Ryan, L., Hauser, R. (2003). The Relationship Between Environmental Exposures to Phthalates and DNA Damage in Human Sperm Using the Neutral Comet Assay. *Environmental Health Perspective*, 111(9), 1164–1169.
- Edward, J., Malik, M., & Ahmed, I. (2011). A Single-Blind Controlled Study of Electrocautery and Ultrasonic Scalpel Smoke Plumes in Laparoscopic Surgery. *Surgical Endoscopy*, 337–342.
- Elango, N., Kasi, V., Vembhu, B., & Poornima, J. (2013). Chronic Exposure to Emissions from Photocopiers in Copy Shops Causes Oxidative Stress and systematic Inflammation Among Photocopier Operators in India. *Environmental Health*.
- Engvall, K., Norrby, C., & Norbäck, D. (2001). Sick Building Syndrome in Relation to Building Dampness in Multi-Family Residential Buildings in Stockholm. *International Archives of Occupational and Environmental Health*, 74(4), 270-8.
- Environmental Pollution Center. (2009). Pollution of Auto Repair Shops. Retrieved August 09, 2016, from <http://www.environmentalpollutioncenters.org/auto/repair-shops/>
- Erdmann, C., Steiner, K., & Apte, M. (2002). Indoor Carbon Dioxide Concentrations and Sick Building Syndrome Symptoms in the Base Study Revisited: Analyses of the 100 Building Dataset. *Indoor Air*, 443- 448.
- Erickson, M. (1997). Analytical Chemistry of PCBs (Second ed.). LEWIS Publishers.
- Ericson, B., Hariojati, N., Susilorini, B., Crampe, L., Fuller, R., Taylor, M., & Caravanos, J. (2019). Assessment of the Prevalence of Lead-Based Paint Exposure Risk in Jakarta, Indonesia. *Science of the Total Environment*, 1382-1388.
- eurofins. (2016). VOC in Paints and Varnishes -EU Decopaint Directive. Retrieved February11, 2016, from <http://www.eurofins.com/media/17639/VOC%20in%20paints%20Decopaint%20directive%20-%20en.pdf>
- European Commision. (1997). Evaluation of VOCs Emission from Building Materials. Retrieved August 03, 2016, from http://www.inive.org/medias/ECA/ECA_Report18.pdf
- European Environment Agency. (2011). Heavy Metals Emissions. Retrieved September 21, 2016, from <http://www.eea.europa.eu/downloads/f38a107290d421d465fc9de2bb76b072/1441950929/assessment-1.pdf>
- European Environmental Agency. (2008). Dispersal of Air Pollutants. Retrieved February 07, 2016, from European Environmental Agency
- Fan, Y. (1995). CFD Modelling of the Air and Contaminant Distribution in Rooms. *Energy and Buildings*, 33-39.

- Fang, L., Wyon, D., Clausen, G., & Fanger, P. (2004). Impact of indoor air temperature and humidity in an office on perceived air quality, SBS symptoms and performance. *Indoor Air* , 74-81.
- Fang, M., Chan, C., & Yao, X. (2009). Managing Air Quality in a Rapidly Developing Nation: China. *Atmospheric Environment*, 43, 79-86.
- Fincham, J. (2008). Response Rates and Responsiveness for Surveys, Standards, and the Journal. *American Journal of Pharmaceutical Education* .
- Fredrick, H., & Kenneth, L. (1974). Theoretical Model for relating Indoor Pollutant Concentrations to those Outside. *Environmental Science and Technology*, 8(5), 444-451.
- Gadgil, A., Lobscheid, C., Abadie, M., & Finlayson, E. (2003). Indoor Pollutant Mixing Time in an Isothermal Closed Room: An Investigation using CFD. *Atmospheric Environment* , 37 , 5577–5586.
- Gallego, E., Soriano, C., Roca, F., Perales, J., Alarcon, M., & Guardino, X. (2008). Identification of the Origin of Odour Episodes Through Social Participation, Chemical Control and Numerical Modelling. *Atmospheric Environment* , 42 , 8150–8160.
- Geiss, O., Bianchi, I., & Barrero-Moreno, J. (2016). Lung -Deposited Surfac Area Concentration Measurements in Selected Occupational and Non-Occupational Environments. *Journal of Aerosol Science* , 96 , 24–37.
- Gil, L., Adonis, M., Cáceres, D., & Moreno, G. (1995). Impact of Outdoor Pollution on Indoor Air Quality. The Case of Downtown Santiago (Chile). *Revista Medica de Chile*, 123(4), 411-25.
- Goldstein, M. (2008). Carbon Monoxide Poisoning. *Journal of Emergency Nursing*, 538- 542.
- Graham, L., Noseworthy, L., Fugler, D., O'Leary , K., Karman, D., & Grande , C. (2004). Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels. *Journal of the Air and Waste Management Association*, 54(5), 563-84.
- Green Seal. (2016). Green Seal Standards; Paints, Coatings, Stains, and Sealers. Retrieved February 11, 2016, from <http://www.greenseal.org/GreenBusiness/Standards.aspx?vid=StandardCategory&cid=13>
- Greenguard Certification. (2016). Sustainable Product Guide; Paints and Coatings. Retrieved February 11, 2016, from <http://productguide.ulenvironment.com/Search/Results.aspx?CategoryID=15&pageNumber=2>
- Greiner, T. (1991). Indoor Air Quality: Carbon Monoxide and Carbon Dioxide (AEN-125). Retrieved August 4, 2016, from <http://www.abe.iastate.edu/extension-and-outreach/indoor-air-quality-carbon-monoxide-and-carbon-dioxide-aen-125/>
- Groes, L., Pejtersen, J., & Valbjorn, O. (1996). Perceptions and Symptoms as a Function of Indoor Environmental Factors, Personal Factors and Building Characteristics in Office Buildings. *International Conference on Indoor Air Quality and Climate*, 3, 234-242.
- Groot, H. d. (2009). An Analysis of the Indoor Air Quality and Health in New Zealand's Homes (Master Thesis). *Indoor Air Quality And Health*.

- Gunarathne, W., Gunathilake, M., Jayasinghe, C., Madushanka, H., Perera, T., Perera, S., & Rajapaksa, S. (2013). Effect of the activities inside a hospital theatre on its IAQ. *ICSECM*, (p. 186). Kandy.
- Guo, H., Murray, F., Lee, S. C., & Wilkinson, S. (2004). Evaluation of emissions of total volatile organic compounds from carpets in an environmental chamber. *Building and Environment*, *39*, 179-187.
- Gupta, S., Khare, M., & Goyal, R. (2007). Sick building syndrome—A case study in a multistory centrally air-conditioned building in the Delhi City. *Building and Environment*, *42*, 2797 – 2809.
- Haghighat, F., & Bellis, L. (1998). Material Emission Rates: Literature Review, and the Impact of Indoor Air Temperature and Relative Humidity. *Building and Environment*, *33*(5), 261-277.
- Haghighat, F., & Huang, H. (2003). Integrated IAQ Model for Prediction of VOC Emissions from Building Material. *Building and Environment*, *38*, 1007–1017.
- Hauser, R., & Calafat, A. (2005). Phthalates and Human Health. *Occupational & Environmental Medicine*, *62*(11), 806–818.
- Hedge, A., & Erickson, W. (1996). Predicting Sick Building Syndrome at the Individual and Aggregate Levels. *Environment International*, *22*(1), 3-19.
- Helmis, C., Tzoutzas, J., Flocas, H., Halios, C., Stathopoulou, O., ssimakopoulos, V., Adam, E. (2007). Indoor Air Quality in a Dentistry Clinic. *Science of the Total Environment*, *377*, 349–365.
- Hicklin, W., Farrugia, P., & Sinagra, E. (2018). Investigations Of Vocs In And Around Buildings Close To Service Stations. *Atmospheric Environment*.
- Holøs, S., Yang, A., Lind, M., Thunshelle, K., Schild, P., & Mysen, M. (2018). VOC Emission Rates in Newly Built and Renovated Buildings, and the Influence of Ventilation – a Review and Meta-Analysis. *International Journal of Ventilation*.
- Hooff, T., & Blocken, B. (2010). Coupled Urban Wind Flow and Indoor Natural Ventilation Modelling on a High-Resolution Grid: A Case Study for the Amsterdam Arena Stadium. *Environmental Modelling & Software*, *25*, 51–65.
- Howard-Reed, C., Wallace, L., & Emmerich, S. (2003). Effect of Ventilation Systems and Air Filters on Decay Rates of Particles Produced by Indoor Sources in an Occupied Townhouse. *Atmospheric Environment*, *37*, 5295–5306.
- Huang, Y., Lee, S. C., Fai Ho, K., Hang Ho, S. S., Cao, N., Cheng, Y., & Gao, Y. (2012). Effect of Ammonia on Ozone-Initiated Formation of Indoor Secondary Products with Emissions from Cleaning Products. *Atmospheric Environment*, *59*, 224-231.
- Hussein, T., Glytsos, T., Ondracek, J., Dohanyosova, P., Zdimal, V., Hameri, K., Kulmala, M. (2006). Particle Size Characterization and Emission Rates During Indoor Activities in a House. *Atmospheric Environment*, *40*, 4285-4307.
- Hwang, H.-M., Park, E.-K., Youn, T. M., & Hammock, B. D. (2008). Occurrence of Endocrine-Disrupting Chemicals in Indoor Dust. *Science of The Total Environment*, *404*(1), 26–35.

- Hweij, W., Ghaddar, N., Ghali, K., & Habchi, C. (2016). Optimized Performance of Displacement Ventilation Aided with Chair Fans for Comfort and Indoor Air Quality. *Energy and Buildings*. doi:<http://dx.doi.org/doi:10.1016/j.enbuild.2016.06.052>
- Illinois Department of Public Health (2003). Indoor Environmental Quality Investigation. Retrieved August 10, 2016, from <http://app.idph.state.il.us/envhealth/healthyschools/PDF/Marion/IEQNewHope.pdf>
- Isaxon, C., Gudmundsson, A., Nordin, E., Lonnblad, L., Dahl, A., Wieslander, G., Wierzbicka, A. (2015). Contribution of Indoor-Generated Particles to Residential Exposure. *Atmospheric Environment*, 106, 458-466.
- Jaakkola, J., & Knight, T. (2008). The Role of Exposure to Phthalates from Polyvinyl Chloride Products in the Development of Asthma and Allergies: A Systematic Review and Meta-Analysis. *Environmental Health Perspectives*, 116(7), 845-53.
- Jamriska, M. (2003). Modeling of Indoor Particle Concentration. In L. Morawska, & T. Salthammer, *Indoor Environment: Airborne Particles and Settled Dust*. Wiley-VCH Verlag GmbH & Co. KGaA.
- Jamrozik, K. (2005). Estimate of Deaths Attributable to Passive Smoking Among UK Adults: Database Analysis. *British Medical Journal (BMJ)*.
- Jayamurugan, R., Kumaravel, B., Palanivelraja, S., & Chockalingam, M. (2013). Influence of Temperature, Relative Humidity and Seasonal Variability on Ambient Air Quality in a Coastal Urban Area. *International Journal of Atmospheric Sciences*, 2013, 1-7.
- Jayasinghe, M., & Attalage, R. (1999). Comfort Conditions for Built Environments in Sri Lanka. *IESL*, 12-22.
- Jayasinghe, M., Priyanvada, A., & Jayawardena, A. (2002). Orientation of Roof and Openings: Their Influence on Indoor Thermal Comfort of Single-Storey Houses. *IESL*, 75-86.
- Jensen, D., & Grant, E. (1964). Status of Control of Motor Vehicle Emissions in California. *Journal of the Air Pollution Control Association*.
- Jerrett, M., Ito, K., & Shi, Y. (2009). Long-Term Ozone Exposure and Mortality. *The New England Journal of Medicine*(360), 1085-1095.
- Ji, X., Bihan, O., Ramalho, O., Mandin, C., Anna, Martinon, L., Pairon, J. (2010). Characterization of Particles Emitted by Incense Burning in an Experimental House. *Indoor Air*, 147-158.
- Jia, C., & Batterman, S. (2010). A Critical Review of Naphthalene Sources and Exposures Relevant to Indoor and Outdoor Air. *International Journal of Environmental Research and Public Health*, 2903-2939.
- Jin, A. K., Sumin, K., Hyun, J. K., & Yong, S. K. (2011). Evaluation of Formaldehyde and VOCs Emission Factors from Paints in a Small Chamber: The Effects of Preconditioning Time and Coating Weight. *Journal of Hazardous Materials* 187, 52-57.
- Johns Hopkins Bloomberg School of Public Health. (2019). Risk Science and Public Policy-Particulate Matter Module. *Particulate Matter Air Pollution and Health Risks*, 23. (J. H. Health,

Ed.) Baltimore, United States: Johns Hopkins Bloomberg School of Public Health. Retrieved December 13, 2015.

Johnsson, T., Tuomi, T., Riuttala, H., HyvÄRinen, M., Rothberg, M., & Reijula, K. (2005). Environmental Tobacco Smoke in Finnish Restaurants and Bars Before and After Smoking Restrictions were Introduced. *Annals of Work Exposures and Health*, 331-341.

Jones, A. (1999). Indoor air quality and health. *Atmospheric Environment*, 33(28), 4535–4564.

Jones, P., & Waters, R. (1993). The Practical Application of Indoor Airflow Modeling. In N. L. Nagda (Ed.), *Modeling of Indoor Air Quality and Exposure*. Philadelphia, PA: ASTM STP 1205.

Joshi, S. (2008). The Sick Building Syndrome. *Indian Journal of Occupational & Environmental Medicine*, 12(2), 61–64.

Jreijiry, D., Husaunndee, A., Inard, C., & Villenave, J. G. (2016). Ventilation Control Based on Indoor Air Quality Using SIMBAD Building and HVAC Toolbox. Retrieved February 16, 2016, from [https:// www.irbnet. de/ daten /iconda/CIB1801.pdf](https://www.irbnet.de/daten/iconda/CIB1801.pdf)

Jung, C. C., Liang, H. H., Lee, H. L., Hsu, N. Y., & Su, H. J. (April 2014). Allostatic Load Model Associated with Indoor Environmental Quality and Sick Building Syndrome among Office Workers. *PLOS ONE*, 1- 7.

Kamal, M., Razzak, S., & Hossain, M. (2016). Catalytic Oxidation Of Volatile Organic Compounds (VOCs) -A review. *Atmospheric Environment*, 140, 117-134.

Kamaruzzaman, S., Egbu , C., Zawawi, E., Ali, A., & Che-Ani, A. (2011). The Effect of Indoor Environmental Quality on Occupants' Perception of Performance: A Case Study of Refurbished Historic Buildings in Malaysia. *Energy and Buildings*, 43, 407–413.

Kamaruzzaman, S., Zawawi, M., Pitt, M., & Don, Z. (2010). Occupant Feedback on Indoor Environmental Quality in Refurbished Historic Buildings. *International Journal of Physical Sciences*, 5(3), 192-199.

Karjalainen, M., Kontunen, A., Saari, S., Ronkko, T., Lekkala, J., Roine, A., & Oksala, N. (2018). The Characterization of Surgical Smoke From Various Tissues and Its Implications For Occupational Safety. *PLOS ONE*.

Karlsson, H., Kalagasidis, A., & Hagentoft, C.-E. (2005). Development of a Modular Toolbox in Simulink for Dynamic Simulations of VOC-Concentration in Indoor Air. *Ninth International IBPSA Conference* , (pp. 493-500). Montréal, Canada .

Katsoyiannis, A., Leva, P., & Kotzias, D. (2008). VOC and Carbonyl Emissions from Carpets: A Comparative Study Using Four Types of Environmental Chambers. *Journal of Harzardous Materials*, 152, 669-676.

Kawakami, M., & Yamanaka, K. (2010). Special Paint Applications for Energy Saving and CO₂ Emission Reduction in Winter. Retrieved December 11, 2015, from Societal Metabolism .

Kelly, F., & Fussell, J. (2019). Improving Indoor Air Quality, Health and Performance Within Environments Where People Live, Travel, Learn and Work. *Atmospheric Environment*, 90-109.

- Kim, J., Elfman, L., & Norbäck, D. (2007). Respiratory Symptoms, Asthma and Allergen Levels in Schools Comparison Between Korea and Sweden. *Indoor Air*, 17(2), 122-129.
- Kim, E., Brown, S., Hafner, H., & Hopke, P. (2005). Characterization of Non-Methane Volatile Organic Compounds Sources in Houston During 2001 Using Positive Matrix Factorization. *Atmospheric Environment*, 39, 5934–5946.
- Kim, S., Hong, S.-H., Bong, C.-K., & Cho, M. H. (2015). Characterization of Air Freshener Emission: the Potential Health Effects. *The Journal of Toxicological Sciences*, 535-550.
- Kim, S., Kang, D., Choi, D., Yeo, M., & Kim, K. (2012). VOC Emission from Building Materials in Residential Buildings with Radiant Floor Heating Systems. *Aerosol and Air Quality Research*, 12, 1398–1408.
- Kleindienst, T., Lewandowski, M., Offenberger, J., Edney, E., Jaoui, M., Zheng, M., Edgerton, E. (2010). Contribution of Primary and Secondary Sources To Organic Aerosol and PM_{2.5} at SEARCH Network Sites. *Journal of the Air & Waste Management Association*, 60(11), 1388-99.
- Kolarik, B., Naydenov, K., Larsson, M., Bornehag, C. G., & Sundell, J. (2008). The Association between Phthalates in Dust and Allergic Diseases among Bulgarian Children. *Environmental Health Perspectives*, 116(1), 98–103.
- Kumar, A., & Gottesfeld, P. (2008). Lead Content in Household Paints in India. *Science of The Total Environment*, 333-337.
- Kumar, S., & Fisk, W. (2002). IEQ and the Impact On Building Occupants. *ASHRAE*, 50-52.
- Kumar, S., Aggarwal, S., Sarangi, B., Malherbe, J., Barre, J., Berail, S., Donard, O. (2018). Understanding the Influence of Open-waste Burning on Urban Aerosols using Metal Tracers and Lead Isotopic Composition. *Aerosol and Air Quality Research*, 2433-2446.
- Kuzmin, D. (2016). Introduction to Computational Fluid Dynamics. Retrieved February 15, 2016, from <http://www.mathematik.uni-dortmund.de/~kuzmin/cfdintro/lecture1.pdf>
- Lai, J., & Yik, F. (2009). Perception of importance and performance of the Indoor Environmental Quality of High-Rise Residential Buildings. *Building and Environment*, 44, 352– 360.
- Langford, N. (2005). Carbon Dioxide Poisoning. *Toxicological Review*, 24(4), 229-35.
- Lee, L. K., Yoon, C. S., Kim, J. H., Kim, B., & Kim, J. (2012). A Study of Volatile Organic Compound Concentrations in a New School Building Over One Year Period. *Toxicology and Environmental Health Sciences*, 4(4), 248-255.
- Lee, S., & Wang, B. (2006). Characteristics of emissions of air pollutants from mosquito coils and candles burning in a large environmental chamber. *Atmospheric Environment*.
- Lee, S. C., Kwok, N. H., Guo, H., & Hung, W. T. (2003). The Effect Of Wet Film Thickness on VOC Emissions From a Finishing Varnish. *The Science of the Total Environment*, 302, 75–84.
- LENNTECH (2016). Heavy Metals. Retrieved September 21, 2016, from <http://www.lennotech.com/processes/heavy/heavy-metals/heavy-metals.htm>

- Lestinen, S. (2010). CFD Modeling of Axisymmetric Ventilation Jets. *Postgraduate seminar on heat and fluid flow, KUL34.4551, Department of Applied Mechanics, Helsinki University of Technology*, (pp. 1-13). Espoo, Finland.
- Levin, H. (1989(a)). Sick Building Syndrome: Review and Exploration of Causation Hypotheses and Control Methods. *IAQ89 The Human Equation: Health and Comfort*, (pp. 263-274). Atlanta.
- Levin, H. (1989(b)). Building Materials and Indoor Air Quality. *Occupational Medicine*, 4(4), 667-93.
- Liang, W., Wang, C., Yang, C., & Yang, X. (2014). Volatile Organic Compounds in Different Interior Construction Stages of an Apartment. *Building and Environment*, 380-387.
- Liddament, M. (1996). Air Quality Control in Commercial Buildings. *Renewable Energy*, 8(1), 231-235.
- Lin, T. C., Krishnaswamy, G., & Chi, D. (2008). Incense smoke: clinical, Structural and Molecular Effects on Airway Disease. *Clinical and Molecular Allergy*.
- Lin, Z., Chow, T. T., Fong, K. F., Tsang, C. F., & Wang, Q. (2005). Comparison of Performances of Displacement and Mixing Ventilations. Part II: Indoor Air Quality. *International Journal of Refrigeration*, 28, 288-305.
- Liu, W., & Sun, S. (1988). Ultrastructural Changes of Tracheal Epithelium and Alveolar Macrophages of Rats Exposed to Mosquito Coil Smoke. *Toxicology Letters*, 145-157.
- Liu, W., Wong, M., & Mui, Y. (1987). Toxic effects of mosquito coil (a mosquito repellent) smoke on rats. I. Properties of the mosquito coil and its smoke. *Toxicol Lett*.
- Liu, W., Zhang, J., Hashim, J., Jalaludin, J., Hashim, Z., & Goldstein, B. (2003). Mosquito coil emissions and health implications. *Environmental health perspectives*.
- Lu, C. Y., Lin, J. M., Chen, Y. Y., & Chen, Y. C. (2015). Building-Related Symptoms among Office Employees Associated with Indoor Carbon Dioxide and Total Volatile Organic Compounds. *International Journal of Environmental Research and Public Health*, 5833-5845.
- Luisser, F., & Rosen, M. (2009). Improving the Sustainability of Office Partition Manufacturing: Balancing Options for Reducing Emissions of Volatile Organic Compounds. *Sustainability*, 234-253.
- Lukwa, N., & Chandiwana, S. (1998). Efficacy of mosquito coils containing 0.3% and 0.4% pyrethrins against *An.gambiae* sensu lato mosquitoes. *Cent Afr J Med*.
- Mabahwi, N., Leh, O., & Omar, D. (2014). Human Health and Wellbeing: Human health effect of air. *Procedia - Social and Behavioral Sciences*, 153, 221 – 229 .
- Malakootian, M., Nouri, J., & Hossaini, H. (2009). Removal of Heavy Metals from Paint Industry's Wastewater using Leca as an Available Adsorbent. *International Journal of Environmental Science and Technology*.
- Marchand, C., Bulliot, B., Le Calvé, S., & Mirabel, P. (2006). Aldehyde Measurements in Indoor Environments in Strasbourg (France). *Atmospheric Environment*, 1336-1345.

- Martin, S., & Griswold, W. (2009). *Human Health Effects of Heavy Metals*. Kansas State University.
- Masoli, M., Fabian, D., Holt, S., & Beasley, R. (2004). The Global Burden of Asthma: Executive Summary of the GINA Dissemination Committee Report. *Allergy*, 59(5), 469-78.
- Mendell, M. (1993). Non-Specific Symptoms in Office Workers: A Review and Summary of the Epidemiologic Literature. *Indoor Air*, 3, 227-36.
- Mishra, P. (2008). *Fundamentals of Air and Water Pollution*. New Delhi: A. P. H. Publishing Corporation.
- Missia, D., Demetriou, E., Michael, N., Tolis, E., & Bartzis, J. (2010). Indoor Exposure from Building Materials: A Field Study. *Atmospheric Environment*, 4388-4395.
- Morawska, L., Jayaratne, E., Mengersen, K., Jamriska, M., & Thomas, S. (2002). Differences in Airborne Particle and Gaseous Concentrations in Urban Air Between Weekdays and Weekends. *Atmospheric Environment*, 36, 4375-4383.
- MPI, (2012). MPI Green Performance Standard [GPS-1-12 and GPS-2-12] for Paints & Coatings. Retrieved February 11, 2016, from <http://www.paintinfo.com/GPS/GPS-01%20GPS-2%20Oct%202012.pdf>
- Mujan, I., Anđelković, A., Munćan, V., Kljajić, M., & Serbia, D. (2019). Influence of Indoor Environmental Quality on Human Health and Productivity - A Review. *Journal of Cleaner Production*, 646-657.
- Muller, C. O., Yua, H., & Zhu, B. (2015). Ambient Air Quality in China: The Impact of Particulate and Gaseous Pollutants on IAQ. *Procedia Engineering*, 121, 582 – 589.
- Murakami, S., Kato, S., Ito, K., & Zhu, Q. (2003). Modeling and CFD Prediction for Diffusion and Adsorption within Room with Various Adsorption Isotherms. *Indoor Air*, 13(6), 20-27.
- Natarajan, D., & Hangan, H. (2009). Numerical Study on the Effects of Surface Roughness on Tornado-like Flows. *11th Americas Conference on Wind Engineering*, (pp. 1-11). San Juan, Puerto Rico.
- Nazaroff, W. W., & Weschler, C. J. (2004). Cleaning Products and Air Fresheners: Exposure to Primary and Secondary Air Pollutants. *Atmospheric Environment*, 38, 2841-2865.
- NCAR, (2014). Trash Burning Worldwide Significantly Worsens Air Pollution. Retrieved August 03, 2016, from <http://www.scitechreport.com/cluster27776430/>
- Nicell, J. (2009). Assessment and Regulation of Odour Impacts. *Atmospheric Environment*, 43, 196-206.
- NIOSH. (1992). *NIOSH Recommendations for Occupational Safety and Health*. U.S. Department of Health and Human Services.
- Norbäck, D., Torgén, M., & Edling, C. (1990). Volatile Organic Compounds, Respirable Dust, and Personal Factors Related to Prevalence and Incidence of Sick Building Syndrome in Primary Schools. *British Journal of Industrial Medicine*, 47(11), 733-741.

NØrgaard, A., Kudal, J., Kofoed-SØrensen, V., Koponen, I., & Wolkoff, P. (2014). Ozone-Initiated VOC and Particle Emissions from a Cleaning Agent and Air Freshener: Risk Assessment of Acute Airway Effects. *Environmet International*, 68, 209-218.

Norhidayah, A., Chia-Kuang, L., Azhar, M., & Nurulwahida, S. (2013). Indoor Air Quality and Sick Building Syndrome in Three Selected Buildings. *Procedia Engineering*, 53, 93-98.

NRDC. (2007). Protect Your Family from the Hidden Hazards in Air Fresheners. *Natural Resources Defense Council*.

Nurminen, M., & Jaakkola, M. (2001). Mortality From Occupational Exposure to Environmental Tobacco Smoke in Finland. *Journal of Occupational and Environmental Medicine*, 687-693.

Ocak, S., & Turalioglu, F. (2008). Effect of Meteorology on the Atmospheric Concentrations of Traffic-Related Pollutants in Erzurum, Turkey. *Journal of International Environmental Application and Science*, 3(5), 325-335.

Occupational Health & Safety (2016). Carbon Dioxide Detection and Indoor Air Quality Control. Retrieved August 10, 2016.

O'Connor, D., Hou, D., Ye, J., Zhang, Y., Ok, Y., Song, Y., Tian, L. (2018). Lead-Based Paint Remains a Major Public Health Concern: A Critical Review of Global Production, Trade, Use, Exposure, Health Risk, And Implications. *Environment International*, 85-101.

OSHA (2018 (a)). OSHA Occupational Chemical Database. Retrieved from Occupational Safety and Health Administration, Carbon Monoxide: [https:// www. osha.gov /chemicaldata/chemResult.html?recNo=183](https://www.osha.gov/chemicaldata/chemResult.html?recNo=183)

OSHA (2018 (b)). OSHA Occupational Chemical Database. Retrieved from Occupational Safety and Health Administration, Nitrogen Dioxide: [https:// www.osha.gov/ chemicaldata /chemResult.html?recNo=21](https://www.osha.gov/chemicaldata/chemResult.html?recNo=21)

OSHA (2018 (c)). OSHA Occupational Chemical Database. Retrieved from Occupational Safety and Health Administration, Carbon Dioxide: [https:// www.osha. gov/ chemicaldata/ chemResult.html?recNo=183](https://www.osha.gov/chemicaldata/chemResult.html?recNo=183)

OSHA (2018 (d)). OSHA Occupational Chemical Database. Retrieved from Occupational Safety and Health Administration, Formaldehyde: [https://www.osha.gov/ chemicaldata/ chemResult.html?recNo=377](https://www.osha.gov/chemicaldata/chemResult.html?recNo=377)

OSHA (2018 (e)). Retrieved from Occupational Safety and Health Administration, Sulfur Dioxide: [https://www. osha.gov /chemicaldata /chem Result.html?recNo=549](https://www.osha.gov/chemicaldata/chemResult.html?recNo=549)

OSHA (2019). Occupational Safety and Health Administration, Lead. Retrieved from Occupational Safety and Health Administration: [https://www .osha.gov/chemicaldata/chemResult.html?recNo=500](https://www.osha.gov/chemicaldata/chemResult.html?recNo=500)

Ozturk, B. (2006). A Comparison of the Performances of Dry and Wet Vacuum Cleaners for the Control of Indoor Particulate Matters . *Journal of International Environmental Application & Science*, , 1(3-4), 107-119 .

- Panagopoulos, I., Karayannis, A., Kassomenos, P., & Aravossis, K. (2011). A CFD Simulation Study of VOC and Formaldehyde Indoor Air Pollution Dispersion in an Apartment as Part of an Indoor Pollution Management Plan. *Aerosol and Air Quality Research*, 11, 758–762.
- Paul, W., & Taylor, P. (2008). A Comparison of Occupant Comfort and Satisfaction Between a Green Building and a Conventional Building. *Building and Environment*, 43, 1858–1870.
- Persily, A. (1996). The Relationship Between Indoor Air Quality and Carbon Dioxide. *Indoor Air*, 2, 961-966.
- Persson, J., Wang, T., & Hagberg, J. (2019). Indoor Air Quality of Newly Built Low-Energy Preschools – Are Chemical Emissions Reduced in Houses with Eco-Labelled Building Materials? *Indoor and Built Environment*, 506-519.
- Petrone, G., Balocco, C., & Cammarata, G. (2012). Multi-Physical Modeling for IAQ Monitoring. *Air Quality - New Perspective*. InTech.
- Petty, S., P.E., & C.I.H. (2016). Summary of ASHRAE's Position on Carbon Dioxide (CO₂) levels in Spaces. Retrieved January 17, 2016, from www.eesinc.cc/downloads/CO2positionpaper.pdf
- Plaisance, H., Blondel, A., Desauziers, V., & Mocho, P. (2014). Hierarchical Cluster Analysis of Carbonyl Compounds Emission Profiles from Building and Furniture Materials. *Building and Environment*, 75, 40-45.
- Pollution in People (2006). Heavy Metals. Retrieved August 11, 2016, from <https://toxicfreefuture.org/?s=heavy+metals>
- Ponni, M., & Baskar, R. (2015). A Study on Indoor Temperature and Comfort Temperature . *International Journal of Engineering Science Invention* , 4(3), 07-14.
- Pope , C., & Dockery, D. (2006). Health Effects of Fine Particulate Air Pollution: Lines that Connect. *Journal of the Air & Waste Management Association*, 709- 742.
- Prakash, D. (2015). Transient Analysis and Improvement of Indoor Thermal Comfort for an Air-Conditioned Room with Thermal Insulations. *Ain Shams Engineering Journal*.
- Pronk, A., Coble, J., Ji, B. T., Shu, X. O., Rothman, N., Yang, G., Chow, W. H. (2009). Occupational Risk of Lung Cancer among Lifetime Non-Smoking Women in Shanghai, China. *Occupational and Environmental Medicine*, 672–678.
- Puett, R., Hart, J., Schwartz, J., Hu, F., Liese, A., & Laden, F. (2011). Are Particulate Matter Exposures Associated with Risk of Type 2 Diabetes? *Environmental Health Perspectives*, 384-389.
- Raub, J., & Mathieu-Nolf, M. (2000). Carbon Monoxide Poisoning - A Public Health Perspective. *Toxicology*, 145, 1–14.
- Repace, J., Ott, W., & Klepeis, N. (n.d.). Indoor Air Pollution From Cigar Smoke. In J. L. Repace, W. R. Ott, & N. E. Klepeis, *Smoking and Tobacco Control Monograph No. 9*.
- Rodgers, K., Rudel, R., & Just, A. (2014). Phthalates in Food Packaging, Consumer Products, and Indoor Environments. *Toxicants in Food Packaging and Household Plastics* (pp. 31-59). Boston: Springer-Verlag London .

- Rudel, R., & Perovich, L. (2009). Endocrine disrupting chemicals in indoor and outdoor air. *Atmospheric Environment*, 43, 170-181.
- Samet, J. (1993). Indoor Air Pollution: A Public Health Perspective. *Proceedings of the 6th International Conference on Indoor Air Quality*. Helsinki: International Conference on Indoor Air Quality, (pp. 3- 12).
- SCS Global Services (2016). Certified Green Products Guide, Your online Directory for SCS Certified Green Products. Retrieved February 11, 2016, from <https://www.scsglobalservices.com/certified-green-products-guide>
- See, S., & Balasubramanian, R. (2011). Characterization of Fine Particle Emissions from Incense Burning. *Building and Environment*, 46, 1074-1080.
- See, S., Balasubramanian, R., & Joshi, U. (2007). Physical Characteristics of Nanoparticles Emitted from Incense Smoke. *Science and Technology of Advanced Materials*, 8, 25-32.
- Senevirathna, M. S., Vaduge, V. A., Hadagiripathira, L., Sanjeevani, S., Aththanayaka, T., Jayarathna, N., & Hopke, P. K. (2011). Characterization and Source Apportionment of Particulate Pollution in Colombo, Sri Lanka. *Atmospheric Pollution Research*, 2, 207-212.
- Seppänen, O., Fisk, W., & Mendell, M. (1999). Association of Ventilation Rates and CO₂ Concentrations with Health and other Responses in Commercial and Institutional Buildings. *Indoor Air*, 9, 226-252.
- Shafie-Pour, M., Shrafi, K., & Tavakoli, A. (2009). Modeling of Indoor Air Quality in Pardisan Biodiversity and Persian Carpet Museums in Iran. *4th International Congress on "Science and Technology for the Safeguard of Cultural Heritage in the Mediterranean Basin"*, (pp. 490-498). Cairo, Egypt.
- Shahzad, S., Brennan, J., Theodosopoulos, D., Hughes, B., & Calautit, J. (2016). Building-Related Symptoms, Energy, and Thermal Control in the Workplace: Personal and Open Plan Offices. *sustainability*, 8, 1-20.
- Shaughnessy, R., Haverinen-Shaughnessy, U., Nevalainen, A., & Moschandreas, D. (2006). A Preliminary Study on the Association Between Ventilation Rates in Classrooms and Student Performance. *Indoor Air*, 16(6), 465-468.
- Shen, C., Gao, N., & Wang, T. (2013). CFD Study on the Transmission of Indoor Pollutants under Personalized Ventilation. *Building and Environment*, 63, 69-78.
- Shendell, D., Prill, R., Fisk, W., Apte, M., Blake, D., & Faulkner, D. (2004). Associations between Classroom CO₂ Concentrations and Student Attendance in Washington and Idaho. *Indoor Air*, 14, 333- 341.
- Shrimandilkar, P. (2013). Indoor Air Quality Monitoring For Human Health . *International Journal of Modern Engineering Research (IJMER)*, 3(2), 891-897.
- Sieber, W., Stayner, L., Malkin, R., Petersen, M., Mendell, M., Wallingford, K., Reed, L. (1996). The National Institute for Occupational Safety and Health Indoor Environmental Evaluation Experience. Part three: Associations Between Environmental Factors and Self-Reported Health Conditions. *Applied Occupational and Environmental Hygiene*, 11(11(12)), 1387-92.

- Simion, A. I., Ionita, I., Grigoras, C. G., Favier-Teodorescu, L. G., & Gavrilă, L. (2015). Development and Optimization of Water Based Paint Formula in order to Reduce VOCs Emissions. *Environmental Engineering and Management Journal*, 14, 277-288.
- Simoni, M., Annesi-Maesano, I., Sigsgaard, T., Norback, D., Wieslander, G., Nystad, W., . . . Viegi, G. (2010). School air quality related to dry cough, rhinitis and nasal patency in children. *European Respiratory Journal* , 742- 749.
- Singh, J. (1996). Impact of Indoor Air Pollution on Health, Comfort and Productivity of the Occupants. *Aerobiologia*, 12(1), 121-127.
- Sisler, J., Shaffer, J., Soo, J. C., LeBouf, R., Harper, M., Qian, Y., & Lee, T. (2018). In vitro Toxicological Evaluation of Surgical Smoke from Human Tissue. *Journal of Occupational Medicine and Toxicology*.
- Smith, L., Mukerjeeb, S., Kovalcikk, K., Samsc, E., Stallingsa, C., Hudgensc, E., Neasc, L. (2015). Near-road Measurements for Nitrogen Dioxide and its Association with Traffic Exposure Zones. *Atmospheric Pollution Research*, 6(6), 1082–1086.
- Society of Laparoendoscopic Surgeons (2006). Chapter 1. Pneumoperitoneum: Production, Management, Effects and Consequences. Retrieved from Prevention and Management of Laparoendoscopic Surgical complications, The 1st Edition :https://laparoscopy.blogs.com/prevention_management/chapter_01_pneumoperitoneum/
- Song, G. S. (2010). Could Sperm Quality be Affected by a Building Environment? A Literature Review. *Building and Environment*, 45, 936-943.
- Sorme, L., & Lagerkvist, R. (2002). Sources of Heavy Metals in Urban Wastewater in Stockholm. *The Science of the Total Environment* , 131–14.
- Souza, K., Braz, L., Nogueira, F., Souza, M., Bincoletto, L., Aun, A., Braz, M. (2016). Occupational Exposure to Anesthetics Leads to Genomic Instability, Cytotoxicity and Proliferative Changes. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 42–48.
- Stabile, L., Fuoco, F., & Buonanno, G. (2012). Characteristics of Particles and Black Carbon Emitted by Combustion of Incenses, Candles and Anti-Mosquito Products. *Building and Environment*, 184e191.
- Stamatelopoulou, A., Asimakopoulos, D., & Maggos, T. (2019). Effects of PM, TVOCs, and Comfort Parameters on Indoor Air Quality of Residences with Young Children. *Building and Environment*.
- Stanforth, R. R. (1997). *United States Patent No. 5,637,355*.
- Stranger, M., Potgieter-Vermaak, S., & Grieken, R. (2007). Comparative Overview of Indoor Air Quality in Antwerp, Belgium. *Environment International* , 33, 789 – 797.
- Sudakin , D., Stone, D., & Power, L. (2011). Naphthalene Mothballs: Emerging and Recurring Issues and their Relevance to Environmental Health. *Curr Top Toxicol*, 13-19.

- Sulaiman, Z., & Mohamed, M. (2011). Indoor Air Quality and Sick Building Syndrome Study at Two Selected Libraries in Johor Bahru, Malaysia. *The international journal published by the Thai Society of Higher Education Institutes on Environment*, 67-74.
- Sun, Y., Hou, J., Cheng, R., Sheng, Y., & Zhan, X. (2019). Indoor Air Quality, Ventilation and Their Associations with Sick Building Syndrome in Chinese Homes. *Energy & Buildings*, 112-119.
- Suryadhi, M., Abudureyimu, K., Kashima, S., & Yorifuji, T. (2019). Effects of Household Air Pollution From Solid Fuel Use and Environmental Tobacco Smoke on Child Health Outcomes in Indonesia. *Journal of Occupational and Environmental Medicine*, 335-339.
- Syazwan, A., Juliana, J., Norhafizalina, O., Azman, Z., & Kamaruzaman, J. (2009). *Indoor Air Quality and Sick Building Syndrome in Malaysian Buildings*. Global Journal of Health Science.
- Takigawa, T., Horike, T., Ohashi, Y., Kataoka, H., Wang, D.-H., & Kira, S. (2004). Were Volatile Organic Compounds the Inducing Factors for Subjective Symptoms of Employees Working in Newly Constructed Hospitals? *Environmental Toxicology*, 280-290.
- Tchounwou, P., Yedjou, C., Patlolla, A., & Sutton, D. (2012). Heavy Metals Toxicity and the Environment. *NIH Public Access*, 101, 133–164.
- The Asia Foundation (2015). Quick Reference Guide to Relevant Industrial Standards of Sri Lanka. Colombo: National Environmental Act No. 47 of 1980 (as amended).
- Thompson, C., Hensel, E., & Kats, G. (1973). Outdoor-Indoor Levels of Six Air Pollutants. *Journal of the Air Pollution Control Association*, 23(10), 881-886.
- Tippayawong, N., Khuntong, P., Nitatwichit, C., Khunatorn, Y., & Tantakitti, C. (2009). Indoor/Outdoor Relationships of Size-Resolved Particle Concentrations in Naturally Ventilated School Environments. *Building and Environment*, 44, 188 – 197.
- Tong, Z., Chen, Y., Malkawi, A., Adamkiewicz, G., & Spengler, J. (2016). Quantifying the Impact of Traffic-related Air Pollution on the Indoor Air Quality of a Naturally Ventilated Building. *Environment International*, 89(90), 138–146.
- Tsai, D., Lin, J.-S., & Chan, C. (2012). Office Workers' Sick Building Syndrome and Indoor Carbon Dioxide Concentrations. *Journal of Occupational and Environmental Hygiene*, 9(5), 345-51.
- Tunno, B., Shields, K., Cambal, L., Tripathy, S., Holguin, F., Lioy, P., & Clougherty, J. (2015). Indoor Air Sampling for Fine Particulate Matter and Black Carbon in Industrial Communities in Pittsburgh. *Science of the Total Environment*, 536, 108 –115.
- U.S. Department of Housing (2006). Healthy Housing Reference Manual. Retrieved August 03, 2016, from https://www.cdc.gov/nceh/publications/books/housing/housing_ref_manual_2012.pdf
- Uhde, E., & Salthammer, T. (2007). Impact of Reaction Products from Building Materials and Furnishings on Indoor Air Quality—A Review of Recent Advances in Indoor Chemistry. *Atmospheric Environment*, 3111–3128.
- University of Rochester Medical Center (2016). Health Encyclopedia. Indoor Air Can Cause Health Problems. Retrieved August 06, 2016, from <https://www.urmc.rochester.edu/encyclopedia/content.aspx?ContentTypeID=1&ContentID=2163>

Urban Development Authority. (2018). City of Colombo Development Plan (Compiled Edition). Ministry of Megapolis & Western Development.

USEPA (2018 (a)). Primary National Ambient Air Quality Standards (NAAQS) for Nitrogen Dioxide. Retrieved from Nitrogen Dioxide (NO₂) Pollution, United State Environmental Protection Agency: <https://www.epa.gov/no2-pollution/primary-national-ambient-air-quality-standards-naaqs-nitrogen-dioxide>

USEPA (2018 (b)). Secondary National Ambient Air Quality Standards (NAAQS) for Nitrogen Dioxide (NO₂) and Sulfur Dioxide (SO₂). Retrieved from USEPA, Sulfur Dioxide (SO₂) Pollution: <https://www.epa.gov/so2-pollution/secondary-national-ambient-air-quality-standards-naaqs-nitrogen-dioxide-no2-and-sulfur>

USEPA. (1991). Indoor Air Facts No. 4 (revised) Sick Building Syndrome. Retrieved February 08, 2016.

USEPA. (1992). Carpet and Indoor Air Quality. USEPA.

USEPA. (2004). Buildings and the Environment: A Statistical Summary. U.S. Environmental Protection Agency. Retrieved 07 25, 2016, from Buildings and the Environment: A Statistical Summary: <http://www.fbs.us/images/gbstats.pdf>

USEPA. (2015(a)). Indoor Air Quality (IAQ): An Office Building Occupants Guide to Indoor Air Quality. Retrieved August 06, 2016, from <https://www.epa.gov/indoor-air-quality-iaq/office-building-occupants-guide-indoor-air-quality>

USEPA. (2015(b)). Children's Environmental Health Facts. Retrieved November 10, 2015, from <http://www2.epa.gov/children/childrens-environmental-health-facts#lead>

USEPA. (2015(c)). Biological Pollutants' Impact on Indoor Air Quality. Retrieved August 02, 2016, from <https://www.epa.gov/indoor-air-quality-iaq/biological-pollutants-impact-indoor-air-quality>

USEPA. (2016(a)). Indoor Air Quality (IAQ): An Introduction to Indoor Air Quality. Retrieved August 06, 2016, from <https://www.epa.gov/indoor-air-quality-iaq/introduction-indoor-air-quality>

USEPA. (2016(b)). Air Toxic Web site -Toluene. Retrieved March 22, 2016, from <https://www3.epa.gov/airtoxics/hlthef/toluene.html>

USEPA. (2016(c)). Sources of Combustion Products: An Introduction to Indoor Air Quality. Retrieved August 03, 2016, from <https://www.epa.gov/indoor-air-quality-iaq/sources-combustion-products-introduction-indoor-air-quality>

USEPA. (2016(d)). Sulfur Dioxide Basics. Retrieved September 21, 2016, from [https://www.epa.gov/so2-pollution/sulfur-dioxide-basics#what is so2](https://www.epa.gov/so2-pollution/sulfur-dioxide-basics#what%20is%20so2)

USEPA. (2018). Why Indoor Air Quality is Important to Schools. Retrieved from <https://www.epa.gov/iaq-schools/why-indoor-air-quality-important-schools>

- USEPA (2011). Review of National Ambient Air Quality Standards for Carbon Monoxide. USEPA.
- USGBC, U. (2011). LEED V4: Paint and coatings. Low Emitting Materials -Paints and Coatings. Retrieved from <http://www.usgbc.org/credits/new-construction-core-and-shell/v3-leed-india-2011/eqc42>
- Vaughan, A. (2015, May 6). Global Carbon Dioxide Levels Break 400ppm Milestone. Retrieved August 03, 2016.
- Versteeg, H., & Malalasekara, W. (2007). An Introduction to Computational Fluid Dynamics (2nd ed.). Harlow, England: Pearson Education Limited.
- Viswanathan, P., & Murti, C. (1989). Effects of Temperature and Humidity on Ecotoxicology of Chemicals. In P. Bourdeau, J. Haines, W. Klein, & C. Murti (Eds.), *Ecotoxicology and Climate* (pp. 139-154). John Wiley & Sons Ltd.
- Wahab, A. (2011). Sick Building Syndrome in Public Buildings and Workplaces. Springer.
- Walker, J. (2015). Chi-Square Calculator. Retrieved January 04, 2016, from <https://www.fourmilab.ch/rpkp/experiments/analysis/chiCalc.html>
- Wang, B., Hang Ho, S., Ho, K., Huang, Y., Chan, C., Feng, N., & Sai Ip, S. (2012). An Environmental Chamber Study of the Characteristics of Air Pollutants Released from Environmental Tobacco Smoke . *Aerosol and Air Quality Research*, 12, 1269–1281.
- Wang, B., Lee, S., Ho, K., & Kang, Y. (2007). Characteristics of Emissions of Air Pollutants from Burning of Incense in Temples, Hong Kong. *Science of the Total Environment*, 52–60.
- Wang, Y., & Zhang, Y. S. (2009). Air Quality Assessment by Contingent Valuation in Ji'nan, China. *Journal of Environmental Management*, 90, 1022-1029.
- Wang, Z., Bai, Z., Yu, H., Zhang, J., & Zhu, T. (2004). Regulatory Standards related to Building Energy Conservation and Indoor-Air-Quality during Rapid Urbanization in China. *Energy and Buildings*, 36, 1299-1308.
- Weschler, C. (2009). Changes in Indoor Pollutants Since the 1950s. *Atmospheric Environment*, 43, 153-169.
- WHO. (2000(a)). Air Quality Guidelines for Europe. *World Health Organization*.
- WHO, (2000(b)). Chapter 5.14-Toluene. Retrieved March 22, 2016, from http://www.euro.who.int/__data/assets/pdf_file/0020/123068/AQG2ndEd_5_14Toluene.PDF
- WHO. (2005). WHO Air Quality Guidelines for Particulate matter, Ozone, Nitrogen dioxide and Sulfur dioxide. Retrieved September 21, 2016.
- WHO. (2007). Health Risks of Heavy Metals from Long-Range Transboundary Air Pollution. Retrieved August 11, 2016, from http://www.euro.who.int/__data/assets/pdf_file/0007/78649/E91044.pdf
- WHO. (2009). WHO Guidelines for Indoor Air Quality: Dampness and Mould. *World Health Organization*.

- WHO. (2010). WHO Guidelines for Indoor Air Quality. Retrieved September 17, 2016.
- WHO. (2013). Asthma. Retrieved 7. 30. 2016, from [http:// www.who.int/mediacentre/factsheets/fs307/en/](http://www.who.int/mediacentre/factsheets/fs307/en/)
- WHO. (2015). Burning Opportunity: Clean Household Energy for Health, Sustainable Development, and Wellbeing of Women and Childre. *World Health Organization press*.
- WHO. (2016). Health Topica- Asthma. Retrieved 07 30, 2016, from <http://www.who.int/topics/asthma/en/>
- WHO. (2019(a)). Mortality from household air pollution. Retrieved from Global Health Observatory (GHO) data : [https://www. who.int/gho/phe/ indoor _ air_ pollution/burden/en/](https://www.who.int/gho/phe/indoor_air_pollution/burden/en/)
- WHO. (2019(b)). Ambient air pollution: Health impacts. Retrieved from Air Pollution: <https://www.who.int/airpollution/ambient/health-impacts/en/>
- WHO. (2019(c)). Global Health Observatory Map Gallery. Retrieved from Welcome to the Global Health Observatory Map Gallery: [http:// gamapserver.who.int/mapLibrary /app /searchResults.aspx](http://gamapserver.who.int/mapLibrary/app/searchResults.aspx)
- WHO. (2019(d)). WHO releases country estimates on air pollution exposure and health impact. Retrieved from <https://www.who.int/en/news-room/detail/27-09-2016-who-releases-country-estimates-on-air-pollution-exposure-and-health-impact>
- WHO. (2019(e)). Our World in Data. Retrieved from Indoor Air Pollution: <https://ourworldindata.org/indoor-air-pollution#death-rates-from-indoor-air-pollution-over-time>
- Wiedinmyer, C., Yokelson, R., & Gullett, B. (2014). Global Emissions of Trace Gases, Particulate Matter, and Hazardous Air Pollutants from Open Burning of Domestic Waste. *Environmental Science and Technology*.
- Wieringa, M., Weyler, J., Van Bastelaer, F., Nelen, V., Van Sprundel, M., & Vermeire, P. (1997). Higher Asthma Occurrence in an Urban than a Suburban Area: Role of House Dust Mite Skin Allergy. *European Respiratory Journal*, 1460–1466.
- Wieslander, G., Janson, C., Norbäck, D., Björnsson, E., Stålenheim, G., & Edling, C. (1994). Occupational Exposure to Water-Based Paints and Self-Reported Asthma, Lower Airway Symptoms, Bronchial Hyperresponsiveness, and Lung Function. *International Archives of Occupational and Environmental Health*, 66(4), 261-267.
- Wieslander, G., Norbäck, D., & Edling, C. (1994). Occupational Exposure to Water Based Paint and Symptoms from the Skin And Eyes. *Occupational and Environmental Medicine*, 51, 181-186.
- Wilke, O., Jann , O., & Brödner , D. (2004). VOC- and SVOC-Emissions from Adhesives, Floor Coverings and Complete Floor Structures. *Indoor Air*, 14(8), 98-107.
- Wisconsin Department of Health Services (2015). Toluene. Retrieved March 22, 2016, from [https://www. dhs.wisconsin. gov/ chemical /toluene.htm](https://www.dhs.wisconsin.gov/chemical/toluene.htm)
- Wolkoff, P. (1995). Volatile Organic Compounds Sources, Measurements, Emission, and the Impact on Indoor Air Quality. *International Journal of Indoor Air Quality and Climate, (Supplement no 3)*, 6-73.

- Wong, L., & Mui, K. (2007). Evaluation on Four Sampling Schemes for Assessing Indoor Air Quality. *Building and Environment*, 42, 1119- 1125.
- Wong, S.-K., Lai, L. W.C., Chi-Wing Ho, D., Chau , K.W., Lam, C. L.K., & Ng, C. H.F. (2009). Sick Building Syndrome and Perceived Indoor Environmental Quality: A survey of Apartment Buildings in Hong Kong. *Habitat International* , 33, 463–471.
- XinKe, W., & YinPing, Z. (2011). General Analytical Mass Transfer Model for VOC Emissions from Multi-Layer Dry Building Materials with Internal Chemical Reactions. *Chinese Science Bulletin*, 56(2), 222-228.
- Xiong, J., Wang, L., Bai, Y., & Zhang, Y. (2013). Measuring the Characteristic Parameters of VOC Emission From Paints. *Building and Environment*, 66, 65-71.
- Yang, L., Ye, M., & Jie he, B. (2014). CFD Simulation Research on Residential Indoor Air Quality. *Science of the Total Environment*, 1137–1144.
- Yang, W., Sohn, J., Kim, J., Son, B., & Park, J. (2009). Indoor Air Quality Investigation According to Age of the School Buildings in Korea. *Journal of Environmental Management* , 90 , 348- 354.
- Yang, X. (1999). Study of Building Material Emissions and Indoor Air Quality. (M. I. Technolog, Ed.) Massachusetts: Massachusetts Institute of Technology. Retrieved August 3, 2016, from <https://dspace.mit.edu/handle/1721.1/9366>
- Yang, X., Chen, Q., Zeng, J., Zhang, J. S., & Shaw, C. Y. (2011). Effects of Environmental and Test Conditions on VOC Emission from "Wet" Coating Materials. *Indoor Air*, 11(4), 270-278.
- Yang, X., Chen, Q., Zeng, J., Zhang, J., & Shaw, C. (2001). Effects of Environmental and Test Conditions on VOC Emissions from “Wet” Coating Materials. *Indoor Air*, 11(4), 270-278.
- Yavetz, I. V., & Rafaeli, A. (2005). Instrumentality, Aesthetics, and Symbolism of Office Design. *Environment and Behaviour*, 37(4), 533-551.
- Yen Lu, C., Lin, J. M., Chen, Y. Y., & Chen, Y. C. (2015). Building-Related Symptoms among Office Employees Associated with Indoor Carbon Dioxide and Total Volatile Organic Compounds. *International Journal of Environmental Research and Public Health*, 12, 5833-5845.
- Yu, B., Hu, Z., Liu, M., Yang, H., Kong, Q., & Liu, Y. (2009). Review of Research on Air-Conditioning Systems and Indoor Air Quality Control for Human Health. *International Journal of Refrigeration*, 32(1), 3-20.
- Zhang, X., Li, F., Zhang, L., Zhao, Z., & Norback, D. (2014). A Longitudinal Study of Sick Building Syndrome (SBS) among Pupils in Relation to SO₂, NO₂, O₃ and PM₁₀ in Schools in China. *PLOS ONE*, 1- 13.
- Zhang, Y., Huang, L., & Zhou, Y. (2015). Analysis of Indoor Thermal Comfort of Test Model Building Installing Double -Glazed Window with Curtains Based on CFD. *9th International Symposium on Heating, Ventilation and Air Conditioning (ISHVAC) and the 3rd International Conference on Building Energy and Environment (COBEE)* . 121, pp. 1990 – 1997. Procedia Engineering . doi:10.1016/j.proeng.2015.09.197
- Zuo , W. (2016). Introduction of Computational Fluid Dynamics. Retrieved February 16, 2016, from http://www14.in.tum.de/konferenzen/Jass05/course_s/2/Zuo/Zuo_paper.pdf