6. **REFERENCES**

- B. Jun-Wen, X. Hong-Wei, M. Hai-Le and Z. Cun-Shan, "Artificial Neural Network Modeling of Drying Kinetics and Color Changes of Ginkgo Biloba Seeds during Microwave Drying Process," *Journal of Food Quality*, vol. 2018, 2018.
- [2] M. Bantle, T. Kafer and T. M. Eikevik, "Model and Process Simulation of Microwave assisted convective Drying of Cupfish," *Applied Thermal Engineering*, no. 59, pp. 676-682, 2013.
- [3] I. Doymaz, S. Azmi and P. Sabriye, "Microwave Drying of Green Bean Slices: Drying Kinetics and physical quality," *Czech Journal of Food Science*, vol. 33, no. 4, p. 367–376, 2014.
- [4] H. Feng and J. Tang, "Microwave Finish Drying of Diced Apple in Spouted Bed," *Journal of Food Science*, vol. 63, no. 4, pp. 679-683, 1998.
- [5] H. Feng, Y. Yin and J. Tang, "Microwave Drying of Food and Agricultural Materials: Basics and Heat and Mass Transfer Modeling," *Food Engineering Review*, vol. 4, no. 2, pp. 89-106, 2012.
- [6] A. Zhu and X. Shen, "The Model and Mass Transfer Characteristics of Convection Drying of Peach Slices," *International journal of heat and mass transfer*, vol. 72, pp. 345-351, 2014.
- [7] A. Mendis, A. Amarasinghe and M. Narayana, "Numerical Simulation of the Moisture Diffusion in Copra Drying Process," in *MERCON 2016*, Katubedda, 2016.
- [8] A. Chakraverty, A. S. Mujumdar and H. S. Ramaswamy, "Drying of Cereals, Fruits, Vegetables, Tea, and Spices," in *Handbook of Postharvest Technology*, New York, Marcel Dekker Inc., 2003, p. 119.
- [9] H. T. Sabarez, "Optimisation of industrial Food Drying Operation," International Journal of Food and Biosystem Engineering, vol. 1, no. 1, pp. 1-6, 2015.
- [10] V. Orsat, V. Changrue and G. V. Raghavan, "Microwave drying of fruits and vegetables," *Stewart Postharvest Review*, pp. 1-7, 2006.

- [11] J. Barley, "Freeze Drying Lyophilization Basics," January 2015. [Online]. Available: https://www.spscientific.com/freeze-drying-lyophilization-basics/.
- [12] Gupta, K. Jayaraman and D. Das, "Dehydration of Fruits and Vegetables. Recent Developments in Principles and Techniques," *Drying Technology*, vol. 10, no. 1, pp. 1-50, 1992.
- [13] A. Williams-Gardner, Industrial Drying, London: Leonard Hill, 1971.
- [14] A. S. Mujumdar, Handbook of Industrial Drying, Florida: CRC Press, 2014.
- [15] C. Jorge, "Fundamentals of the Drying Mechanism during Air Dehydration of Foods," in Advances in Drying, Hemisphere Publishing Group, Washington D.C, 1983.
- [16] C. .. J. Geankoplis, Transport Processes and Unit Operations, Prentice-Hall International, 1993.
- [17] P. D. J. McClements, "University of Massachusetts Amherst," 24 10 2003.
 [Online]. Available: http://people.umass.edu/~mcclemen/581Moisture.html.
 [Accessed 24 10 2017].
- [18] R. L. Earle, Unit Operations in Food Processing, Elsevier Ltd, 1983.
- [19] J. Madiouli, J. Sghaier, D. Lecomte and H. Sammouda, "Determination of Porosity Change from Shrinkage Curves During Drying of Food Material," *Food* and Bioproducts Processing, no. 90, pp. 43-51, 2012.
- [20] M. Rahman, C. Perera, X. Chen, R. Driscoll and P. Potluri, "Density shrinkage and porosity of calamari mantle meat during air drying in a cabinet dryer as a function of water content," *Journal of Food Engineering*, no. 30, pp. 135-145, 1996.
- [21] F. Radler, "The Prevention Of Browning During DRYING by the Cold Dipping Treatment of Sultana Grapes," *Food and Agriculture Journal*, vol. 13, no. 12, pp. 864-870, 1964.
- [22] J. Asanka, J. Prasangika, J. Marikkar and J. Jayasundara, "Production of Dried Pulverized Kernel for Virgin Coconut Oil Extraction: Assessment on Particle Size Distribution, Drying Curve Pattern, and Quality Characteristics," in Second Symposium on Plantation Crop Research, Colombo.

- [23] F. Shahidi, Bailey's Industrial Oil and Fat Products, Industrial and Nonedible Products from Oils and Fats (Vol 6), 2005.
- [24] M. Indira, J. Lal and C. Sreeranjit, "Coconut Palm," in *Encyclopedia of Food Sciences and Nutrition*, Cambridge, Academic Press, 2003, pp. 1464-1475.
- [25] Coconut Development Authority, Sri Lanka, "Annual report- 2018," CDA, Colombo, 2018.
- [26] P. P. Kumar and A. G. Krishna, "Physicochemical characteristics of commercial coconut oils produced in India," *Grasas Y Aceites*, vol. 66, no. 1, 2015.
- [27] C. Asis, R. Baroy, S. Bendijo, S. L. Hansen, V. Nacion and J. Tolimao, "Supercritical Fluid Extraction to Determine the Oil Content in Copra and Extracted Meal," *Journal of the American Oil Chemists' Society*, vol. 83, no. 1, pp. 11-14, 2006.
- [28] R. F. Schiffmann, "Microwave and Dielectric Drying," in Hand Book Of Industrial Drying, New York, Marcel Dekker, 1995, p. 345.
- [29] B. A. Fu, M. Q. Chen, Y. W. Huang and H. F. Luo, "Combined effects of additives and power levels on microwave drying performance of lignite thin layer," *Drying technology*, vol. 35, pp. 227-239, 2017.
- [30] Z. Pengfei, L. Chenhui, Q. Wenwen, H. Zhixiu, G. Jiyun, J. Lijuan, J. Siping and R. Roger, "Effect of Temperature and Microwave Power Levels on Microwave Drying Kinetics of Zhaotong Lignite," *pros]cesses*, vol. 7, no. 74, pp. 1-18, 2019.
- [31] C. Kara and İ. Doymaz, "Effective moisture diffusivity determination and mathematical modelling of drying curves of apple pomace," *Heat and Mass Transfer*, vol. 51, no. 7, pp. 983-989, 2015.
- [32] O. Ismail and O. G. Kocabay, "Infrared and Microwave Drying of Rainbow Trout: Drying Kinetics and Modelling," *Turkish Journal of Fisheries and Aquatic Sciences*, vol. 18, pp. 259-266, 2018.
- [33] M. Zhanga, J. Tangb, A. Mujumdar and S. Wang, "Trends in microwaver elated drying of fruits and vegetables," *Trends in Food Science & Technology*, vol. 17, pp. 524-534, 2006.
- [34] H. H. Nijhuis, H. M. Torringa, S. Muresan, D. Yuksel, C. Leguijt and W. Kloek, "Approaches to improving the quality of dried fruits and vegetables," *Trends in Food Science and Technology*, vol. 9, pp. 13-20, 1998.

- [35] S. Gunasekaran, "Pulsed Microwave-Vacuum Drying of Food Materials," Drying Technology, vol. 17, no. 3, pp. 395-412, 1999.
- [36] M. Zhang, C. Li and X. L. Ding, "Effects of Heating Conditions on the Thermal Denaturation of White Mushroom Suitable for Dehydration.," *Drying Technology*, vol. 23, no. 5, pp. 1119-1125, 2005.
- [37] G. Brodie, "Energy Transfer from Electromagnetic Fields to Materials," in *Electromagnetic Fields and Waves*, London, IntechOpen, 2019, pp. Chapter 4, page 1-18.
- [38] N. S. Shah, P. S. Shah and V. A. Rana, "Dielectric and electrical properties of coconut water and distilled water in the frequency range 20 Hz to 2 MHz at different temperatures," *International Journal of Ionics The Science and Technology of Ionic Motion*, vol. 21, no. 12, pp. 3217-3222, 2015.
- [39] T. Montoro, A. Manrique and González-Reviriego, "Measurement of the refracting index of wood for microwave radiation," *European Journal of Wood* and Wood Products, vol. 57, no. 4, pp. 295-299, 1999.
- [40] R. P. Singh and D. R. Heldman, Introduction to Food Engineering, Fourth Edition, London: Academic Press is an Imprint of Elvieser, 2009.
- [41] A. H. Solange and M. Zafar Iqbal, "Chemical composition of meat (Kernel) and nut water of Major Coconut (Cocus nucifera l.)cultivars at coastal area of Pakistan," *Pakistan journal of botany*, vol. 43, no. 1, pp. 357-363, 2011.
- [42] K. Gunathilake, C. Thilakahewa and A. Kumara, "Nutritional Composition of Dikiri Coconut," *Cocoinfo International*, vol. 25, no. 1, pp. 56-62, 2009.
- [43] M. J. M. Hazzan, "Development of an Integrated Process for the Utilization of Coconut Contents," Thesis submitted to the University of Sri Jayawardanapura, Sri Jayawardanapura, 2015.
- [44] A. Obike, "Proximate and Trace Metal Analysis of Coconut (Cocos nucifera) Collected from Southeastern, Nigeria," ABSU Journal of Environment, Science and Technology, vol. 3, pp. 357-361, 2013.
- [45] O. Sipahioglu and S. Barringer, "Dielectric Properties of Vegetables and Fruits as a Function of Temperature, Ash, and Moisture Content," *Journal of Food Science*, vol. 68, no. 1, p. 234+239, 2003.

- [46] Z. Wang, J. Sun, F. Chen, X. Liao and X. Hu, "Mathematical modelling on thin layer microwave drying of apple pomace with and without hot air pre-drying," *Journal of Food Engineering*, vol. 80, no. 2, pp. 536-544, 2007.
- [47] A. Kaleta, K. Górnicki, R. Winiczenko and A. Chojnacka, "Evaluation of Drying Models of Apple (var. Ligol) Dried in a Fluidized Bed Dryer," *Energy Conversion and Management*, vol. 67, pp. 179-185, 2013.
- [48] I. Doymaz, "Evaluation of some Thin-Layer Drying Models of Persimmon Slices (Diospyros kaki L.)," *Energy conversion and management*, vol. 56, pp. 199-205, 2012.
- [49] F. Sharifian, A. M. Motlagh and A. M. Nikbakht, "Pulsed microwave drying kinetics of fig fruit (Ficus carica L.)," *Australian Journal of Crop Science*, vol. 6, no. 10, pp. 1441-1447, 2012.
- [50] M. Mohanraj and P. Chandrasekar, "Drying of copra in a forced convection solar drier," *BIOSYSTEMS ENGINEERING*, vol. 99, p. 604–607, 2008.
- [51] W.-P. Chun, S.-I. Kim and K.-W. Lee, "Hot Air-Microwave Combined Drying Characteristics of Gypsum Board," in *European Drying Conference -EuroDrying'2011*, Spain, 2011.
- [52] Z. Leda, "MIT Engage ask an engineer," MIT, 2 November 2010. [Online].
 Available: https://engineering.mit.edu/engage/ask-an-engineer/why-cant-we-put-metal-objects-in-a-microwave/. [Accessed 6 11 2017].
- [53] Microwave Service Company Ltd, "Microwave Waveguide Cover," Microwave Service Company Ltd, 09 11 2010. [Online]. Available: https://microwaveexpert.wordpress.com/2010/11/09/microwave-waveguidecover/. [Accessed 06 11 2017].
- [54] J. Robert L. Bradley, "Moisture and Total Solids Analysis," in *Food Analysis*, Chicago, Springer Science+Business Media, 2010, p. 88.
- [55] A. López-Ortiz, J. Rodríguez-Ramírez and L. L. M.-L. P. Naciona, "Effects of Drying Air Temperature on the Structural Properties of Garlic Evaluated During Drying," *International Journal of Food Properties*, vol. 16, no. 7, pp. 1516-1529, 2013.
- [56] I. Gekas and V. Sjiiholm, "Apple Shrinkage upon Drying," Journal of Food Engineering, vol. 25, pp. 123-130, 1995.

- [57] P. B. Kennedy and S. McNulty, "Density Measurements of Grass by Toluene Displacement and Air Comparison Pycnometry," *Irish Journal of Agricultural Research*, vol. 21, no. 1, pp. 75-83, 1982.
- [58] M. Katekawa and M. Silva, "Study of porosity behavior in convective drying of bananas," in *Proceedings of the 14th International Drying Symposium (IDS 2004)*, Sao Paulo, 2004.
- [59] J. Madiouli, D. Lecomte, T. Nganya, S. Chavez, J. Sghaier and H. Sammouda, "A Method for Determination of Porosity Change from Shrinkage Curves of Deformable Materials," *Drying Technology*, vol. 25, no. 4, pp. 621-628, 2007.
- [60] E. Sun, A. Datta and S. Lobo, "Composition-Based Prediction of Dielectric Properties of Foods," *Journal of Microwave Power and Electromagnetic Energy*, vol. 30, no. 4, pp. 205-212, 1995.
- [61] S. U. a. H. Mishra, "Microave Convective Drying and Storage of Soy-Fortified Paneer," *Trans IChemE*, vol. 81, pp. 89-95, 2003.
- [62] P. Simha, M. Mathew and M. Ganesapillai, "Empirical Modeling of Drying Kinetics and Microwave Assisted Extraction of Bioactive Compounds from Adathoda vasica and Cymbopogon citrus," *Alexandria Engineering Journal*, vol. 55, pp. 141-150, 2016.
- [63] S. Naderinezhad, N. Etesami, A. P. Najafabady and M. G. Falavarjani, "Mathematical modeling of drying of potato slices in a forced convective dryer based on important parameters".
- [64] Mahiuddin, I. H. Khan, C. Kumar, M. M. Rahman and M. A. Karim, "Shrinkage of Food Materials During Drying: Current Status and Challenges," *Comprehensive Reviews in Food Science and Food Safety*, vol. 17, no. 5, pp. 1113-1126, 2018.
- [65] H. Imran, M. Wellard, S. Nagy, M. Joarddere and M. Karima, "Experimental investigation of bound and free water transport process during drying of hygroscopic food material," *International Journal of Thermal Sciences*, vol. 17, pp. 266-273, 2017.
- [66] I. Khan and M. Karim, "Cellular water distribution, transport, and its investigation methods for plant-based food material," *Food Research International*, vol. 99, no. 1, pp. 1-14, 2017.

- [67] K. Prasanth and A. Gopala Krinshna, "Physicochemical characteristics of commercial coconut oils produced in Indiar," *Grasas y Aceites*, vol. 66, no. 1, 2015.
- [68] FAO, Codex Standard for Desiccated Coconut, FAO, 2011.
- [69] M. Peleg, "An Empirical Model for the Description of Moisture Sorption Curves," *Journal of Food Science*, vol. 53, no. 1, p. 1216–1219, 1988.