

References

- [1] C. Soutis, “Fibre reinforced composites in aircraft construction,” *Progress in Aerospace Sciences*, vol. 41, no. 2, pp. 143–151, Feb. 2005.
- [2] R. Jordan, G. Picardi, J. Plaut, K. Wheeler, D. Kirchner, A. Safaeinili, W. Johnson, R. Seu, D. Calabrese, E. Zampolini, A. Cicchetti, R. Huff, D. Gurnett, A. Ivanov, W. Kofman, R. Orosei, T. Thompson, P. Edenhofer, and O. Bombaci, “The mars express marsis sounder instrument,” *Planetary and Space Science*, vol. 57, no. 14-15, pp. 1975–1986, Dec. 2009.
- [3] O. Soykasap, “Deployment analysis of a self-deployable composite boom,” *Composite Structures*, vol. 89, no. 3, pp. 374–381, Jul. 2009.
- [4] H. Mallikarachchi and S. Pellegrino, “Deployment dynamics of composite booms with integral slotted hinges,” in *in Collection of Technical Papers - AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*. American Institute of Aeronautics and Astronautics, 2009.
- [5] S. Timoshenko, *Theory of Plates and Shells*, 2nd ed. McGraw-Hill Book Company, 1987.
- [6] B. Le Page, F. Guild, S. Ogin, and P. Smith, “Finite element simulation of woven fabric composites,” *Composites Part A: Applied Science and Manufacturing*, vol. 35, no. 7-8, pp. 861–872, Jul. 2004.
- [7] R. A. Naik, “Failure analysis of woven and braided fabric reinforced composites,” *Journal of Composite Materials*, vol. 29, no. 17, pp. 2334–2363, Nov. 1995.
- [8] R. Karkkainen and B. Sankar, “A direct micromechanics method for analysis

- of failure initiation of plain weave textile composites,” *Composites Science and Technology*, vol. 66, no. 1, pp. 137–150, Jan. 2006.
- [9] H. Mallikarachchi, “Thin-walled composite deployable booms with tape-spring hinges,” PhD thesis, University of Cambridge, May 2011.
- [10] O. Soykasap, “Micromechanical models for bending behavior of woven composites,” *Journal of Spacecraft and Rockets*, vol. 43, no. 5, pp. 1093–1100, Sep. 2006.
- [11] Y. Yapa and H. Mallikarachchi, “Predicting non-linear bending behaviour of thin woven fibre composites,” in *Society of Structural Engineers, Sri Lanka - Annual Sessions 2017*. SSES, Aug. 2017.
- [12] M. Mikula and M. Thomson, “Large space structures (state-of-the-art and technology needs),” in *33rd Structures, Structural Dynamics and Materials Conference*, Apr. 1992.
- [13] W. Wuest, “Some applications of the theory of the cylindrical shell,” *Journal of Applied Mathematics and Mechanics*, Nov. 1953.
- [14] O. Soykasap, “Analysis of tape spring hinges,” *International Journal of Mechanical Sciences*, Jan. 2007.
- [15] K. Seffen and S. Pellegrino, “Deployment dynamics of tape springs,” in *Proceedings of The Royal Society A*, Mar. 1999.
- [16] W. Vyvyan, “Self-actuating, self-locking hinge,” USA patentus 3 386 128, Jun., 1968.
- [17] K. Ubamanyu, “Simulation of closed cross section dual matrix composite booms,” MSc thesis, University of Moratuwa, Aug. 2017.
- [18] M. Sakovsky, “Design and characterization of dual-matrix composite deployable space structures,” PhD thesis, California Institute of Technology, May 2018.
- [19] H. Mallikarachchi and S. Pellegrino, “Failure criterion for two-ply plain-weave cfrip laminates,” *Journal of Composite Material*, vol. 47, no. 11, Sep. 2012.

- [20] G. Sanford and A. Biskner, “Large strain behavior of thin unidirectional composite flexures,” in *51st AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference*. AIAA, Apr. 2010.
- [21] R. M. Jones, *Mechanics of Composite Material*, second edition ed. Taylor & Francis Inc., 1999.
- [22] M. F. Horstemeyer, *Integrated Computational Materials Engineering (ICME) for Metals: Using Multiscale Modeling to Invigorate Engineering Design with Science*. John Wiley & Sons, Inc., 2012.
- [23] B. E. Said, F. Daghia, D. Ivanov, and S. R. Hallett, “An iterative multiscale modelling approach for nonlinear analysis of 3d composites,” *International Journal of Solids and Structures*, vol. 132-133, pp. 42–58, Feb. 2018.
- [24] A. D. B. Ferreira, P. R. Nvoa, and A. T. Marques, “Multifunctional material systems: A state-of-the-art review,” *Composite Structures*, vol. 151, pp. 3 – 35, 2016, smart composites and composite structures In honour of the 70th anniversary of Professor Carlos Alberto Mota Soares. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0263822316000416>
- [25] T. Ishikawa and T.-W. Chou, “Elastic behavior of woven hybrid composites,” *Journal of Composite Materials*, vol. 16, no. 1, pp. 2–19, Jan. 1982.
- [26] T. Ishikawa and T.-W. Chou, “One-dimensional micromechanical analysis of woven fibre composites,” *AIAA Journal*, vol. 21, pp. 1714–1721, 1983.
- [27] B. Cox, W. Carter, and F. N.A., “A binary model of textile composites - i formulation,” *Acta Metallurgica et Materialia*, vol. 42, no. 10, pp. 3463–3479, Oct. 1994.
- [28] M. McGlockton, B. Cox, and R. McMeeking, “A binary model of textile composites - iii high failure strain and work of fracture in 3d weaves,” *Journal of the Mechanics and Physics of Solids*, vol. 51, no. 8, Aug. 2003.
- [29] A. Kueh and S. Pellegrino, “Abd matrix of single-ply triaxial weave fabric composites,” in *48th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference*, Apr. 2007.
- [30] H. Herath and H. Mallikarachchi, “Modified ply thickness for classical lamination theory for thin woven fibre composites,” in *Annual Sessions of Institution of Engineers Sri Lanka -2016*. IESL, Oct. 2016.

- [31] H. Mallikarachchi, “Predicting mechanical properties of thin woven carbon fiber reinforced laminates,” *Thin-Walled Structures*, vol. 135, pp. 297–305, Feb. 2019.
- [32] S. Nadarajah, M. Jayasekara, and H. Mallikarachchi, “Non-linear bending response of two-ply plain woven carbon fibre composites,” in *5th Moratuwa Engineering Research Conference (MERCon) - 2019*. Engineering Research Unit, University of Moratuwa, 2019.
- [33] TexGen, “TexGen Userguide,” University of Nottingham Textile Composites Research Group, Nottingham, UK, 2019.
- [34] Hexcel, “Technical Data Sheet HexPly913, Hexcel Composites,” Hexcel Corporation, Stamford, Connecticut, United States, 2007.
- [35] Toray, “Technical data sheet no. cfa-001, t300 data sheet,” Toray Industries, Ch, Tokyo, Japan, 2007.
- [36] M. Daniel and O. Ishai, *Engineering Mechanics of Composite Materials*, 2nd ed. McGraw-Hill Book Company, 2006.
- [37] S. C. Quek, A. M. Waas, K. W. Shahwan, and V. Agaram, “Analysis of 2d triaxial flat braided textile composites,” *International Journal of Mechanical Sciences*, vol. 45, no. 6, pp. 1077 – 1096, 2003. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0020740303001632>
- [38] T. Belytschko and T. Black, “Elastic crack growth in finite elements with minimal remeshing,” *International Journal for Numerical Methods in Engineering*, vol. 45, pp. 601 – 620, May 1999.
- [39] C. K. Desai, S. Basu, and V. Parameswaran, “Determination of traction separation law for interfacial failure in adhesive joints at different loading rates,” *The Journal of Adhesion*, vol. 92, no. 10, pp. 819 – 839, May 2015.
- [40] X. Tang and J. D. Whitcomb, “General techniques for exploiting periodicity and symmetries in micromechanics analysis of textile composites,” *Journal of Composite Materials*, vol. 37, no. 13, pp. 1167–1189, 2003. [Online]. Available: <https://doi.org/10.1177/0021998303037013003>