

REFERENCES

- [1] R. Kant, “Textile dyeing industry an environmental hazard,” *Nat. Sci.*, vol. 04, p. 22, Dec. 2011, doi: 10.4236/ns.2012.41004.
- [2] D. A. Yaseen and M. Scholz, “Textile dye wastewater characteristics and constituents of synthetic effluents: a critical review,” *Int. J. Environ. Sci. Technol.*, vol. 16, no. 2, pp. 1193–1226, 2019.
- [3] F. M. D. Chequer, G. A. R. de Oliveira, E. R. A. Ferraz, J. C. Cardoso, M. V. B. Zanoni, and D. P. de Oliveira, “Textile Dyes: Dyeing Process and Environmental Impact,” 2013.
- [4] C. Hessel, C. Allegre, M. Maisseu, F. Charbit, and P. Moulin, “Guidelines and legislation for dye house effluents,” *J. Environ. Manage.*, vol. 83, no. 2, pp. 171–180, Apr. 2007, doi: 10.1016/j.jenvman.2006.02.012.
- [5] L. Pereira and M. Alves, “Dyes—Environmental Impact and Remediation,” in *Environmental Protection Strategies for Sustainable Development*, A. Malik and E. Grohmann, Eds. Dordrecht: Springer Netherlands, 2012, pp. 111–162.
- [6] K. Singh and S. Arora, “Removal of Synthetic Textile Dyes From Wastewaters: A Critical Review on Present Treatment Technologies,” *Crit. Rev. Environ. Sci. Technol.*, vol. 41, no. 9, pp. 807–878, Apr. 2011, doi: 10.1080/10643380903218376.
- [7] S. Popli and U. D. Patel, “Destruction of azo dyes by anaerobic–aerobic sequential biological treatment: a review,” *Int. J. Environ. Sci. Technol.*, vol. 12, no. 1, pp. 405–420, Jan. 2015, doi: 10.1007/s13762-014-0499-x.
- [8] Y. Anjaneyulu, N. S. Chary, and D. S. S. Raj, “Decolourization of Industrial Effluents – Available Methods and Emerging Technologies – A Review,” *Rev. Environ. Sci. Biotechnol.*, vol. 4, no. 4, pp. 245–273, Nov. 2005, doi: 10.1007/s11157-005-1246-z.
- [9] M. Solís, A. Solís, H. I. Pérez, N. Manjarrez, and M. Flores, “Microbial decolouration of azo dyes: A review,” *Process Biochem.*, vol. 47, no. 12, pp. 1723–1748, Dec. 2012, doi: 10.1016/j.procbio.2012.08.014.
- [10] S. Senthilkumar, M. Perumalsamy, and H. J. Prabhu, “Decolourization potential of white-rot fungus *Phanerochaete chrysosporium* on synthetic dye bath

- effluent containing Amido black 10B,” *J. Saudi Chem. Soc.*, vol. 18, no. 6, pp. 845–853, Dec. 2014, doi: 10.1016/j.jscs.2011.10.010.
- [11] M. Taha, E. M. Adetutu, E. Shahsavari, A. T. Smith, and A. S. Ball, “Azo and anthraquinone dye mixture decolourization at elevated temperature and concentration by a newly isolated thermophilic fungus, *Thermomucor indicae-seudaticae*,” *J. Environ. Chem. Eng.*, vol. 2, no. 1, pp. 415–423, 2014.
- [12] J. P. Jadhav, G. K. Parshetti, S. D. Kalme, and S. P. Govindwar, “Decolourization of azo dye methyl red by *Saccharomyces cerevisiae* MTCC 463,” *Chemosphere*, vol. 68, no. 2, pp. 394–400, Jun. 2007, doi: 10.1016/j.chemosphere.2006.12.087.
- [13] D. Deng, J. Guo, G. Zeng, and G. Sun, “Decolorization of anthraquinone, triphenylmethane and azo dyes by a new isolated *Bacillus cereus* strain DC11,” *Int. Biodeterior. Biodegrad.*, vol. 62, no. 3, pp. 263–269, Oct. 2008, doi: 10.1016/j.ibiod.2008.01.017.
- [14] O. D. Olukanni, A. A. Osuntoki, D. C. Kalyani, G. O. Gbenle, and S. P. Govindwar, “Decolorization and biodegradation of Reactive Blue 13 by *Proteus mirabilis* LAG,” *J. Hazard. Mater.*, vol. 184, no. 1–3, pp. 290–298, Dec. 2010, doi: 10.1016/j.jhazmat.2010.08.035.
- [15] S. L. Lim, W. L. Chu, and S. M. Phang, “Use of *Chlorella vulgaris* for bioremediation of textile wastewater,” *Bioresour. Technol.*, vol. 101, no. 19, pp. 7314–7322, Oct. 2010, doi: 10.1016/j.biortech.2010.04.092.
- [16] J. P. Jadhav, G. K. Parshetti, S. D. Kalme, and S. P. Govindwar, “Decolourization of azo dye methyl red by *Saccharomyces cerevisiae* MTCC 463,” *Chemosphere*, vol. 68, no. 2, pp. 394–400, Jun. 2007, doi: 10.1016/j.chemosphere.2006.12.087.
- [17] E. Khelifi, L. Ayed, H. Bouallagui, Y. Touhami, and M. Hamdi, “Effect of nitrogen and carbon sources on Indigo and Congo red decolourization by *Aspergillus alliaceus* strain 121C,” *J. Hazard. Mater.*, vol. 163, no. 2–3, pp. 1056–1062, Apr. 2009, doi: 10.1016/j.jhazmat.2008.07.060.
- [18] A. Francis and K. J. Sosamony, “Treatment of Pre-treated Textile Wastewater using Moving Bed Bio-film Reactor,” *Procedia Technol.*, vol. 24, pp. 248–255, Jan. 2016, doi: 10.1016/j.protcy.2016.05.033.

- [19] R. Pratiwi, S. Notodarmojo, and Q. Helmy, “Decolourization of remazol black-5 textile dyes using moving bed bio-film reactor,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 106, p. 012089, Jan. 2018, doi: 10.1088/1755-1315/106/1/012089.
- [20] S. Gocer, D. Akman, and K. Cirik, “IJASEAT The Biodegradability of Textile Wastewater in Anaerobic/Aerobic Sequencing Moving-Bed Biofilm Reactors The Biodegradability of Textile Wasewater,” *Int. J. Adv. Sci. Eng. Technol.*, vol. 5, no. 3, Nov. 2017, Accessed: Aug. 27, 2019. [Online]. Available: http://ijaseat.iraj.in/paper_detail.php?paper_id=9106&name=The_Biodegradability_of_Textile_Wase_water_in_Anaerobic/Aerobic_Sequencing_Moving-Bed_Biofilm_Reactors_The_Biodegradability_of_Textile_Wasewater.
- [21] W. Somasiri, X. F. Li, W. Q. Ruan, and C. Jian, “Evaluation of the efficacy of upflow anaerobic sludge blanket reactor in removal of colour and reduction of COD in real textile wastewater,” *Bioresour. Technol.*, vol. 99, no. 9, pp. 3692–3699, Jun. 2008, doi: 10.1016/j.biortech.2007.07.024.
- [22] A. K. Verma, P. Bhunia, and R. R. Dash, “Performance of UASB reactor treating synthetic textile wastewater: effect of physicochemical pretreatment: Desalination and Water Treatment: Vol 57, No 18,” *Desalination Water Treat.*, vol. 57, no. 18, pp. 8050–8060, Mar. 2015, doi: 10.1080/19443994.2015.1017739.
- [23] K. Pakshirajan and S. Kheria, “Continuous treatment of coloured industry wastewater using immobilized *Phanerochaete chrysosporium* in a rotating biological contactor reactor,” *J. Environ. Manage.*, vol. 101, pp. 118–123, Jun. 2012, doi: 10.1016/j.jenvman.2012.02.008.
- [24] K. Pakshirajan, A. Sivasankar, and N. K. Sahoo, “Decolourization of synthetic wastewater containing azo dyes by immobilized *Phanerochaete chrysosporium* in a continuously operated RBC reactor,” *Appl. Microbiol. Biotechnol.*, vol. 89, no. 4, pp. 1223–1232, Feb. 2011, doi: 10.1007/s00253-010-2906-7.
- [25] “External Sector Performance - June 2019 | Central Bank of Sri Lanka.” <https://www.cbsl.gov.lk/news/external-sector-performance-june-2019> (accessed Aug. 22, 2019).

- [26] J. Bullón, A. G. Arrieta, A. H. Encinas, and A. Q. Dios, “Manufacturing processes in the textile industry. Expert Systems for fabrics production,” 2017.
- [27] A. B. dos Santos, F. J. Cervantes, and J. B. van Lier, “Review paper on current technologies for decolourisation of textile wastewaters: perspectives for anaerobic biotechnology,” *Bioresour. Technol.*, vol. 98, no. 12, pp. 2369–2385, Sep. 2007, doi: 10.1016/j.biortech.2006.11.013.
- [28] B. de C. V. Camargo and M. A. M. Morales, “Azo Dyes: Characterization and Toxicity—A Review,” *Text. Light Ind. Sci. Technol.*, vol. 2, no. 2, Apr. 2013.
- [29] K. Hunger, *Industrial Dyes: Chemistry, Properties, Applications / Wiley*, 3rd ed. Wiley-VCH, 2003.
- [30] P. Wight, “Xanthene dyes,” *Kirk-Othmer Encycl. Chem. Technol.*, 2000.
- [31] “Triarylmethane - an overview | ScienceDirect Topics.” <https://www.sciencedirect.com/topics/chemistry/triarylmethane> (accessed Sep. 03, 2020).
- [32] S. Gita, A. Hussan, and T. G. Choudhury, “Impact of textile dyes waste on aquatic environments and its treatment,” *Env. Ecol.*, vol. 35, no. 3C, pp. 2349–2353, 2017.
- [33] S. Gita, S. P. Shukla, N. Saharan, C. Prakash, and G. Deshmukhe, “Toxic Effects of Selected Textile Dyes on Elemental Composition, Photosynthetic Pigments, Protein Content and Growth of a Freshwater Chlorophycean Alga *Chlorella vulgaris*,” *Bull. Environ. Contam. Toxicol.*, vol. 102, no. 6, pp. 795–801, Jun. 2019, doi: 10.1007/s00128-019-02599-w.
- [34] Y. Verma, “Acute toxicity assessment of textile dyes and textile and dye industrial effluents using *Daphnia magna* bioassay,” *Toxicol. Ind. Health*, vol. 24, no. 7, pp. 491–500, Aug. 2008, doi: 10.1177/0748233708095769.
- [35] G. A. R. de Oliveira, J. de Lapuente, E. Teixidó, C. Porredón, M. Borràs, and D. P. de Oliveira, “Textile dyes induce toxicity on zebrafish early life stages,” *Environ. Toxicol. Chem.*, vol. 35, no. 2, pp. 429–434, 2016.
- [36] S. Sharma, S. Sharma, P. K. Singh, R. C. Swami, and K. P. Sharma, “Exploring Fish Bioassay of Textile Dye Wastewaters and Their Selected Constituents in Terms of Mortality and Erythrocyte Disorders,” *Bull. Environ. Contam. Toxicol.*, vol. 83, no. 1, pp. 29–34, Jul. 2009, doi: 10.1007/s00128-009-9711-y.

- [37] M. Bilal, M. Iqbal, H. Hu, and X. Zhang, “Mutagenicity, cytotoxicity and phytotoxicity evaluation of biodegraded textile effluent by fungal ligninolytic enzymes,” *Water Sci. Technol.*, vol. 73, no. 10, pp. 2332–2344, Feb. 2016, doi: 10.2166/wst.2016.082.
- [38] L. Giorgetti, H. Talouizte, M. Merzouki, L. Caltavuturo, C. Geri, and S. Frassinetti, “Genotoxicity evaluation of effluents from textile industries of the region Fez-Boulmane, Morocco: A case study,” *Ecotoxicol. Environ. Saf.*, vol. 74, no. 8, pp. 2275–2283, Nov. 2011, doi: 10.1016/j.ecoenv.2011.08.002.
- [39] C. V. Nachiyar, S. K. R. Namasivayam, R. R. Kumar, and M. Sowjanya, “Bioremediation of textile effluent containing Mordant Black 17 by bacterial consortium CN-1,” *J. Water Process Eng.*, vol. 4, pp. 196–200, Dec. 2014, doi: 10.1016/j.jwpe.2014.10.003.
- [40] A. Y. L. Tang, C. K. Y. Lo, and C. Kan, “Textile dyes and human health: a systematic and citation network analysis review,” *Color. Technol.*, vol. 134, no. 4, pp. 245–257, 2018, doi: <https://doi.org/10.1111/cote.12331>.
- [41] A. Lazarov, M. Cordoba, N. Plosk, and D. Abraham, “Atypical and unusual clinical manifestations of contact dermatitis to clothing (textile contact dermatitis) - case presentation and review of the literature,” *Dermatol. Online J.*, vol. 9, no. 3, 2003, Accessed: Mar. 06, 2021. [Online]. Available: <https://escholarship.org/uc/item/0kd1d259>.
- [42] K. Ryberg, M. Isaksson, B. Gruvberger, M. Hindsén, E. Zimerson, and M. Bruze, “Contact allergy to textile dyes in southern Sweden,” *Contact Dermatitis*, vol. 54, no. 6, pp. 313–321, 2006.
- [43] L. Moreau and A. Goossens, “Allergic contact dermatitis associated with reactive dyes in a dark garment: a case report,” *Contact Dermatitis*, vol. 53, no. 3, pp. 150–154, 2005.
- [44] S. Ozkurt, B. A. Kargi, M. Kavas, F. Evyapan, G. Kiter, and S. Baser, “Respiratory Symptoms and Pulmonary Functions of Workers Employed in Turkish Textile Dyeing Factories,” *Int. J. Environ. Res. Public. Health*, vol. 9, no. 4, Art. no. 4, Apr. 2012, doi: 10.3390/ijerph9041068.

- [45] E. Zuskin, J. Mustajbegovic, E. N. Schachter, and J. Doko-Jelinic, “Respiratory function of textile workers employed in dyeing cotton and wool fibers,” *Am. J. Ind. Med.*, vol. 31, no. 3, pp. 344–352, 1997.
- [46] A. Lodi, M. Ambonati, A. Coassini, G. Chiarelli, and L. L. Mancini, “Textile dye contact dermatitis in an allergic population,” *Contact Dermatitis*, vol. 39, no. 6, pp. 314–315, 1998.
- [47] J. D. Guin, G. Dwyer, and K. Sterba, “Clothing dye dermatitis masquerading as (coexisting) mimosa allergy,” *Contact Dermatitis*, vol. 40, no. 1, 1999.
- [48] N. Mathur and P. Bhatnagar, “Mutagenicity assessment of textile dyes from Sanganer (Rajasthan),” *J. Environ. Biol.*, vol. 28, no. 1, pp. 123–126, 2007.
- [49] H. Moawad, W. M. A. El-Rahim, and M. Khalafallah, “Evaluation of biotoxicity of textile dyes using two bioassays,” *J. Basic Microbiol. Int. J. Biochem. Physiol. Genet. Morphol. Ecol. Microorg.*, vol. 43, no. 3, pp. 218–229, 2003.
- [50] E. Liikanen, “Commission directive 2004/21/EC,” *Off. J. Eur. Union*, Feb. 2004.
- [51] A. K. Verma, R. R. Dash, and P. Bhunia, “A review on chemical coagulation/flocculation technologies for removal of colour from textile wastewaters,” *J. Environ. Manage.*, vol. 93, no. 1, pp. 154–168, Jan. 2012, doi: 10.1016/j.jenvman.2011.09.012.
- [52] T. Robinson, G. McMullan, R. Marchant, and P. Nigam, “Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative,” *Bioresour. Technol.*, vol. 77, no. 3, pp. 247–255, May 2001, doi: 10.1016/S0960-8524(00)00080-8.
- [53] A. Srinivasan and T. Viraraghavan, “Decolorization of dye wastewaters by biosorbents: a review,” *J. Environ. Manage.*, vol. 91, no. 10, pp. 1915–1929, Oct. 2010, doi: 10.1016/j.jenvman.2010.05.003.
- [54] T. Zimmermann, F. Gasser, H. G. Kulla, and T. Leisinger, “Comparison of two bacterial azoreductases acquired during adaptation to growth on azo dyes,” *Arch. Microbiol.*, vol. 138, no. 1, pp. 37–43, May 1984, doi: 10.1007/BF00425404.

- [55] P. Kaushik and A. Malik, “Fungal dye decolourization: Recent advances and future potential,” *Environ. Int.*, vol. 35, no. 1, pp. 127–141, Jan. 2009, doi: 10.1016/j.envint.2008.05.010.
- [56] R. G. Saratale, G. D. Saratale, J. S. Chang, and S. P. Govindwar, “Bacterial decolorization and degradation of azo dyes: A review,” *J. Taiwan Inst. Chem. Eng.*, vol. 42, no. 1, pp. 138–157, Jan. 2011, doi: 10.1016/j.jtice.2010.06.006.
- [57] M. M. E. Sheekh, M. M. Gharieb, and G. W. A. E. Souod, “Biodegradation of dyes by some green algae and cyanobacteria,” *Int. Biodeterior. Biodegrad.*, vol. 63, no. 6, pp. 699–704, Sep. 2009, doi: 10.1016/j.ibiod.2009.04.010.
- [58] S. Mishra and A. Maiti, “Applicability of enzymes produced from different biotic species for biodegradation of textile dyes,” *Clean Technol. Environ. Policy*, vol. 21, no. 4, pp. 763–781, 2019.
- [59] S. Wijetunga, L. Xiufen, R. Wenquan, and J. Chen, “Removal mechanisms of acid dyes of different chemical groups under anaerobic mixed culture,” *Ruhuna J. Sci.*, vol. 2, no. 1, 2012.
- [60] E. Ekanayake and P. M. Manage, “Decolorization of CI Direct Blue 201 Textile dye by native bacteria,” *Int. J. Multidiscip. Stud.*, vol. 4, no. 1, 2017.
- [61] E. Ekanayake and P. M. Manage, “Green Approach for Decolorization and Detoxification of Textile Dye-CI Direct Blue 201 Using Native Bacterial Strains,” *Environ. Nat. Resour. J.*, vol. 18, no. 1, pp. 1–8, 2020.
- [62] A. Bafana, K. Krishnamurthi, S. S. Devi, and T. Chakrabarti, “Biological decolourization of C.I. Direct Black 38 by *E. gallinarum*,” *J. Hazard. Mater.*, vol. 157, no. 1, pp. 187–193, Aug. 2008, doi: 10.1016/j.jhazmat.2007.12.085.
- [63] S. Moosvi, X. Kher, and D. Madamwar, “Isolation, characterization and decolorization of textile dyes by a mixed bacterial consortium JW-2,” *Dyes Pigments*, vol. 74, no. 3, pp. 723–729, Jan. 2007, doi: 10.1016/j.dyepig.2006.05.005.
- [64] O. Anjaneya, S. Y. Souche, M. Santoshkumar, and T. B. Karegoudar, “Decolorization of sulfonated azo dye Metanil Yellow by newly isolated bacterial strains: *Bacillus sp.* strain AK1 and *Lysinibacillus sp.* strain AK2,” *J. Hazard. Mater.*, vol. 190, no. 1–3, pp. 351–358, Jun. 2011, doi: 10.1016/j.jhazmat.2011.03.044.

- [65] M. H. Vijaykumar, P. A. Vaishampayan, Y. S. Shouche, and T. B. Karegoudar, “Decolourization of naphthalene-containing sulfonated azo dyes by *Kerstertia* sp. strain VKY1,” *Enzyme Microb. Technol.*, vol. 40, no. 2, pp. 204–211, Jan. 2007, doi: 10.1016/j.enzmictec.2006.04.001.
- [66] B. Priya, L. Uma, A. K. Ahamed, G. Subramanian, and D. Prabaharan, “Ability to use the diazo dye, C.I. Acid Black 1 as a nitrogen source by the marine cyanobacterium *Oscillatoria curviceps* BDU92191,” *Bioresour. Technol.*, vol. 102, no. 14, pp. 7218–7223, Jul. 2011, doi: 10.1016/j.biortech.2011.02.117.
- [67] A. Karunya, C. Rose, and C. V. Nachiyar, “Biodegradation of the textile dye Mordant Black 17 (Calcon) by *Moraxella osloensis* isolated from textile effluent-contaminated site,” *World J. Microbiol. Biotechnol.*, vol. 30, no. 3, pp. 915–924, Mar. 2014, doi: 10.1007/s11274-013-1509-8.
- [68] R. G. Saratale, G. D. Saratale, J. S. Chang, and S. P. Govindwar, “Ecofriendly degradation of sulfonated diazo dye C.I. Reactive Green 19A using *Micrococcus glutamicus* NCIM-2168,” *Bioresour. Technol.*, vol. 100, no. 17, pp. 3897–3905, Sep. 2009, doi: 10.1016/j.biortech.2009.03.051.
- [69] S. U. Jadhav, M. U. Jadhav, A. N. Kagalkar, and S. P. Govindwar, “Decolorization of Brilliant Blue G dye mediated by degradation of the microbial consortium of *Galactomyces geotrichum* and *Bacillus* sp.,” *J. Chin. Inst. Chem. Eng.*, vol. 39, no. 6, pp. 563–570, 2008.
- [70] R. D. Koyani, G. V. Sanghvi, R. K. Sharma, and K. S. Rajput, “Contribution of lignin degrading enzymes in decolourisation and degradation of reactive textile dyes,” *Int. Biodeterior. Biodegrad.*, vol. 77, pp. 1–9, Feb. 2013, doi: 10.1016/j.ibiod.2012.10.006.
- [71] V. Vitor and C. R. Corso, “Decolorization of textile dye by *Candida albicans* isolated from industrial effluents,” *J. Ind. Microbiol. Biotechnol.*, vol. 35, no. 11, pp. 1353–1357, 2008.
- [72] E. Forgacs, T. Cserháti, and G. Oros, “Removal of synthetic dyes from wastewaters: a review,” *Environ. Int.*, vol. 30, no. 7, pp. 953–971, Sep. 2004, doi: 10.1016/j.envint.2004.02.001.

- [73] Y. Liu, H.-L. Xu, K.-Y. Show, and J.-H. Tay, “Anaerobic granulation technology for wastewater treatment,” *World J. Microbiol. Biotechnol.*, vol. 18, no. 2, pp. 99–113, Mar. 2002, doi: 10.1023/A:1014459006210.
- [74] M. K. Daud *et al.*, “Review of Upflow Anaerobic Sludge Blanket Reactor Technology: Effect of Different Parameters and Developments for Domestic Wastewater Treatment,” *Journal of Chemistry*, 2018. <https://www.hindawi.com/journals/jchem/2018/1596319/> (accessed Feb. 11, 2020).
- [75] L. Metcalf, H. P. Eddy, and G. Tchobanoglous, *Wastewater engineering: treatment, disposal, and reuse*, vol. 4. McGraw-Hill New York, 1972.
- [76] S. Wijetunga, X.-F. Li, and C. Jian, “Effect of organic load on decolorization of textile wastewater containing acid dyes in upflow anaerobic sludge blanket reactor,” *J. Hazard. Mater.*, vol. 177, no. 1–3, pp. 792–798, 2010.
- [77] A. Spagni, S. Casu, and S. Grilli, “Decolourisation of textile wastewater in a submerged anaerobic membrane bioreactor,” *Bioresour. Technol.*, vol. 117, pp. 180–185, 2012.
- [78] H. Sodaneath, J.-I. Lee, S.-O. Yang, H. Jung, H. W. Ryu, and K.-S. Cho, “Decolorization of textile dyes in an air-lift bioreactor inoculated with *Bjerkandera adusta* OBR105,” *J. Environ. Sci. Health Part A*, vol. 52, no. 11, pp. 1099–1111, 2017.
- [79] R. Maas and S. Chaudhari, “Adsorption and biological decolorization of azo dye Reactive Red 2 in semicontinuous anaerobic reactors,” *Process Biochem.*, vol. 40, no. 2, pp. 699–705, 2005.
- [80] N. D. Lourenco, J. M. Novais, and H. M. Pinheiro, “Effect of some operational parameters on textile dye biodegradation in a sequential batch reactor,” *J. Biotechnol.*, vol. 89, no. 2–3, pp. 163–174, 2001.
- [81] K. Pakshirajan and S. Singh, “Decolorization of synthetic wastewater containing azo dyes in a batch-operated rotating biological contactor reactor with the immobilized fungus *Phanerochaete chrysosporium*,” *Ind. Eng. Chem. Res.*, vol. 49, no. 16, pp. 7484–7487, 2010.
- [82] M. Işik and D. T. Sponza, “Monitoring of toxicity and intermediates of C.I. Direct Black 38 azo dye through decolorization in an anaerobic/aerobic

- sequential reactor system," *J. Hazard. Mater.*, vol. 114, no. 1–3, pp. 29–39, Oct. 2004, doi: 10.1016/j.jhazmat.2004.06.011.
- [83] E. B. Arikan, Z. Isik, H. D. Bouras, and N. Dizge, "Investigation of immobilized filamentous fungi for treatment of real textile industry wastewater using up flow packed bed bioreactor," *Bioresour. Technol. Rep.*, vol. 7, p. 100197, Sep. 2019, doi: 10.1016/j.biteb.2019.100197.
- [84] P. I. M. Firmino, M. E. R. da Silva, F. J. Cervantes, and A. B. dos Santos, "Colour removal of dyes from synthetic and real textile wastewaters in one- and two-stage anaerobic systems," *Bioresour. Technol.*, vol. 101, no. 20, pp. 7773–7779, Oct. 2010, doi: 10.1016/j.biortech.2010.05.050.
- [85] A. M. Talarposhti, T. Donnelly, and G. K. Anderson, "Colour removal from a simulated dye wastewater using a two-phase Anaerobic packed bed reactor," *Water Res.*, vol. 35, no. 2, pp. 425–432, Feb. 2001, doi: 10.1016/S0043-1354(00)00280-3.
- [86] E. H. Koupaei, M. R. A. Moghaddam, and S. H. Hashemi, "Evaluation of integrated anaerobic/aerobic fixed-bed sequencing batch biofilm reactor for decolorization and biodegradation of azo dye Acid Red 18: Comparison of using two types of packing media," *Bioresour. Technol.*, vol. 127, pp. 415–421, Jan. 2013, doi: 10.1016/j.biortech.2012.10.003.
- [87] R. M. Donlan, "Biofilms: Microbial Life on Surfaces," *Emerg. Infect. Dis.*, vol. 8, no. 9, pp. 881–890, Sep. 2002, doi: 10.3201/eid0809.020063.
- [88] K. K. Jefferson, "What drives bacteria to produce a biofilm?," *FEMS Microbiol. Lett.*, vol. 236, no. 2, pp. 163–173, Jul. 2004, doi: 10.1016/j.femsle.2004.06.005.
- [89] S. K. Shukla, N. Mangwani, T. S. Rao, and S. Das, "8 - Biofilm-Mediated Bioremediation of Polycyclic Aromatic Hydrocarbons," in *Microbial Biodegradation and Bioremediation*, S. Das, Ed. Oxford: Elsevier, 2014, pp. 203–232.
- [90] S. Sekhar, M. Ohri, and A. Chakraborti, "Biofilms: An evolving and universal evasive strategy of bacterial pathogens. 'Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology'.," 2011, pp. 855–859.

- [91] F. M. Sagastume, “Biofilm development, activity and the modification of carrier material surface properties in moving-bed biofilm reactors (MBBRs) for wastewater treatment,” *Crit. Rev. Environ. Sci. Technol.*, vol. 48, no. 5, pp. 439–470, Mar. 2018, doi: 10.1080/10643389.2018.1465759.
- [92] L. D. Renner and D. B. Weibel, “Physicochemical regulation of biofilm formation,” *MRS Bull. Mater. Res. Soc.*, vol. 36, no. 5, pp. 347–355, May 2011, doi: 10.1557/mrs.2011.65.
- [93] “Biofilm formation mechanisms and targets for developing antibiofilm agents. - PubMed - NCBI.” <https://www.ncbi.nlm.nih.gov/pubmed/25875875> (accessed Sep. 19, 2019).
- [94] J. S. Lee, Y. M. Bae, S. Y. Lee, and S. Y. Lee, “Biofilm Formation of *Staphylococcus aureus* on Various Surfaces and Their Resistance to Chlorine Sanitizer,” *J. Food Sci.*, vol. 80, no. 10, pp. M2279-2286, Oct. 2015, doi: 10.1111/1750-3841.13017.
- [95] M. Sousa, J. Azeredo, J. Feijó, and R. Oliveira, “Polymeric supports for the adhesion of a consortium of autotrophic nitrifying bacteria,” *Biotechnol. Tech.*, vol. 11, no. 10, pp. 751–754, Oct. 1997, doi: 10.1023/A:1018400619440.
- [96] Y. Mao *et al.*, “Accelerated startup of moving bed biofilm process with novel electrophilic suspended biofilm carriers,” *Chem. Eng. J.*, vol. 315, pp. 364–372, May 2017, doi: 10.1016/j.cej.2017.01.041.
- [97] Y. H. Kim, J. H. Cho, Y. W. Lee, and W. K. Lee, “Development of a carrier for adhesion of nitrifying bacteria using a thermodynamic approach,” *Biotechnol. Tech.*, vol. 11, no. 11, pp. 773–776, Nov. 1997, doi: 10.1023/A:1018460805328.
- [98] D. Sharma, H. Saini, M. Singh, S. Chimni, and B. Chadha, “Biodegradation of acid blue-15, a textile dye, by an up-flow immobilized cell bioreactor,” *J. Ind. Microbiol. Biotechnol.*, vol. 31, pp. 109–14, Apr. 2004, doi: 10.1007/s10295-004-0121-1.
- [99] O. Anjaneya, S. S. Shrishailnath, K. Guruprasad, A. S. Nayak, S. B. Mashetty, and T. B. Karegoudar, “Decolourization of Amaranth dye by bacterial biofilm in batch and continuous packed bed bioreactor,” *Int. Biodeterior. Biodegrad.*, vol. 79, pp. 64–72, Apr. 2013, doi: 10.1016/j.ibiod.2013.01.006.

- [100] D. A. Oxspring, G. McMullan, W. F. Smyth, and R. Marchant, “Decolourisation and metabolism of the reactive textile dye, Remazol Black B, by an immobilized microbial consortium,” *Biotechnol. Lett.*, vol. 18, no. 5, pp. 527–530, May 1996, doi: 10.1007/BF00140197.
- [101] S. A. Ong, E. Toorisaka, M. Hirata, and T. Hano, “Granular Activated Carbon-Biofilm Configured Sequencing Batch Reactor Treatment of C.I. Acid Orange 7,” *Dyes Pigments*, vol. 76, pp. 142–146, Aug. 2008, doi: 10.1016/j.dyepig.2006.08.024.
- [102] R. C. Senan, T. S. Shaffiqu, J. J. Roy, and T. E. Abraham, “Aerobic degradation of a mixture of azo dyes in a packed bed reactor having bacteria-coated laterite pebbles,” *Biotechnol. Prog.*, vol. 19, no. 2, pp. 647–651, Apr. 2003, doi: 10.1021/bp020103g.
- [103] B. M. Barragán, J. L. S. Martín, P. G. Macías, A. M. Cerro, R. R. Vázquez, and B. E. B. Huerta, “Azo dyes decolorization under high alkalinity and salinity conditions by *Halomonas sp.* in batch and packed bed reactor,” *Extremophiles*, vol. 24, no. 2, pp. 239–247, Mar. 2020, doi: 10.1007/s00792-019-01149-w.
- [104] D. K. Sharma, H. S. Saini, M. Singh, S. S. Chimni, and B. S. Chadha, “Biological treatment of textile dye acid violet-17 by bacterial consortium in an up-flow immobilized cell bioreactor,” *Lett. Appl. Microbiol.*, vol. 38, no. 5, pp. 345–350, 2004, doi: 10.1111/j.1472-765X.2004.01500.x.
- [105] D. de los C. Vasconcelos, N. R. Ordaz, J. G. Mayer, H. P. Varaldo, C. J. Ramírez, and L.-M. Aarón, “Aerobic biodegradation of a mixture of sulfonated azo dyes by a bacterial consortium immobilized in a two-stage sparged packed-bed biofilm reactor,” *Eng. Life Sci.*, vol. 12, no. 1, pp. 39–48, 2012, doi: <https://doi.org/10.1002/elsc.201000227>.
- [106] A. E. Ghaly, R. Ananthashankar, M. Alhattab, and V. V. Ramakrishnan, “Production, characterization and treatment of textile effluents: a critical review,” *J Chem Eng Process Technol*, vol. 5, no. 1, pp. 1–19, 2014.
- [107] G. Sezonov, D. J. Petit, and R. D’Ari, “Escherichia coli Physiology in Luria-Bertani Broth,” *J. Bacteriol.*, vol. 189, no. 23, pp. 8746–8749, Dec. 2007, doi: 10.1128/JB.01368-07.

- [108] A. C. Smith and M. A. Hussey, “Gram Stain Protocols,” Sep. 30, 2005. <https://www.asmscience.org/content/education/protocol/protocol.2886> (accessed Apr. 02, 2020).
- [109] “How to Perform Capsule Staining of a Bacteria | Experiment,” *Your Article Library*, Feb. 18, 2014. <http://www.yourarticlerepository.com/micro-biology/how-to-perform-capsule-staining-of-a-bacteria-experiment/26513> (accessed Jun. 27, 2019).
- [110] A. Tankeshwar, “Endospore Staining: Principle, Procedure and Results,” *Microbeonline*, May 07, 2015. <https://microbeonline.com/endospore-staining-principle-procedure-results/> (accessed Jun. 27, 2019).
- [111] E. Silveira, P. P. Marques, S. S. Silva, J. L. L. Filho, A. L. F. Porto, and E. B. Tambourgi, “Selection of *Pseudomonas* for industrial textile dyes decolourization,” *Int. Biodeterior. Biodegrad.*, vol. 63, no. 2, pp. 230–235, Mar. 2009, doi: 10.1016/j.ibiod.2008.09.007.
- [112] B. Y. Chen, “Understanding decolorization characteristics of reactive azo dyes by *Pseudomonas luteola*: toxicity and kinetics,” *Process Biochem.*, vol. 38, no. 3, pp. 437–446, Nov. 2002, doi: 10.1016/S0032-9592(02)00151-6.
- [113] S. S. Phugare, D. C. Kalyani, A. V. Patil, and J. P. Jadhav, “Textile dye degradation by bacterial consortium and subsequent toxicological analysis of dye and dye metabolites using cytotoxicity, genotoxicity and oxidative stress studies,” *J. Hazard. Mater.*, vol. 186, no. 1, pp. 713–723, 2011.
- [114] M. B. Kurade, T. R. Waghmode, J. Q. Xiong, S. P. Govindwar, and B. H. Jeon, “Decolorization of textile industry effluent using immobilized consortium cells in upflow fixed bed reactor,” *J. Clean. Prod.*, vol. 213, pp. 884–891, Mar. 2019, doi: 10.1016/j.jclepro.2018.12.218.
- [115] “Degradation of phenol by polymer entrapped microorganisms | SpringerLink.” <https://link.springer.com/article/10.1007/BF00270587> (accessed Aug. 19, 2020).
- [116] N. K. Patil, U. Sharanagouda, J. H. Niazi, and T. B. Karegoudar, “Stable degradation of catechol by *Pseudomonas* sp. strain NGK1 encapsulated in alginate and polyurethane foam,” *IJBT Vol34 Oct. 2004*, Oct. 2004, Accessed:

- Jun. 14, 2019. [Online]. Available:
<http://nopr.niscair.res.in/handle/123456789/5902>.
- [117] “The composition and treatment of active sludge,” *WaterWorld*, Feb. 19, 2004. <https://www.waterworld.com/environmental/article/16225161/the-composition-and-treatment-of-active-sludge> (accessed Aug. 19, 2020).
- [118] G. A. O’Toole, “Microtiter Dish Biofilm Formation Assay,” *J. Vis. Exp. JoVE*, no. 47, Jan. 2011, doi: 10.3791/2437.
- [119] S. Leifer, “Design and Optimization of a Blood Vessel Mimic Bioreactor System for the Evaluation of Intravascular Devices in Simple and Complex Vessel Geometries,” Nov. 2008.
- [120] X. Hu, K. Xu, Z. Wang, L. Ding, and H. Ren, “Characteristics of biofilm attaching to carriers in moving bed biofilm reactor used to treat vitamin C wastewater,” *Scanning*, vol. 35, no. 5, pp. 283–291, Oct. 2013, doi: 10.1002/sca.21064.
- [121] “5220 chemical oxygen demand (cod) (2017),” in *Standard Methods For the Examination of Water and Wastewater*, 0 vols., American Public Health Association, 2018.
- [122] B. Kumar, S. K. Verma, G. Ram, and H. P. Singh, “Temperature relations for seed germination potential and seedling vigor in Palmarosa (*Cymbopogon martinii*),” *J. Crop Improv.*, vol. 26, no. 6, pp. 791–801, 2012.
- [123] Central Environmental Authority and Ministry of Mahaweli Development and Environment, “Directory of the Prescribed Industries/Activities under the National Environmental Act.” 2016, [Online]. Available: <http://www.cea.lk/web/en/publication>.
- [124] Board of Investment of Sri Lanka, “Environmental Norms Board of Investment 2011 - Google Search,” Feb. 2011. https://www.google.com/search?client=firefox-b-d&ei=SltnXYWNE5nd9QO9rb-oCw&q=Environmental+Norms+Board+of+Investment+2011&oq=Environmental+Norms+Board+of+Investment+2011&gs_l=psy-ab.3...973516.973516..974739...0.0..0.491.491.4-1.....0....2j1..gws-

wiz.Djyr7SFcaR8&ved=0ahUKEwiF2urFpafkAhWZbn0KHb3WD7UQ4dUD
CAo&uact=5 (accessed Aug. 29, 2019).

- [125] H. G. Madhushika, T. U. Ariyadasa, and S. H. P. Gunawardena, “Biological decolourization of textile industry wastewater by a developed bacterial consortium,” *Water Sci. Technol.*, vol. 80, no. 10, pp. 1910–1918, Nov. 2019, doi: 10.2166/wst.2020.010.
- [126] X. Ning, C. Yang, Y. Wang, Z. Yang, J. Wang, and R. Li, “Decolorization and biodegradation of the azo dye Congo red by an isolated *Acinetobacter baumannii* YNWH 226,” *Biotechnol. Bioprocess Eng.*, vol. 19, no. 4, pp. 687–695, Jul. 2014, doi: 10.1007/s12257-013-0729-y.
- [127] M. H. Fulekar, S. L. Wadgaonkar, and A. Singh, “Decolourization of Dye Compounds by Selected Bacterial Strains isolated from Dyestuff Industrial Area,” *Int. J. Adv. Res. Technol.*, vol. 2, no. 7, pp. 182–192, Jul. 2013.
- [128] “Nylosan Acid Dyes,” [indiamart.com](https://www.indiamart.com/proddetail/nylosan-acid-dyes-1197698855.html).
<https://www.indiamart.com/proddetail/nylosan-acid-dyes-1197698855.html>
(accessed Nov. 06, 2019).
- [129] K. C. Chen, W. T. Huang, J. Y. Wu, and J. Y. Houng, “Microbial decolorization of azo dyes by *Proteus mirabilis*,” *J. Ind. Microbiol. Biotechnol.*, vol. 23, no. 1, pp. 686–690, Jul. 1999.
- [130] S. Sethi, Shubham, M. M. Malviya, N. Sharma, and S. Gupta, “Biodecolorization of Azo Dye by Microbial Isolates from Textile Effluent and Sludge,” *Univers. J. Environ. Res. Technol.*, vol. 2, no. 6, pp. 582–590, 2012.
- [131] T. Joshi, L. Iyengar, K. Singh, and S. Garg, “Isolation, identification and application of novel bacterial consortium TJ-1 for the decolourization of structurally different azo dyes,” *Bioresour. Technol.*, vol. 99, no. 15, pp. 7115–7121, Oct. 2008, doi: 10.1016/j.biortech.2007.12.074.
- [132] P. S. Patil, U. U. Shedbalkar, D. C. Kalyani, and J. P. Jadhav, “Biodegradation of Reactive Blue 59 by isolated bacterial consortium PMB11,” *J. Ind. Microbiol. Biotechnol.*, vol. 35, pp. 1181–1190, 2008, doi: 10.1007/s10295-008-0398-6.

- [133] P. S. Patil, S. S. Phugare, S. B. Jadhav, and J. P. Jadhav, “Communal action of microbial cultures for Red HE3B degradation,” *J. Hazard. Mater.*, vol. 181, no. 1–3, pp. 263–270, Sep. 2010, doi: 10.1016/j.jhazmat.2010.05.006.
- [134] S. S. Prasad and K. Aikat, “Study of bio-degradation and bio-decolourization of azo dye by *Enterobacter* sp. SXCR,” *Environ. Technol.*, vol. 35, no. 5–8, pp. 956–965, Apr. 2014, doi: 10.1080/09593330.2013.856957.
- [135] H. Moawad, O. M. Darwesh, W. M. A. El-Rahim, O. S. Barakat, and M. Z. Sedik, “Evidence of Biodegradation of Reactive Red Textile Azo Dye in an Anoxic/Aerobic Bioremediation System,” *Dyn. Biochem. Process Biotechnol. Mol. Biol.*, vol. 4, no. 1, pp. 85–90, 2010.
- [136] F. Pan *et al.*, “Nanoscale zero-valent iron/persulfate enhanced upflow anaerobic sludge blanket reactor for dye removal: Insight into microbial metabolism and microbial community,” *Sci. Rep.*, vol. 7, p. 44626, Mar. 2017, doi: 10.1038/srep44626.
- [137] E. Ayrancı and O. Duman, “In-Situ UV-Visible Spectroscopic Study on the Adsorption of some Dyes onto Activated Carbon Cloth,” *Sep. Sci. Technol.*, vol. 44, no. 15, pp. 3735–3752, Oct. 2009, doi: 10.1080/01496390903182891.
- [138] A. Pokharia and S. S. Ahluwalia, “Decolorization of Xenobiotic Azo Dye-Black WNN by Immobilized *Paenibacillus alvei* MTCC 10625,” *Int. J. Environ. Bioremediation Biodegrad.*, vol. 4, no. 2, pp. 35–46, Jul. 2016, doi: 10.12691/ijebb-4-2-2.
- [139] H. G. Madhushika, T. U. Ariyadasa, and S. H. P. Gunawardena, “Decolourization and Degradation of Reactive Textile Dyes by Isolated Strain *Proteus mirabilis*,” *Asian J. Water Environ. Pollut.*, vol. Vol. 16, no. No. 4 (2019), pp. 1–6, Oct. 2019, doi: DOI 10.3233/AJW190042.
- [140] H. G. Madhushika, T. U. Ariyadasa, and S. H. P. Gunawardena, “Biodegradation of reactive yellow EXF dye: optimization of physiochemical parameters and analysis of degradation products,” *Int. J. Environ. Sci. Technol.*, Mar. 2021, doi: 10.1007/s13762-021-03220-6.
- [141] H. M. Pinheiro, E. Touraud, and O. Thomas, “Aromatic amines from azo dye reduction: status review with emphasis on direct UV spectrophotometric

- detection in textile industry wastewaters," *Dyes Pigments*, vol. 61, no. 2, pp. 121–139, May 2004, doi: 10.1016/j.dyepig.2003.10.009.
- [142] M. Iqbal, *Textile dyes*. Rehbar publishers Karachi.
- [143] F. Ahmed, R. Dewani, M. Pervez, S. J. Mahboob, and S. A. Soomro, "Non-destructive FT-IR analysis of mono azo dyes," *Izv. Po Khimiya Bulg. Akad. Na Nauk.*, vol. 48, pp. 71–77, Jan. 2016.
- [144] M. P. Shah, "Biodegradation of azo dyes by three isolated bacterial strains: an environmental bioremedial approach," *J Microb. Biochem Technol S*, vol. 3, no. 007, 2014.
- [145] A. Karunya, C. V. Nachiyar, P. B. Ananth, S. Sunkar, and S. A. Jabasingh, "Development of microbial consortium CN-1 for the degradation of Mordant Black 17," *J. Environ. Chem. Eng.*, vol. 2, no. 2, pp. 832–840, Jun. 2014, doi: 10.1016/j.jece.2014.02.012.
- [146] S. A. Misal and K. R. Gawai, "Azoreductase: a key player of xenobiotic metabolism," *Bioresour. Bioprocess.*, vol. 5, no. 1, p. 17, Apr. 2018, doi: 10.1186/s40643-018-0206-8.
- [147] R. Russ, J. Rau, and A. Stolz, "The Function of Cytoplasmic Flavin Reductases in the Reduction of Azo Dyes by Bacteria," *Appl. Environ. Microbiol.*, vol. 66, no. 4, pp. 1429–1434, Apr. 2000, doi: 10.1128/AEM.66.4.1429-1434.2000.
- [148] R. G. Saratale *et al.*, "Decolorization and detoxification of sulfonated azo dye C.I. Remazol Red and textile effluent by isolated *Lysinibacillus* sp. RGS," *J. Biosci. Bioeng.*, vol. 115, no. 6, pp. 658–667, Jun. 2013, doi: 10.1016/j.jbiosc.2012.12.009.
- [149] H. A. Erkurt, *Biodegradation of Azo Dyes*. Springer, 2010.
- [150] A. L. Hamilton, M. A. Kamm, S. C. Ng, and M. Morrison, "Proteus spp. as Putative Gastrointestinal Pathogens," *Clin. Microbiol. Rev.*, vol. 31, no. 3, 2018, doi: 10.1128/CMR.00085-17.
- [151] R. G. Saratale, G. D. Saratale, J. S. Chang, and S. P. Govindwar, "Bacterial decolorization and degradation of azo dyes: A review," *J. Taiwan Inst. Chem. Eng.*, vol. 42, no. 1, pp. 138–157, Jan. 2011, doi: 10.1016/j.jtice.2010.06.006.
- [152] "Factors affecting enzyme action - What happens in cells and what do cells need? - OCR Gateway - GCSE Combined Science Revision - OCR Gateway,"

- BBC Bitesize. <https://www.bbc.co.uk/bitesize/guides/z9jrng8/revision/3> (accessed Apr. 26, 2021).
- [153] “BacMap.” <http://bacmap.wishartlab.com/organisms/677> (accessed May 15, 2019).
- [154] “*Enterobacter cloacae* - microbewiki.” https://microbewiki.kenyon.edu/index.php/Enterobacter_cloacae (accessed May 16, 2019).
- [155] H. G. Madhushika, T. U. Ariyadasa, and S. H. P. Gunawardena, “Decolourization of Reactive Red EXF Dye by Isolated Strain *Proteus Mirabilis*,” in *2018 Moratuwa Engineering Research Conference (MERCon)*, May 2018, pp. 231–234, doi: 10.1109/MERCon.2018.8421983.
- [156] J.-S. Chang, C. Chou, and S.-Y. Chen, “Decolorization of azo dyes with immobilized *Pseudomonas luteola*,” *Process Biochem.*, vol. 36, no. 8, pp. 757–763, Mar. 2001, doi: 10.1016/S0032-9592(00)00274-0.
- [157] M. Solís, A. Solís, H. I. Pérez, N. Manjarrez, and M. Flores, “Microbial decolouration of azo dyes: A review,” *Process Biochem.*, vol. 47, no. 12, pp. 1723–1748, Dec. 2012, doi: 10.1016/j.procbio.2012.08.014.
- [158] K. Wuhrmann, Kl. Mechsner, and Th. Kappeler, “Investigation on rate — Determining factors in the microbial reduction of azo dyes,” *Eur. J. Appl. Microbiol. Biotechnol.*, vol. 9, no. 4, pp. 325–338, Dec. 1980, doi: 10.1007/BF00508109.
- [159] K. C. Chen, J. Y. Wu, D. J. Liou, and S. C. J. Hwang, “Decolorization of the textile dyes by newly isolated bacterial strains,” *J. Biotechnol.*, vol. 101, no. 1, pp. 57–68, Feb. 2003, doi: 10.1016/s0168-1656(02)00303-6.
- [160] R. S. Dhanve, U. U. Shedbalkar, and J. P. Jadhav, “Biodegradation of diazo reactive dye Navy blue HE2R (Reactive blue 172) by an isolated *Exiguobacterium* sp. RD3,” *Biotechnol. Bioprocess Eng.*, vol. 13, no. 1, pp. 53–60, Feb. 2008, doi: 10.1007/s12257-007-0165-y.
- [161] P. Masurekar, “Antibiotic Production,” in *Encyclopedia of Microbiology (Third Edition)*, M. Schaechter, Ed. Oxford: Academic Press, 2009, pp. 174–190.

- [162] Y. Hong and J. D. Gu, “Bacterial anaerobic respiration and electron transfer relevant to the biotransformation of pollutants,” *Int. Biodeterior. Biodegrad.*, vol. 63, no. 8, pp. 973–980, Dec. 2009, doi: 10.1016/j.ibiod.2009.08.001.
- [163] B. H. Kim and G. M. Gadd, Eds., “Anaerobic respiration,” in *Bacterial Physiology and Metabolism*, Cambridge: Cambridge University Press, 2008, pp. 298–353.
- [164] A. Pandey, P. Singh, and L. Iyengar, “Bacterial decolorization and degradation of azo dyes,” *Int. Biodeterior. Biodegrad.*, vol. 59, no. 2, pp. 73–84, Mar. 2007, doi: 10.1016/j.ibiod.2006.08.006.
- [165] S. N. Singh, *Microbial Degradation of Synthetic Dyes in Wastewaters*. Springer, 2014.
- [166] M. Imran *et al.*, “Yeast extract promotes decolorization of azo dyes by stimulating azoreductase activity in *Shewanella* sp. strain IFN4,” *Ecotoxicol. Environ. Saf.*, vol. 124, pp. 42–49, Feb. 2016, doi: 10.1016/j.ecoenv.2015.09.041.
- [167] G. Y. Lv, J. H. Cheng, X. Y. Chen, Z. F. Zhang, and L.-F. Fan, “Biological decolorization of malachite green by *Deinococcus radiodurans* R1,” *Bioresour. Technol.*, vol. 144, pp. 275–280, Sep. 2013, doi: 10.1016/j.biortech.2013.07.003.
- [168] N. Daneshvar, M. Ayazloo, A. R. Khataee, and M. Pourhassan, “Biological decolorization of dye solution containing Malachite Green by microalgae *Cosmarium* sp.,” *Bioresour. Technol.*, vol. 98, no. 6, pp. 1176–1182, Apr. 2007, doi: 10.1016/j.biortech.2006.05.025.
- [169] ISO 7887, “ISO 7887:2011,” ISO, 2011. <http://www.iso.org/cms/render/live/en/sites/isoorg/contents/data/standard/04/64/46425.html> (accessed Dec. 23, 2019).
- [170] F. Elisangela, Z. Andrea, D. G. Fabio, R. de M. Cristiano, D. L. Regina, and C. P. Artur, “Biodegradation of textile azo dyes by a facultative *Staphylococcus arlettae* strain VN-11 using a sequential microaerophilic/aerobic process,” *Int. Biodeterior. Biodegrad.*, vol. 63, no. 3, pp. 280–288, Apr. 2009, doi: 10.1016/j.ibiod.2008.10.003.

- [171] Y. Zhu, “Chapter 14 - Immobilized Cell Fermentation for Production of Chemicals and Fuels,” in *Bioprocessing for Value-Added Products from Renewable Resources*, S.-T. Yang, Ed. Amsterdam: Elsevier, 2007, pp. 373–396.
- [172] R. Willaert, “Cell immobilization and its applications in biotechnology: current trends and future prospects,” *Ferment. Microbiol. Biotechnol. 2nd Ed CRC Press Boca Raton FL*, pp. 287–332, 2007.
- [173] B. Thu, O. Smidsrød, and G. S. Bræk, “Alginate gels - Some structure-function correlations relevant to their use as immobilization matrix for cells,” in *Progress in Biotechnology*, vol. 11, R. H. Wijffels, R. M. Buitelaar, C. Bucke, and J. Tramper, Eds. Elsevier, 1996, pp. 19–30.
- [174] J. A. Ramsay, W. H. W. Mok, Y.-S. Luu, and M. Savage, “Decoloration of textile dyes by alginate-immobilized *Trametes versicolor*,” *Chemosphere*, vol. 61, no. 7, pp. 956–964, Nov. 2005, doi: 10.1016/j.chemosphere.2005.03.070.
- [175] J. S. Chang, C. Chou, and S. Y. Chen, “Decolorization of azo dyes with immobilized *Pseudomonas luteola*,” *Process Biochem.*, vol. 36, no. 8–9, pp. 757–763, 2001.
- [176] R. G. Saratale, G. D. Saratale, J. S. Chang, and S. P. Govindwar, “Decolorization and degradation of reactive azo dyes by fixed bed bioreactors containing immobilized cells of *Proteus vulgaris* NCIM-2027,” *Biotechnol. Bioprocess Eng.*, vol. 16, no. 4, p. 830, 2011.
- [177] K. Suganya and K. Revathi, “Decolorization of reactive dyes by immobilized bacterial cells from textile effluents,” *Int J Curr Microbiol Appl Sci*, vol. 5, pp. 528–532, 2016.
- [178] “Filaments and Bacteria.” <http://web.deu.edu.tr/atiksu/ana58/detafila2.html> (accessed Apr. 25, 2021).
- [179] S. R. Heimer and H. L. T. Mobley, “*Proteus*, Infection and Immunity,” in *Encyclopedia of Immunology (Second Edition)*, P. J. Delves, Ed. Oxford: Elsevier, 1998, pp. 2039–2042.
- [180] J. N. Schaffer and M. M. Pearson, “*Proteus mirabilis* and Urinary Tract Infections,” *Microbiol. Spectr.*, vol. 3, no. 5, Oct. 2015, doi: 10.1128/microbiolspec.UTI-0017-2013.

- [181] J. V. Kus, “Infections due to *Citrobacter* and *Enterobacter*☆,” in *Reference Module in Biomedical Sciences*, Elsevier, 2014.
- [182] E. Zurob *et al.*, “Inhibition of Wild *Enterobacter cloacae* Biofilm Formation by Nanostructured Graphene- and Hexagonal Boron Nitride-Coated Surfaces,” *Nanomaterials*, vol. 9, no. 1, Jan. 2019, doi: 10.3390/nano9010049.
- [183] H. Liu, J. Zhu, Q. Hu, and X. Rao, “*Morganella morganii*, a non-negligent opportunistic pathogen,” *Int. J. Infect. Dis.*, vol. 50, pp. 10–17, Sep. 2016, doi: 10.1016/j.ijid.2016.07.006.
- [184] J. K. Piróg, T. Bogiel, K. Skowron, E. Wieckowska, and E. Gospodarek, “*Proteus mirabilis* biofilm - Qualitative and quantitative colorimetric methods-based evaluation,” *Braz. J. Microbiol.*, vol. 45, no. 4, pp. 1423–1431, Dec. 2014, doi: 10.1590/S1517-83822014000400037.
- [185] C. A. Murphree, Q. Li, E. P. Heist, and L. A. Moe, “A Multiple Antibiotic-Resistant *Enterobacter cloacae* Strain Isolated from a Bioethanol Fermentation Facility,” *Microbes Environ.*, vol. 29, no. 3, pp. 322–325, Sep. 2014, doi: 10.1264/jsme2.ME13162.
- [186] C. Krekeler, H. Ziehr, and J. Klein, “Physical methods for characterization of microbial cell surfaces,” *Experientia*, vol. 45, no. 11, pp. 1047–1055, Dec. 1989, doi: 10.1007/BF01950157.
- [187] O. Hanpanich, P. Wongkongkatep, T. Pongtharangkul, and J. Wongkongkatep, “Turning hydrophilic bacteria into biorenewable hydrophobic material with potential antimicrobial activity via interaction with chitosan,” *Bioresour. Technol.*, vol. 230, pp. 97–102, Apr. 2017, doi: 10.1016/j.biortech.2017.01.047.
- [188] P. Teixeira and R. Oliveira, “Influence of surface characteristics on the adhesion of *Alcaligenes denitrificans* to polymeric substrates,” *J. Adhes. Sci. Technol.*, vol. 13, no. 11, pp. 1287–1294, Jan. 1999, doi: 10.1163/156856199X00190.
- [189] S. Marić and J. Vraneš, “Characteristics and significance of microbial biofilm formation,” *Period. Biologor.*, vol. 109, pp. 115–121, 2007.
- [190] B. Lellis, C. Z. F. Polonio, J. A. Pamphile, and J. C. Polonio, “Effects of textile dyes on health and the environment and bioremediation potential of living

- organisms," *Biotechnol. Res. Innov.*, vol. 3, no. 2, pp. 275–290, Jul. 2019, doi: 10.1016/j.biori.2019.09.001.
- [191] E. Khelifi, H. Gannoun, Y. Touhami, H. Bouallagui, and M. Hamdi, "Aerobic decolorization of the indigo dye-containing textile wastewater using continuous combined bioreactors," *J. Hazard. Mater.*, vol. 152, no. 2, pp. 683–689, Apr. 2008, doi: 10.1016/j.jhazmat.2007.07.059.
- [192] T. C. Kee, H. H. Bay, C. K. Lim, K. Muda, and Z. Ibrahim, "Development of bio-granules using selected mixed culture of decolorizing bacteria for the treatment of textile wastewater," *Desalination Water Treat.*, vol. 54, no. 1, pp. 132–139, Apr. 2015, doi: 10.1080/19443994.2013.877853.
- [193] S. M. de A. G. U. de Souza, K. A. S. Bonilla, and A. A. U. de Souza, "Removal of COD and color from hydrolyzed textile azo dye by combined ozonation and biological treatment," *J. Hazard. Mater.*, vol. 179, no. 1, pp. 35–42, Jul. 2010, doi: 10.1016/j.jhazmat.2010.02.053.
- [194] X. Lu, B. Yang, J. Chen, and R. Sun, "Treatment of wastewater containing azo dye reactive brilliant red X-3B using sequential ozonation and upflow biological aerated filter process," *J. Hazard. Mater.*, vol. 161, no. 1, pp. 241–245, Jan. 2009, doi: 10.1016/j.jhazmat.2008.03.077.
- [195] M. S. Lucas, A. A. Dias, A. Sampaio, C. Amaral, and J. A. Peres, "Degradation of a textile reactive Azo dye by a combined chemical–biological process: Fenton's reagent–yeast," *Water Res.*, vol. 41, no. 5, pp. 1103–1109, Mar. 2007, doi: 10.1016/j.watres.2006.12.013.
- [196] S. Grilli, D. Piscitelli, D. Mattioli, S. Casu, and A. Spagni, "Textile wastewater treatment in a bench-scale anaerobic-biofilm anoxic-aerobic membrane bioreactor combined with nanofiltration," *J. Environ. Sci. Health Part A Tox. Hazard. Subst. Environ. Eng.*, vol. 46, no. 13, pp. 1512–1518, 2011, doi: 10.1080/10978526.2011.609078.
- [197] V. Nguyen, E. Karunakaran, G. Collins, and C. A. Biggs, "Physicochemical analysis of initial adhesion and biofilm formation of *Methanosarcina barkeri* on polymer support material," *Colloids Surf. B Biointerfaces*, vol. 143, pp. 518–525, Jul. 2016, doi: 10.1016/j.colsurfb.2016.03.042.

- [198] L. Nan, K. Yang, and G. Ren, “Anti-biofilm formation of a novel stainless steel against *Staphylococcus aureus*,” *Mater. Sci. Eng. C Mater. Biol. Appl.*, vol. 51, pp. 356–361, Jun. 2015, doi: 10.1016/j.msec.2015.03.012.
- [199] L. Castro *et al.*, “Characterization of exopolymeric substances (EPS) produced by *Aeromonas hydrophila* under reducing conditions,” *Biofouling*, vol. 30, no. 4, pp. 501–511, 2014, doi: 10.1080/08927014.2014.892586.
- [200] D. Mara and Horan, *Handbook of Water and Wastewater Microbiology*. Elsevier, 2003.
- [201] H. C. Flemming, T. R. Neu, and D. J. Wozniak, “The EPS Matrix: The ‘House of Biofilm Cells,’” *J. Bacteriol.*, vol. 189, no. 22, pp. 7945–7947, Nov. 2007, doi: 10.1128/JB.00858-07.
- [202] K. Li, D. Wei, T. Yan1, B. Du, and Q. Wei, “Investigation the Role and Mechanism of Extracellular Polymeric Substances in Biosorption of Various Types of Dyes onto Aerobic Granular Sludge,” *Res. Rev. J. Microbiol. Biotechnol.*, vol. 5, no. 3, pp. 30–40, Aug. 2016, Accessed: Apr. 07, 2021. [Online]. Available: <https://www.rroij.com/peer-reviewed/investigation-the-role-and-mechanism-of-extracellular-polymeric-substances-in-biosorption-of-various-types-of-dyes-onto-aerobic-gr-77609.html>.
- [203] “A novel biosorbent for dye removal: Extracellular... - Google Scholar.” https://scholar.google.com/scholar?hl=en&as_sdt=0%2C5&q=A+novel+biosorbent+for+dye+removal%3A+Extracellular+polymeric+substance+%28EPS%29+of+Proteus+mirabilis+TJ-1&btnG= (accessed Apr. 07, 2021).
- [204] V. Janaki *et al.*, “Application of bacterial extracellular polysaccharides/polyaniline composite for the treatment of Remazol effluent,” *Carbohydr. Polym.*, vol. 88, no. 3, pp. 1002–1008, Apr. 2012, doi: 10.1016/j.carbpol.2012.01.045.
- [205] A. K. M. M. Islam and H. Kato-Noguchi, “Phytotoxic Activity of *Ocimum tenuiflorum* Extracts on Germination and Seedling Growth of Different Plant Species,” *Sci. World J.*, vol. 2014, p. e676242, Jun. 2014, doi: 10.1155/2014/676242.
- [206] W. Feng, D. Nansheng, and H. Helin, “Degradation mechanism of azo dye C. I. reactive red 2 by iron powder reduction and photooxidation in aqueous

- solutions,” *Chemosphere*, vol. 41, no. 8, pp. 1233–1238, Oct. 2000, doi: 10.1016/S0045-6535(99)00538-X.
- [207] M. İşik and D. T. Sponza, “Effects of alkalinity and co-substrate on the performance of an upflow anaerobic sludge blanket (UASB) reactor through decolorization of Congo Red azo dye,” *Bioresour. Technol.*, vol. 96, no. 5, pp. 633–643, Mar. 2005, doi: 10.1016/j.biortech.2004.06.004.
- [208] E. R. Flores, M. Luijten, B. Donlon, G. Lettinga, and J. Field, “Biodegradation of selected azo dyes under methanogenic conditions,” *Water Sci. Technol.*, vol. 36, no. 6, pp. 65–72, Jan. 1997, doi: 10.1016/S0273-1223(97)00508-8.