

REFERENCES

- Ahmad-adli, M., Huvaj, N., & Kartal Toker, N. (2014). Effects of the Size of Particles on Rainfall-Induced Slope Instability in Granular Soils. *Geo-Congress 2014 Technical Papers*, (February), 4027–4036. <https://doi.org/10.1061/9780784413272.391>
- Aubertin, M., Cifuentes, E., Apithy, S. A., Bussi re, B., Molson, J., & Chapuis, R. P. (2009). Analyses of water diversion along inclined covers with capillary barrier effects. *Canadian Geotechnical Journal*, 46(10), 1146–1164. <https://doi.org/10.1139/T09-050>
- Aubertin, M., Cifuentes, E., Martin, V., Apithy, S., Bussi re, B., Molson, J., ... Maqsood, A. (2006). *An Investigation of Factors that Influence the Water Diversion Capacity of Inclined Covers with Capillary Barrier Effects*. 613–624. [https://doi.org/10.1061/40802\(189\)47](https://doi.org/10.1061/40802(189)47)
- Aubertin, Michel, Bussi re, B., Yanful, E. K., & De-Souza, L.-P. (Choo). (2001). Water Flow through Cover Soils Using Modeling and Experimental Methods. *Journal of Geotechnical and Geoenvironmental Engineering*, 127(9), 810–812. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2001\)127:9\(810\)](https://doi.org/10.1061/(ASCE)1090-0241(2001)127:9(810))
- Cho, S. E., & Lee, S. R. (2001). Instability of unsaturated soil slopes due to infiltration. *Computers and Geotechnics*. [https://doi.org/10.1016/S0266-352X\(00\)00027-6](https://doi.org/10.1016/S0266-352X(00)00027-6)
- Collins, B. D., & Znidarcic, D. (2004). Stability analyses of rainfall induced landslides. *Journal of Geotechnical and Geoenvironmental Engineering*. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2004\)130:4\(362\)](https://doi.org/10.1061/(ASCE)1090-0241(2004)130:4(362))
- Dhananjaya, K. K. D., & Kulathilaka, S. A. S. (2019). *Establishment of Soil Water Characteristic Curves for Sri Lankan Residual Soils*. University of Moratuwa.
- Dharmasena, R. K. N., & Kulathilaka, S. A. S. (1998). Stabilization of Cut Slopes in Highways by Surface Drainage and Vegetation. *International Conference on Geotechnical Engineering*, 519–522. Colombo.
- Dharmasena, U. K. N. P., Bandara, K. N., & Karunawardena, W. A. (2015). *Back Analysis and Rectification of a Failed Cut Slope in the Southern Expressway*.

543–546.

Disaster management centre. (2009). *Sri Lanka National Report on Disaster Risk, Poverty and Human Development Relationship*.

Fredlund, D. G., & Anqing Xing. (1994). Equations for the soil-water characteristic curve. *Canadian Geotechnical Journal*. <https://doi.org/10.1139/t94-061>

Fredlund, D. G., & Rahardjo, H. (1993). Soil Mechanics for Unsaturated Soils. In *Soil Mechanics for Unsaturated Soils*. <https://doi.org/10.1002/9780470172759>

Gee, G. W., Ward, A. L., Meyer, P. D., Stormont, J. C., & Morris, C. E. (1999). Method to Estimate Water Storage Capacity of Capillary Barriers. *Journal of Geotechnical and Geoenvironmental Engineering*, 125(10), 918–920. [https://doi.org/10.1061/\(ASCE\)1090-0241\(1999\)125:10\(918\)](https://doi.org/10.1061/(ASCE)1090-0241(1999)125:10(918))

Goode, D. J. (1986). *Selection of soils for wick effect covers*.

Harnas, F. R., Rahardjo, H., Leong, E. C., & Wang, J. Y. (2014). Experimental study on dual capillary barrier using recycled asphalt pavement materials. *Canadian Geotechnical Journal*, 51(10), 1165–1177. <https://doi.org/10.1139/cgj-2013-0432>

Highland, L. M., & Bobrowsky, P. (2008). Introduction to Landslide Stabilization and Mitigation. In *The Landslide Handbook — A Guide to Understanding Landslides*.

Jotisankasa, A., Porlila, Wissanupong Soralump, S., & Mairiang, W. (2007). Development of a low-cost miniature tensiometer and its applications. *Proceeding of the 3rd Asian Conference on Unsaturated Soils.*, 480. Nanjinj, China: Unsat-Asia.

Kampf, M., & Montenegro, H. (1997). On the performance of capillary barriers as landfill cover. *Hydrology and Earth System Sciences*. <https://doi.org/10.5194/hess-1-925-1997>

Khire, M. V., Benson, C. H., & Bosscher, P. J. (1999). Field Data from a Capillary Barrier and Model Predictions with UNSAT-H. *Journal of Geotechnical and Geoenvironmental Engineering*, 125(6), 518–527.

[https://doi.org/10.1061/\(ASCE\)1090-0241\(1999\)125:6\(518\)](https://doi.org/10.1061/(ASCE)1090-0241(1999)125:6(518))

- Khire, M. V., Benson, C. H., & Bosscher, P. J. (2000). Capillary Barriers: Design Variables and Water Balance. *Journal of Geotechnical and Geoenvironmental Engineering*, 126(8), 695–708. [https://doi.org/10.1061/\(ASCE\)1090-0241\(2000\)126:8\(695\)](https://doi.org/10.1061/(ASCE)1090-0241(2000)126:8(695))
- Krisdani, H., Rahardjo, H., & Leong, E.-C. (2006). Experimental Study of 1-D Capillary Barrier Model Using Geosynthetic Material as the Coarse-Grained Layer. *Unsaturated Soils* 2006, 1683–1694. [https://doi.org/10.1061/40802\(189\)141](https://doi.org/10.1061/40802(189)141)
- Kulathilaka, S. A. S., & Kumara, L. M. (2011). Effectiveness of surface drainage in enhancing the stability of cut slopes during the periods of heavy rain. *Annual Transactions of IESL*, 127–137.
- Lau, K. C., & Kenney, T. C. (1984). Horizontal drains to stabilize clay slopes. *Canadian Geotechnical Journal*. <https://doi.org/10.1139/t84-027>
- Li, J. H., Du, L., Chen, R., & Zhang, L. M. (2013). Numerical investigation of the performance of covers with capillary barrier effects in South China. *Computers and Geotechnics*, 48, 304–315. <https://doi.org/10.1016/j.compgeo.2012.08.008>
- Mancarella, D., Doglioni, A., & Simeone, V. (2012). On capillary barrier effects and debris slide triggering in unsaturated layered covers. *Engineering Geology*, 147–148, 14–27. <https://doi.org/10.1016/j.enggeo.2012.07.003>
- Mancarella, D., & Simeone, V. (2012). Capillary barrier effects in unsaturated layered soils, with special reference to the pyroclastic veneer of the Pizzo d’Alvano, Campania, Italy. *Bulletin of Engineering Geology and the Environment*, 71(4), 791–801. <https://doi.org/10.1007/s10064-012-0419-6>
- Morris, C. E., & Stormont, J. C. (1999). Parametric Study of Unsaturated Drainage Layers in a Capillary Barrier. *Journal of Geotechnical and Geoenvironmental Engineering*, 125(12), 1057–1065. [https://doi.org/10.1061/\(ASCE\)1090-0241\(1999\)125:12\(1057\)](https://doi.org/10.1061/(ASCE)1090-0241(1999)125:12(1057))

- Muthuhetige, W. K., & Kulathilaka, S. A. S. (2020). Establishment of Soil Water Characteristic Curves for Sri Lankan Soils. *Srilankan Geotechnical Project Day*.
- Ng, C. W. W., Liu, J., Chen, R., & Xu, J. (2015). Physical and numerical modeling of an inclined three-layer (silt/gravelly sand/clay) capillary barrier cover system under extreme rainfall. *Waste Management*, 38(1), 210–221. <https://doi.org/10.1016/j.wasman.2014.12.013>
- Nyhan, J. W., Hakonson, T. E., & Drennon, B. J. (1990). A Water Balance Study of Two Landfill Cover Designs for Semiarid Regions. *Journal of Environmental Quality*. <https://doi.org/10.2134/jeq1990.00472425001900020014x>
- Ogunro, V. O., Podgorney, R., Inyang, H. I., Piet, S., & Ayoola, M. G. (2005). Drainage layer fouling as a consideration in capillary barrier design. *Practice Periodical of Hazardous, Toxic, and Radioactive Waste Management*, 9(4), 273–280. [https://doi.org/10.1061/\(ASCE\)1090-025X\(2005\)9:4\(273\)](https://doi.org/10.1061/(ASCE)1090-025X(2005)9:4(273))
- Parent, S.-É., & Cabral, A. (2005). Material Selection for the Design of inclined Covers with Capillary Barrier Effect. *Waste Containment and Remediation*, 40789(September), 1–5. [https://doi.org/10.1061/40789\(168\)25](https://doi.org/10.1061/40789(168)25)
- Pease, R., & Stormont, J. C. (1995). *Increasing the diversion length of capillary barriers*. (Doctoral dissertation, University of New Mexico)
- Qian, T., Huo, L., & Zhao, D. (2010). Laboratory Investigation Into Factors Affecting Performance of Capillary Barrier System in Unsaturated Soil. *Water, Air, and Soil Pollution*, 206(1–4), 295–306. <https://doi.org/10.1007/s11270-009-0106-9>
- Rahardjo, H., Hritzuk, K. J., Leong, E. C., & Rezaur, R. B. (2003). Effectiveness of horizontal drains for slope stability. *Engineering Geology*. [https://doi.org/10.1016/S0013-7952\(02\)00288-0](https://doi.org/10.1016/S0013-7952(02)00288-0)
- Rahardjo, H., Hua, C., Leong, E., & Santoso, V. (2010). Performance of an instrumented slope under a capillary barrier system. In *Unsaturated Soils* (pp. 1279–1284). <https://doi.org/10.1201/b10526-200>
- Rahardjo, Harianto, Kim, Y., & Satyanaga, A. (2019). Role of unsaturated soil

- mechanics in geotechnical engineering. *International Journal of Geo-Engineering*, 10(1), 1–23. <https://doi.org/10.1186/s40703-019-0104-8>
- Rahardjo, Harianto, & Tami, D. (2004). *Capillary Barrier for Slope Stabilisation*. (January).
- Ross, B. (1990). The Diversion Capacity of Capillary Barriers. *Water Resources Research*, 26(10), 2625–2629.
- Sato, T., & Matsumaru, T. (2018). *Experimental and numerical study of capillary barrier diversion lengths on embankment slopes*.
- Sawada, M., Mimura, M., & Yoshimura, M. (2017). Infiltration control using capillary barriers for conservation of historical tumulus mounds. *Japanese Geotechnical Society Special Publication*, 5(2), 5–10. <https://doi.org/10.3208/jgssp.v05.002>
- Somararatne, M. (2015). Challenges to overcome : An overview of recent landslides with special reference to Meeriabedda landslide. *NBRO Symposium 2015 - Innovations for Resilient Environment*.
- Stormont, J. C. (1996a). The effectiveness of two capillary barriers on a 10% slope. *Geotechnical and Geological Engineering*, 14(4), 243–267. <https://doi.org/10.1007/BF00421943>
- Stormont, J. C. (1996b). The effectiveness of two capillary barriers on a 10% slope. *Geotechnical and Geological Engineering*, 14(4), 243–267. <https://doi.org/10.1007/BF00421943>
- Stormont, John C., & Anderson, C. E. (1999a). Capillary barrier effect from underlying coarser soil layer. *Journal of Geotechnical and Geoenvironmental Engineering*. [https://doi.org/10.1061/\(ASCE\)1090-0241\(1999\)125:8\(641\)](https://doi.org/10.1061/(ASCE)1090-0241(1999)125:8(641))
- Stormont, John C., & Anderson, C. E. (1999b). Capillary barrier effect in unsaturated soils. *Journal of Geotechnical and Geoenvironmental Engineering*, 125(8), 641–648. [https://doi.org/10.1061/\(ASCE\)1090-0241\(1999\)125:8\(641\)](https://doi.org/10.1061/(ASCE)1090-0241(1999)125:8(641))
- Stormont, John C., & Morris, C. E. (1997). Unsaturated drainage layers for diversion of infiltrating water. *Journal of Irrigation and Drainage Engineering*.

[https://doi.org/10.1061/\(ASCE\)0733-9437\(1997\)123:5\(364\)](https://doi.org/10.1061/(ASCE)0733-9437(1997)123:5(364))

- Sujeevan, V., & Kulathilaka, S. A. S. (2011). Rainfall Infiltration Analysis in Unsaturated Residual Soil slopes. *Geotechnical Journal, Sri Lankan Geotechnical Society*, 6, 9–19.
- Suppiah, R., & Yoshino, M. M. (1984). *Rainfall Variations of Sri Lanka Part 1 : Spatial and Temporal Patterns*. 340, 329–340.
- Tami, D., Rahardjo, H., & Leong, E.-C. (2007). Characteristics of Scanning Curves of Two Soils. *Soils and Foundations*, 47(1), 97–108. <https://doi.org/10.3208/sandf.47.97>
- Tami, D., Rahardjo, H., Leong, E.-C., & Fredlund, D. G. (2004a). Design and laboratory verification of a physical model of sloping capillary barrier. *Canadian Geotechnical Journal*, 41(5), 814–830. <https://doi.org/10.1139/t04-036>
- Tami, D., Rahardjo, H., Leong, E. C., & Fredlund, D. G. (2004b). A physical model for sloping capillary barriers. *Geotechnical Testing Journal*.
- Tidwell, V. C., Glass, R. J., Chocas, C., Barker, G., & Orear, L. (2003). Visualization experiment to investigate capillary barrier performance in the context of a Yucca Mountain emplacement drift. *Journal of Contaminant Hydrology*, 62–63, 287–301. [https://doi.org/10.1016/S0169-7722\(02\)00164-X](https://doi.org/10.1016/S0169-7722(02)00164-X)
- Tran, T. V., Trinh, M. T., Lee, G., Oh, S., & Nguyen, T. H. Van. (2015). Effect of Extreme Rainfall on Cut Slope Stability: Case Study in Yen Bai City, Viet Nam. *Journal of the Korean Geoenvironmental Society*. <https://doi.org/10.14481/jkges.2015.16.4.23>
- Wang, F., Li, X., & Wu, Y. (2018). *A discussion on the design criteria of capillary barrier*. 1–6.
- Ward, A. L., & Gee, G. W. (1997). Performance Evaluation of a Field-Scale Surface Barrier. *Journal of Environmental Quality*, 26(3), 694–705. <https://doi.org/10.2134/jeq1997.00472425002600030015x>
- Woyshner, M. R., & Yanful, E. K. (1995). Modelling and field measurements of water

percolation through an experimental soil cover on mine tailings. *Canadian Geotechnical Journal*, 32(4), 601–609. <https://doi.org/10.1139/t95-062>

Yang, H., Rahardjo, H., Leong, E. C., & Fredlund, D. G. (2004). A study of infiltration on three sand capillary barriers. *Canadian Geotechnical Journal*, 41(4), 629–643. <https://doi.org/10.1139/T04-021>

Yoshinori, K. (2015). *Landslides along National Roads in Central Highland in Sri Lanka : Review on Current Situation and Suggestion for Further Development of Landslide Mitigation along Highways in Sri Lanka.*

Zhang, W., Sun, C., & Qiu, Q. (2016). Characterizing of a capillary barrier evapotranspirative cover under high precipitation conditions. *Environmental Earth Sciences*, 75(6). <https://doi.org/10.1007/s12665-015-5214-9>