

REFERENCE

- Abel, E. (1994). Low-energy buildings, *Energy and Buildings*, Vol. 21-3,169-174
- Adalberth, K. (2000). *Energy Use and Environmental Impact of New Residential Buildings*. Byggnadsfysik LTH, Lunds Tekniska Högskola.
- Adger, W.N., Huq, S., Brown, K., Conway, D., & Hulme, M. (2003). Adaptation to climate change in the developing world. *Progress in Development Studies*, Vol. 3, 179–195. doi:10.1191/1464993403ps060oa
- Alexandri, E., & Jones, P. (2008). Temperature decreases in an urban canyon due to green walls and green roofs in diverse climates. *Building & Environment*, 43, 480–493. doi: 10.1016/j.buildenv.2006.10.055
- Anderson, M. (2016). Embrace the Vertical: Creating Greenwalls. Available at: http://www.newenglandgrows.org/pdfs/ho_Anderson14HandoutFRI.pdf
- Asmone, A., Conejos, S., Chew, M.Y.L., & Piyadasa, R.U. (2016). Urban Green Cover Protocol to Reduce Urban Heat Island in Sri Lanka, in: *International Conference on Countermeasures to Urban Heat Island*. National University of Singapore.
- Azkorra, Z., Pérez, G., Coma, J., Cabeza, L.F., Bures, S., Álvaro, J.E., Erkoreka, A., & Urrestarazu, M. (2015). Evaluation of green walls as a passive acoustic insulation system for buildings. *Applied Acoustics*, Vol. 89, 46–56. doi:10.1016/j.ap
- Badruzaman, J., Said, I., Md Reba, M. N. & Rasidi, M. H. (2015). An experimental study on bioclimatic design of vertical greenery systems in the tropical climate', *The MalaysiaJapan Model on Technology Partnership: International Proceedings 2013 of Malaysia-Japan Academic Scholar Conference*, pp. 369–376. doi: 10.1007/978-4-431-54439-5_37.
- Bakar, N.I.A., Mansor, M., & Harun, N. Z. (2014). Vertical greenery system as public art? Possibilities and challenges in Malaysian urban context. *Procedia-Soc. Behav. Sci.*, Vol.153, 230e241
- Balaras, C. (1996). Cooling in buildings. In M. Santamouris (Eds), *Passive cooling of buildings* (pp. 1-30). London: James & james.
- Barrio, E. P. D. (1998). Analysis of the green roofs cooling potential in buildings, *Energy and Buildings*, Vol. 27, pp. 179-193,0378-7788, doi:10.1016/S0378-7788(97)00029-7
- Bass, B., & Baskaran, B. (2001). *Evaluating Rooftop and Vertical Gardens as an Adaptation Strategy for Urban Areas*. Institute for Research and Construction NRCC-46737, Project number A020
- Bastidas-Arteaga, E., Schoefs, F., Stewart, M. G., & Wang, X. (2013). Influence of global warming on durability of corroding RC structures: A probabilistic approach. *Engineering Structures*, Vol. 51, 259–266.
- Building Construction Authority. (2016). *Green Mark for Non-Residential Buildings NRB:2015*.

- Bianchini, F., & Hewage, K. (2012). Probabilistic social cost-benefit analysis for green roofs: A lifecycle approach. *Build. Environ.*, Vol. 58, 152e162
- Boden, T.A., Andres, R.J., & Marland, G. (2016). *Global, Regional, and National Fossil-Fuel CO₂ Emissions*. Carbon Dioxide Information Analysis Center.
- Bousse, Y.S. (2009). Mitigating the urban heat island effect with an intensive green roof during summer in Reading, UK [Unpublished master's theses]. University of Reading.
- Bringslimark, T., Hartig, T., & Patil, G.G. (2007). Psychological benefits of indoor plants in workplaces: putting experimental results into context. *Horticultural science*, Vol. 42 (3), 581e587.
- Byomkesh, T., Nakagoshi, N., & Dewan, A.M. (2012). Urbanization and green space dynamics in Greater Dhaka, Bangladesh. *Landsc. Ecol. Eng.*, Vol. 8, 45–58. doi:10.1007/s11355-010-0147-7
- Cameron, R.W.F., Taylor, J., & Emmett, M. (2015). A Hedera green façade - Energy performance and saving under different maritime-temperate, winter weather conditions. *Build. Environ.*, Vol. 92, 111–121. doi:10.1016/j.buildenv.2015.04.011
- Cantuaria, G. (2000). A comparative study of the thermal performance of vegetation on building surfaces. In: *PLEA: Architecture, City, Environment*. Cambridge, UK: James & James (Science Publishers) Ltd.
- Carlos, J.S. (2015). Simulation Assessment of Living Wall Thermal Performance in Winter in the Climate of Portugal. *Building Simulation*. Springer
- Charoenkit, S., & Yiemwattana, S. (2016). Living walls and their contribution to improved thermal comfort and carbon emission reduction: A review. *Build. Environ.*, <https://doi.org/10.1016/j.buildenv.2016.05.031>
- Chen, Q., Li, B., & Liu, X. (2013). An experimental evaluation of the living wall system in hot and humid climate. *Energy Build.*, Elsevier B.V. 61, 298–307. <https://doi.org/10.1016/j.enbuild.2013.02.030>
- Chew, M.Y., & Conejos, S. (2016). Developing a green maintainability framework for green walls in Singapore. *Structural Survey.*, Vol. 34 (4/5), 379e406
- Chiang, K. (2009). *Vertical Greenery for the Tropics*. National Parks Board.
- Chiesura, A. (2004). The role of urban parks for the sustainable city. *Landsc. Urban Plan.*, Vol.68, pp. 129–138. doi:10.1016/j.landurbplan.2003.08.003
- Clark, C., Adriaens, P., & Talbot, F.B. (2008). Green roof valuation: a probabilistic economic analysis of environmental benefits. *Environ. Sci. Technol.*, Vol. 42
- Clark C, Talbot B, Bulkley J, & Adriaens, P. (2005). Optimization of green roofs for air pollution mitigation. In: *Proceedings of the third North American green roof conference: greening rooftops for sustainable communities*, Washington, DC, Toronto, 4e6 May. The Cardinal Group; 2005. p. 482e97

- Cohen, B. (2006). Urbanization in developing countries: Current trends, future projections, and key challenges for sustainability. *Technol. Soc.*, Vol. 28, 63–80. doi: 10.1016/j.techsoc.2005.10.005
- Collins, R., Schaafsma, M. & Hudson, M.D. (2017). The value of green walls to urban biodiversity. *Land Use Policy*. 114123
- Currie, B.A., & Bass, B. (2008). Estimates of air pollution mitigation with green plants and green roofs using the UFORE model. *Urban Ecosyst.*, Vol.11 (4), 409e422.
- Dahlkvist, E., Hartig, T., Nilsson, A., Högberg, H., Skovdahl, K., & Engström, M. (2016). Garden greenery and the health of older people in residential care facilities: a multi-level cross-sectional study. *Journal of advanced nursing*, 72(9), 2065–2076. <https://doi.org/10.1111/jan.12968>
- Daly, H.E., & Cobb, J.B. (1994). *For the Common Good: Redirecting the Economy toward Community, the Environment, and a Sustainable Future*. 2nd Edition, Beacon Press, Boston.
- Davis, M.J.M., Ramirez, F., & Pe´rez, M.E. (2016a). More than just a Green Facade: Vertical gardens as active air conditioning units. *Proc. Eng.*, Vol.145, 12501257.
- Davis, M.J.M., Tenpierik, M.J., Ramı ´rez, F.R., & Pe´rez, M.E. (2016b). More than just a green facade: The sound absorption properties of a vertical garden with and without plants. *Build. Environ.*
- Dayaratne, R. (2010). Moderating Urbanization and Managing Growth: How Can Colombo Prevent the Emerging Chaos? UNU-WIDER, Helsinki, Finland. pp.18. ISBN 978-92-9230-302-0 [WIDER Working Paper No. 2010/64]
- DeFries, R.S., Rudel, T., Uriarte, M., & Hansen, M. (2010). Deforestation driven by urban population growth and agricultural trade in the twenty-first century. *Nat. Geosci.*, Vol. 3, 178–181. doi:10.1038/ngeo756
- Des Rosiers, F., Thériault, M., Kestens, Y., & Villeneuve, P. (2002). Landscaping and house values: an empirical investigation. *Journal of Real Estate Research*, Vol. 23:139e61
- Di, H., & Wang, D. (1999). Cooling Effect of Ivy on a Wall. *Experimental Heat Transfer*. Vol. 12(3): (pp. 235-245)
- Diprose, P.R., & Robertson, G. (1994). *Towards a fourth skin? Sustainability and double envelope buildings*, in WREC. Retrieved February from ScienceDirect.
- Dunnett, N., & Kingsbury, N. (2008). *Planting Green Roofs and Living Walls*. Timber Press: Portland
- Economist Intelligence Unit. (2017). *The global livability index 2017: A free overview*. <https://imco.org.mx/wp-content/uploads/2017/08/Liveability-Ranking-Free-Summary-Report-August-2017.pdf>
- Emmanuel, R. (2004b). Estimating the environmental suitability of wall materials: preliminary results from Sri Lanka. *Building and Environment*, Vol. 39(10), pp. 1253–1261. <https://doi.org/10.1016/j.buildenv.2004.02.012>

- Environmental Protection Agency. (EPA). (2008) *EPA's 2008 Report on the Environment*. National Center for Environmental Assessment, Washington, DC; EPA/600/R-07/045F. Available from the National Technical Information Service, Springfield, VA, and online at <http://www.epa.gov/roe>.
- Environmental Protection Agency. (2008). *Reducing Urban Heat Islands: Compendium of strategies*. [online]
- Eumorfopoulou, E.A., & Kontoleon, K.J. (2009). Experimental approach to the contribution of plant-covered walls to the thermal behaviour of building envelopes. *Building and Environment*, 44(5),1024-1038.
- Feng, H., & Hewage, K. (2014). Lifecycle assessment of living walls: air purification and energy performance. *J. Clean. Prod.*, Vol. 69, 91e99
- Fitch, J. (1972). *American Building 2: the environmental forces that shape it*. Boston: Houghton Mifflin.
- Fuller, S. (2016). Life-cycle cost analysis (LCCA). from. <https://www.wbdg.org/resources/life-cycle-cost-analysis-lcca>
- Gao, X., & Asami, Y. (2007). Effect of urban landscape on land price in two Japanese cities. *Landscape and Urban Planning*.
- Garnaut, R. (2008). Will climate change bring an end to the platinum age? *Asian-Pacific Economic Literature*, Vol. 22, Issue 1, pp 1-14
- Ghaffarianhoseini, A., & Berardi, U. (2015). Thermal performance characteristics of unshaded courtyards in hot and humid climates. *Build. Environ.*, 87, 154–168.
- Golden, J.S. (2004). The built environment induced urban heat island effect in rapidly urbanizing arid regions – A sustainable urban engineering complexity. *Environ. Sci.*, Vol.1, pp. 321–349. doi:10.1080/15693430412331291698
- Gossauer, E., & Wagner, A. (2008). Occupant satisfaction at workplaces – a field study in office buildings. *Air Cond. Low Carbon Cool. Challenge*, pp. 27–29.
- Gratia, E., & De Herde, A. (2004b). Natural ventilation in a double-skin façade. *Energy and Buildings*, Vol. 36: 137–146
- Gratia, E., & De Herde, A. (2004a). Is day natural ventilation still possible in the office buildings with a double-skin façade? *Building and Environment*, Vol. 39: 399–409.
- Gusson, C.D., & Duarte, D.H. (2016). Effects of Built Density and Urban Morphology on Urban Microclimate - Calibration of the Model ENVI-met V4 for the Subtropical Sao Paulo, Brazil. *Procedia Engineering*, Vol. 169, 2-10.
- Halwatura, R.U & Jayasinghe, M.T.R (2009). Influence of insulated roof slabs on air-conditioned spaces in tropical climatic conditions-A life cycle cost approach, *Energy and Buildings*, Vol. 41, 678–686.
- Halwatura, R. U., & Jayasinghe, M. T. R. (2008). Thermal performance of insulated roof slabs in tropical climates. *Energy and Buildings*, Vol. 40(7), pp.1153–1160.

- Halwatura, R.U. & Jayasinghe, M.T.R. (2007), Strategies for improved micro-climates in high-density residential developments in tropical climates, *Energy for Sustainable Development*, Vol. XI No. 4 (44-55).
- Han, L., Zhou, W., Li, W., & Li, L. (2014). Impact of urbanization level on urban air quality: A case of fine particles (PM_{2.5}) in Chinese cities. *Environ. Pollut.*, Vol. 194, 163–170. doi:10.1016/j.envpol.2014.07.022
- Hasan, M. M., Karim, A., Brown, R., Perkins, M., & Joyce, D. (2012). Estimation of energy saving of commercial building by living wall and green facade in sub-tropical climate of Australia. In *Proceedings of the 7th International Green Energy Conference and the 1st DNL Conference on Clean Energy (IGEC-DCCE)* (pp. 672-686). Dalian Institute of Chemical Physics (DICP)-Chinese Academy of Sciences (CAS).
- Haase, M., Silva, F. M., & Amato, A. (2009). Simulation of ventilated facades in hot and humid climates. *Energy and Buildings*, 361-373.
- Henderson, V. (2002). *Urbanization in Developing Countries*. World Bank Res. Obs. 17, 89–112. doi:10.2307/3986401
- Hearth, H. M. P. I., Jayasinghe, G.Y., & Halwatura, R.U. (2016). *A green model to mitigate microclimatic changes in urban areas using Envi-met software case study in colombo city as an urban heat island adaptation strategy* [Unpublished dissertation]. University of Ruhuna.
- Herath, H.M.P.I.K., Halwatura, R.U., & Jayasinghe, G.Y. (2017). Evaluation of green infrastructure effects on tropical Sri Lankan urban context as an urban heat island adaptation strategy, *Urban For. Urban Green*. Elsevier Vol. 29, pp. 212–222. <https://doi.org/10.1016/j.ufug.2017.11.013>.
- Herath, H.M.P.I.K., Halwatura, R.U. & Jayasinghe, G.Y. (2018). Evaluation of green infrastructure effects on tropical Sri Lankan urban context as an urban heat island adaptation strategy. *Urban Forestry & Urban Greening*, Vol. 29, pp.212-222.
- Herath, H.M.P.I.K., Halwatura, R.U. & Jayasinghe, G.Y. (2018). Modeling a tropical urban context with green walls and green roofs as an urban heat island adaptation strategy. *Procedia engineering*, Vol. 212, pp.691-698.
- Hinkel, J., Nicholls, R. J., Tol, R. S. J., Wang, Z. B., Hamilton, J. M., Boot, G., & Klein, R. J. T. (2013). A global analysis of erosion of sandy beaches and sea-level rise: An application of DIVA. *Global and Planetary Change*, 111, pp. 150–158.
- Hiraishi, T., Krug, T., Srivastava, N., Jamsranjav, B., Fukuda, M., & Troxler, T. (2013). *2013 Revised Supplementary Methods and Good Practice Guidance Arising from the Kyoto Protocol*. Switzerland.
- Hoelscher, M.T., Nehls, T., Jänicke, B., & Wessolek, G. (2016). Quantifying cooling effects of facade greening: Shading, transpiration and insulation. *Energy Build.*, Vol.114, 283–290. doi:10.1016/j.enbuild.2015.06.047
- Holm, D. (1989). Thermal improvement by means of leaf cover on external walls—A simulation model. *Energy and Buildings*, Vol.14: 19-30.

- Hoyano, A. (1988). Climatological uses of plants for solar control and the effects on the thermal environment of a building. *Energy and Buildings*, Vol.11: 181-199.
- Huang, Z., Lu, Y., Wong, N. H., & Poh, C. H. (2019), The true cost of “greening” a building: Life cycle cost analysis of vertical greenery systems (VGS) in tropical climate, *Journal of Cleaner Production*, Vol. 228, pp 437-454, 0959-6526, doi:10.1016/j.jclepro.2019.04.275.
- Hunter, A.M., Williams, N.S.G., Rayner, J.P., Aye, L., Hes, D., & Livesley, S.J. (2014). Quantifying the thermal performance of green facades: A critical review. *Ecol. Eng.*, Vol. 63, 102–113. doi:10.1016/j.ecoleng.2013.12.021
- Hunukumbura, W.M.D. (1999). *Eco friendly architecture: an examination of tropical examples with special reference to tourist architecture in Sri Lanka* [Unpublished dissertation]. University of Moratuwa.
- Huttner, S., Bruse, M., & Dostal, P. (2008). Using Environment to simulate the Impact of Global Warming on the Microclimate in Central European Cities. In: *5th Japanese German Meeting on Urban Climatology*. October 2008. pp. 307–312.
- Hyde, R.A., Rajapaksha, I., Groenhout, N., Barram, F., Shahriar, A.N.M., Candido, C., & Rajapaksha, U. (2009). Towards a methodology for retrofitting commercial buildings using bioclimatic principles, in *proceedings of 43rd Annual Conference of the Architectural Science Association, ANZAScA 2009*, University of Tasmania
- Hyde, R. (2000). *Climate responsive design*. London: E&FN Spon.
- Ibrahim, N.L.N., Hayman, S., & Hyde. R. (2010). A Typological Approach to Daylighting Analysis.
- Ibraheem, Y., Piroozfar, P., & Farr, E.R. (2017). Integrated Façade System for office buildings in hot and arid climates: A comparative analysis. In *Building Information Modelling, Building Performance, Design and Smart Construction*, pp. 273-288.
- Ingrao, C., Messineo, A., Beltramo, R., Yigitcanlar, T., & Ioppolo, G. (2018). How can life cycle thinking support sustainability of buildings? Investigating life cycle assessment applications for energy efficiency and environmental performance. *J. Clean. Prod.*, Vol. 201, 556e569.
- Intergovernmental Panel on Climate Change. (2007). *Climate Change 2007: Impacts, Adaptation, and Vulnerability*, in IPCC Fourth Assessment Report, Cambridge University Press.
- Isobe, M. (2013). Impact of global warming on coastal structures in shallow water. *Ocean Engineering*, Vol. 71, pp. 51–57.
- Jänicke, B., Meier, F., Hoelscher, M. & Scherer, D. (2015). Evaluating the Effects of FaçadeGreening on Human Bioclimate in a Complex Urban Environment. *Advances in Meteorology*, pp. 1-15.
- Jayakody, G. D. C. (2020). *Evaluation of economic value of vertical greenerues of Sri Lanka; A simulation by design builder* [Unpublished dissertation], University of Ruhuna.

- Jefas, M., & Silva, N. D. (2013). Implement the vertical greenery wall (facade) to multi-stored building in Sri Lankan Context
- Jim, C.Y. (2015). Green wall classification and critical design-management assessments. *Ecol. Eng.*, Vol. 77, pp. 348–362.
- Jim, C.Y., & Chen, W.Y. (2006). Perception and attitude of residents toward urban green spaces in Guangzhou (China). *Environ. Manage.* Vol. 38, 338–349. doi:10.1007/s00267-005-0166-6
- Jim, C.Y., & Chen, S.S. (2003). Comprehensive greenspace planning based on landscape ecology principles in compact Nanjing city, China. *Landsc. Urban Plan.*, Vol. 65, pp. 95–116. doi:10.1016/S0169-2046(02)00244-X
- Johnston, F. M., & Johnston, S. W. (2004) Impacts of road disturbance on soil properties and on exotic plant occurrence in subalpine areas of the Australian alps, Arctic, Antarctic, and Alpine research, Vol. 36:2, pp. 201-207, DOI: 10.1657/1523-0430(2004)036[0201:IODOS]2.0.CO;2
- Johnston, J., & Newton, J. (1996). Building green. A guide for using plants on roofs, wall and pavements. London: The London Ecology Unit; 1996.
- Kaloustian, N., & Diab, Y. (2015). Effects of urbanization on the urban heat island in Beirut. *Urban Clim.* Vol. 14, 154–165. doi:10.1016/j.uclim.2015.06.004
- Kalnay, E., & Cai, M. (2003). Impact of urbanization and land-use change on climate. *Nature*, Vol. 423, 528–531. doi:10.1038/nature01649.1.
- Keeler, M., & Burke, B. (2009). Fundamentals of Integrated Design for Sustainable Building. Hoboken, NJ: John Wiley and Sons, Inc.
- Kenneth, I. p., Lam, M., & Miller, A. (2010). Shading performance of a vertical deciduous climbing plant canopy, *Building and Environment*, Vol. 45, pp. 81–88.
- Khan, M.A., Amin, N., Khan, A., Imtiaz, M., Khan, F., Ahmad, I., Ali, A., & Islam, B. (2016). Plant therapy: a nonpharmacological and noninvasive treatment approach medically beneficial to the wellbeing of hospital patients. *Gesunde Pflanz.* Vol. 68 (4), 191e200.
- Köhler, M. (2008). Green facades-a view back and some visions. *Urban Ecosyst.* Vol. 11, 423–436. doi:10.1007/s11252-008-0063-x
- Kong, F., & Nakagoshi, N. (2006). Spatial-temporal gradient analysis of urban green spaces in Jinan, China. *Landsc. Urban Plan.*, Vol. 78, 147–164. doi: 10.1016/j.landurbplan.2005.07.006
- Kosaka, Y., Xayvongsa, L., Vilayphone, A., Chanthavong, H., Takeda, S. & Kato, M. (2013). Wild Edible Herbs in Paddy Fields and Their Sale in a Mixture in Houaphan Province, the Lao People's Democratic Republic, *Economic Botany*, Vol. 67(4), pp. 335–349. doi: 10.1007/s12231-013-9251-6.
- Krusche, P., Krusche, M., Althaus, D., & Gabriel, I. (1982). Ökologisches bauen, Herausgegeben vom umweltbundesamt, Bauverlag.

- Langer, I., Sodoudi, S., & Cubasch, U. (2012). Using the ENVI-MET program to simulate the micro climate in new Town Hashtgerdh. *The international conference on Computing, Networking and Digital Technolog*
- Lee, B. J., Jang, T. Y., Wang, W., & Namgung, M. (2009). Design criteria for an urban sidewalk landscape considering emotional perception. *J. Urban Plann. Dev.*, Vol. 135(4), pp. 133–140.
- Lean, H. H., & Smyth, R. (2009). *CO₂ Emissions, Electricity Consumption and Output In Asia*. (Development Research Unit Working Paper Series No. 13-09). Monash University, Department of Economics.
- Li, J., Wai, O.W.H., Li, Y.S., Zhan, J., Ho, Y.A., Li, J., & Lam, E. (2010). Effect of green roof on ambient CO₂ concentration. Vol. 45, pp. 2644–2651. doi:10.1016/j.buildenv.2010.05.025
- Li, L., & Pussella, P.G.R.N. (2017). Is colombo city, Sri Lanka secured for urban green space standards? *Appl. Ecol. Environ. Res.*, Vol. 15, pp. 1789–1799. doi:10.15666/aer/1503
- Li, Y., Zhu, L., Zhao, X., Li, S., & Yan, Y. (2013). Urbanization impact on temperature change in china with emphasis on land cover change and human activity. *J. Clim.* Vol. 26, pp. 8765–8780. doi:10.1175/JCLI-D-12-00698.1
- Lisa, G. (2009) Sensitivity of Building Zones to Potential Global Warming. *Architectural Science Review* Vol. 52:4, pp. 279-294.
- Loh, S. (2008). *Living walls – A way to green the built environment. Environment design guide*. Australian Institute of Architects.
- Lunain, D., Ecotiere, D., & Gauvreau, B. (2016). In-situ evaluation of the acoustic efficiency of a green wall in urban area. pp. 6592–6601
- Maas, J., Verheij, R.A., Groenewegen, P. P., Vries, S. De., & Spreeuwenberg, P. (2006). Green space, urbanity, and health: how strong is the relation? *J. Epidemiol. Community Heal.*, Vol. 60, pp. 587-592. doi:10.1136/jech.2005.043125
- Macilwain, C. (2000). Global-warming sceptics left out in the cold. *Nature*, Vol. 403(6767), pp. 233–233. Retrieved from <http://www.nature.com/nature/journal/v403/n6767/full/403233a0.html> doi: 10.1038/35002154
- Mage, D., Webster, A., Peterson, P., Ozolins, G., Orthofer, R., Vandeweerd, V., & Gwynne, M. (1996). Urban air pollution in megacities of the world. *Atmos. Environ.*, Vol. 30, pp. 681–686.
- Mahdiyar, A., Tabatabaee, S., Nobahar Sadeghifam, A., Reza Mohandes, S., Abdullah, A., & Moharrami M. M. (2016). Probabilistic private cost-benefit analysis for green roof installation: A Monte Carlo simulation approach. *Urban For. Urban Gree.*, Vol. 20, 317327.
- Majeed, M. (1998). Analysis of Urbanization Trends in the Greater Colombo Area from 1956 to 1994 Using Air Photos. *Built-environment - Sri Lanka*, Vol.1, pp. 19–22.

- Manso, M., & Castro-Gomes, J. (2014). Green wall systems: A review of their characteristics. *Renew. Sustain. Energy Rev.*, Vol. 41, 863–871. doi:10.1016/j.rser.2014.07.203
- Marchi, M., Pulselli, R.M., Marchettini, N., Pulselli, F.M., & Bastianoni, S. (2014). Carbon dioxide sequestration model of a vertical greenery system. *Ecol. Modell.* <https://doi.org/10.1016/j.ecolmodel.2014.08.013>
- Masson, V. (2006). Urban surface modeling and the meso- scale impact of cities. *Theor. Appl. Climatol.*, Vol. 84 (1–3), pp. 35–45.
- Mazzali, U., Peron, F., Romagnoni, P., Pulselli, R. M. & Bastianoni, S. (2013) Experimental investigation on the energy performance of Living Walls in a temperate climate, *Building and Environment*, Vol. 64, pp. 57–66. doi: 10.1016/j.buildenv.2013.03.005.
- Mazzali, U., Peron, F., & Scarpa, M. (2012). Thermo-physical performances of living walls via field measurements and numerical analysis. In: *Eco-architecture IV. Harmonisation between architecture and nature* WIT transactions on ecology and the environment, Vol. 165; 2012, ISBN 978-1-84564-614-1; 2012. p. 239e50. <http://dx.doi.org/10.2495/ARC120011>; 2012.
- McPherson EG, Nowak DJ, & Rowntree R. A. (1994). *Chicago's urban forest ecosystem: results of the Chicago urban forest climate project*. Gen Tech Rep NE-186. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station, Radnor Corporate Center, Pennsylvania.
- Mc Pherson, E.G., Scott, K.I., & Simpson, J. R. (1998). Estimating cost effectiveness of residential yard trees for improving air quality in Sacramento, California, using existing models. *Atmospheric Environment*, Vol. 32(1):75e84
- Meier, K. (2010). Strategic landscaping and air-conditioning savings: a literature review. *Energy Build.*, 1516, 479486
- MEWR, M. (2014). *Our Home Our Environment Our Future, Sustainable Singapore Blueprint 2015*, Ministry of the Environment and Water Resources. MEWR) & Ministry of National Development (MND).
- Ministry of Manpower, (2016). *Medical insurance requirements for foreign worker*. <http://www.mom.gov.sg/passes-and-permits/workpermit-for-foreign-worker/sector-specific-rules/medical-insurance>.
- Nisansala, S., & Halwathura, R.U. (2011). Amplification of comfort and the air quality with green roof in cities.
- Nordell, B. (2003). Thermal pollution causes global warming. *Global and Planetary Change*, Vol. 38(34), 305–312. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0921818103001139> doi: 10.1016/S0921-8181(03)00113-9
- NParks, (2017). *Landscape excellence assessment framework (LEAF)*, National parks board. from. <https://www.nparks.gov.sg/partnerus/landscapeindustry/leaf>

- Nuruzzaman, M. (2015). Urban heat Island: causes, effects and mitigation measures – A review. *Int. J. Environ. Monitor. Anal.* Vol. 3 (2), 67. <https://doi.org/10.11648/j.ijema.20150302.15>.
- Oke, T.R. (1982). The energetic basis of the urban heat island. *Q. J. R. Meteorol. Soc.* Vol. 108, pp. 1–24. doi:10.1002/qj.49710845502
- Oke, T.R. (1978). *Boundary Layer Climates, Methuen, London*. Second Edition. Taylor and Francis. pp. 227-357
- Ottele, M., Perini, K., Fraaij, A.L.A., Haas, E. M., & Raiteri, R. (2011). Comparative life cycle analysis for green façades and living wall systems. *Energy Build.*, Vol. 43 (12), 3419e3429.
- Ottel , M., van Bohemen, H. & Fraaij, A. (2010). Quantifying the deposition of particulate matter on climber vegetation on living walls. *Ecological Engineering*, Vol. 36(2), 154-162.
- Pachauri, R. K., & Mayer, L. (2015). Intergovernmental Panel on Climate Change (Eds.). (2015). *Climate change 2014: synthesis report*. Geneva, Switzerland: Intergovernmental Panel on Climate Change
- Parker, J.H. (1987). The use of shrubs in energy conservation in plantings. *Landscape J.*, Vol 6, pp. 132–139.
- Peck, S.W., Callaghan, C., Kuhn, M.E., & Bass, B. (1999). *Greenbacks from green roofs: forging a new industry in Canada*, status report on benefits, barriers and opportunities for green roof and vertical garden technology diffusion
- Peiris, M., Sooriyanayaka, J., Samarasinghe, S., Lakmal, A., & Chandrathilake, S. (2014). Analysis of thermal effectiveness in Sri Lankan context a research based on vertical greeneries of multi-storied buildings, *in proceedings of KDU International Research Conference -2014*. pp. 109–116.
- P rez, G., Coma, J., Martorell, I. & Cabeza, L.F. (2014), Vertical Greenery Systems (VGS) for energy saving in buildings: a review, *Renewable and Sustainable Energy Reviews*, Vol. 39, pp. 139-165.
- P rez, G., Rinc n, L., Vila, A., Gonz lez, J.M., & Cabeza, L.F. (2011b). Green vertical systems for buildings as passive systems for energy savings. *Appl. Energy*, Vol. 88, pp. 4854–4859.
- Perez, G., Rincon, L., Vila, A., Gonzales, J.M., & Cabeza, L.F. (2011a). Behavior of green facades in Mediterranean Continental climate. *Port. SB10 Sustain. Build. Afford. To All*, Vol. 52, pp. 1861–1867. <https://doi.org/10.1016/j.enconman.2010.11.008>
- Perini, K., & Ottel , M. (2014). Designing green façades and living wall systems for sustainable constructions. *Int. J. Des. Nat. Ecodyn.* Vol. 9 (1).
- Perini, K., Ottel , M., Fraaij, A.L.A., Haas, E.M., & Raiteri, R. (2013). Vertical greening systems and the effect on air flow and temperature on the building envelope. *Build. Environ.*, Vol. 46, pp. 2287–2294.

- Perini, K., & Rosasco, P. (2013). Cost–benefit analysis for green façades and living wall systems. *Build. Environ.*, Vol. 70, pp. 110–121. <https://doi.org/10.1016/j.buildenv.2013.08.012>.
- Perini, K. (2012). *The Integration of Vegetation in Architecture: Innovative Methods and Tools* [Unpublished dissertation]. University of Genoa.
- Perini, K., Ottel , M., Haas, E. & Raiteri, R. (2011a). Greening the building envelope, faade greening and living wall systems. *Open Journal of Ecology*, Vol. 1(1), pp. 1-8.
- Perini, K., Ottel , M., Fraaij, A., Haas, E. & Raiteri, R. (2011b). Vertical greening systems and the effect on air flow and temperature on the building envelope. *Building and Environment*, Vol. 46(11), pp. 2287-2294.
- Perkins, M. & Joyce, D. (2012) *Living Wall and Green Roof Plants for Australia*. RIRDC. Available at: <https://rirdc.infoservices.com.au/items/11-175>.
- Population Reference Bureau. (2015). *World population data sheet*. doi:10.2307/1972177
- Population Reference Bureau. (2007). *World Population Highlights: Key Findings from PRB's 2007 World Population Data Sheet*. *Popul. Bull.* Vol. 62, pp. 3–16.
- Poumanyong, P., Kaneko, S., & Dhakal, S. (2012). Impacts of urbanization on national transport and road energy use: Evidence from low, middle and high income countries. *Energy Policy*, Vol. 46, 268–277. doi:10.1016/j.enpol.2012.03.059
- Pe rez, G., Coma, J., Sol, S., & Cabeza, L.F. (2017). Green facade for energy savings in buildings: the influence of leaf area index and facade orientation on the shadow effect. *Appl. Energy* Vol. 187, 424437.
- Pe rez, G., Rincon, L., Vila, A., Gonzalez, J.M., & Cabeza, L.F. (2011). Green vertical systems for buildings as passive systems for energy savings. *Appl. Energy*, Vol. 12, 4854 e 4859.
- Prez-Lombard, L., Ortiz, J., & Pout, C. (2008). A review on buildings energy consumption information. *Energy and Buildings*, Vol. 40(3), 394–398. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0378778807001016> doi: 10.1016/j.enbuild.2007.03.007
- Pe rez-Urrestarazu, L., Fern ndez-Can ero, R., Franco-Salas, A., & Egea, G. (2015). Vertical greening systems and sustainable cities. *J. Urban Technol.*, Vol. 22 (4), 6585. Available from: <https://doi.org/10.1080/10630732.2015.1073900>.
- Perez-Urrestarazu, L., Egea, G., Franco-Salas, A., & Fernandez-Canero, R. (2014). Irrigation systems evaluation for living walls. *J. Irrigat. Drainage Eng.*, Available from: [https://doi.org/10.1061/\(ASCE\)IR.1943-4774.0000702](https://doi.org/10.1061/(ASCE)IR.1943-4774.0000702).
- Price, D. (1995). Energy and human evolution. *Population and Environment: A Journal of Interdisciplinary Studies*, 301-319.
- Priyadarsini, R., Hien, W.N., David, & C.K.W. (2008). Microclimatic modeling of the urban thermal environment of Singapore to mitigate urban heat island. *Sol. Energy*, Vol. 82 (8), pp. 727–745.

- Qaid, A., & Ossen, R. (2015). Effect of asymmetrical street aspect ratios on microclimates in hot: humid regions. *Int. J. Biometeorol.*, Vol. 59, pp. 657–677.
- Rajapaksha, U., Rupasinghe, H.T., & Rajapaksha, I., (2015). Resolved duality: external double skin envelopes for energy sustainability of office buildings in the tropics. *In: Proceedings of 31st International Conference of Passive and Low Energy Architecture Conference* held in September 9-11. Bologna, Italy.
- Rajapaksha, U. (2013). Design solution sets for sustainable retrofit. In R. Hyde (Eds.), *Sustainable retrofitting of commercial high-rise buildings in warm climates*. London: Earthscan E and Spon
- Rajapaksha, I. (2014). Mythology of architecture. *Sri Lanka Architect*.
- Raji, B., Tenpierik, M. J. & van den Dobbelsteen, A. (2015). The impact of greening systems on building energy performance: A literature review. *Renewable and Sustainable Energy Reviews*. Elsevier Ltd, Vol. 45, pp. 610–623. doi: 10.1016/j.rser.2015.02.011.
- Rayner, J.P., Raynor, K.J., & Williams, N.S.G. (2010). Facade greening: A case study from Melbourne, Australia, in: *International Conference on Landscape and Urban Horticulture*. Richmond, 3121, Victoria Australia, pp. 709–713.
- Rupasinghe, H.T., & Halwatura, R.U. (2020). Benefits of implementing vertical greening in tropical climates. *Urban For. Urban Greening*, Vol.53. <https://doi.org/10.1016/j.ufug.2020.126708>
- Rupasinghe, H.T., Perera, T.A.N.T., & Halwatura, R.U. (2018). Towards greener cities; Investigating the potentials of vertical greening in tropics as a design approach to create sustainable urban environments. In: *Proceedings of the 6th International Conference on 'Cities, People and Places' - ICCPP-2018* October 05th –06th. 2018, Colombo, Sri Lanka.
- Rupasinghe, H.T. (2016), Assessing external double skin envelopes coupled with night ventilation and thermal mass for passive cooling in the tropics, in *Proceedings of 50th International conference of the Architectural Science Association 2016*.
- Rupasinghe, H.T. (2015), *External double skin envelopes for energy efficiency: towards a true green approach in non-domestic buildings in the tropics* [Unpublished dissertation], University of Moratuwa.
- Safikhani, T., Abdullah, A.M., Ossen, D.R., & Baharvand, M. (2014). A review of energy characteristic of vertical greenery systems. *Renew. Sustain. Energy Rev.*, Vol.40, pp. 450–462. doi:10.1016/j.rser.2014.07.166
- Sailor, D.J. (2006). Mitigation of urban heat islands-recent progress and future prospects. presented on *6th symposium on the urban environment and forum on managing our physical and natural resources*, American meteorological society.
- Samaranayake, S.U., & Silva, D. (2010). Effect of green workplace environment on employee performance, in: *International Conference on Sustainable Built Environment (ICSBE-2010)*, Kandy, pp. 417–425.
- Schau, E. M., Traverso, M., Lehmann, A., & Finkbeiner, M. (2011). Life cycle costing in sustainability assessment—A case study of remanufactured

alternators. *Sustainability*, Vol. 3(11), 2268–2288.
<https://doi.org/10.3390/su3112268>

- Scott, M.J., Wrench, L.E., & Hadley, D.L. (1994). Effects of climate change on commercial building energy demand. *Energy Sources*, Vol. 16, pp. 317–332. doi:10.1080/00908319408909081
- Sheweka, S.M., & Mohamed, N.M. (2012). Green facades as a new sustainable approach towards climate change. *Energy Procedia*, Vol 18, pp. 507–520. doi:10.1016/j.egypro.2012.05.062
- Shiah, K., & Kim, J. (2011). *An investigation into the application of vertical garden at the new SUB atrium*, University of British Columbia. Student report. Columbia. doi:10.14288/1.0108430
- Snodgrass, E. C., & Snodgrass, L. L. (2006). *Green roof plants: a resource and planting guide* (No. 04; SB419. 5, S5.). Portland, OR: Timber Press.
- Son, J. S., Sumayo, M., Hwang, Y. J., Kim, B. S., & Ghim, S. Y. (2014). Screening of plant growth-promoting rhizobacteria as elicitor of systemic resistance against gray leaf spot disease in pepper. *Applied soil ecology*, Vol. 73, pp. 1-8.
- Stazi, F, Tomassoni, F, & Vegliò, A. (2011). Experimental evaluation of ventilated walls with an external clay cladding. *Renewable Energy*, Vol. 36, pp. 3373–3385.
- Stec, W.J., & Van Paassen, A.H.C. (2005). Symbiosis of the double skin façade with the HVAC system. *Energy and Buildings*, Vol.37, pp. 461–469.
- Stigsdotter, U.A., & Grahn, P. (2004). A garden at your workplace may reduce stress. *Des. Health*, 147e157.
- Subasinghe, S., Estoque, R., & Murayama, Y. (2016). Spatiotemporal analysis of urban growth using GIS and remote sensing: a case study of the colombo metropolitan area, Sri Lanka. *ISPRS Int. J. Geo-Information* Vol. 5, 197. doi:10.3390/ijgi5110197
- Sunakorn, P., & Yimprayoon, C. (2011). Thermal performance of bio facade with natural ventilation in the tropical climate. *Procedia Eng.*, Vol. 21, pp. 34–41. doi:10.1016/j.proeng.2011.11.1984
- Susorova, I., Angulo, M., Bahrami, P. & Stephens, B. (2013), A model of vegetated exterior facades for evaluation of wall thermal performance, *Building and Environment*, Vol. 67, pp. 1-13.
- Theeuwes, N.E., Steeneveld, Gert-Jan, Ronda, R.J., & Holtslag, A.A.M. (2017). A diagnostic equation for the daily maximum urban heat island effect for cities in northwestern Europe. *Int. J. Climatol.*, Vol.32 (1), 443–454.
- Tilley, D., Alexander, A., Chang, A., Price, C., Welch, A., Brian, T., and Scott, W. (2014). Green Facades: Ecologically Designed Vertical Vegetation Helps Create a Cleaner Environment. Available at: https://extension.umd.edu/sites/extension.umd.edu/files/_docs/publications/FS-978.
- Takkanon, P., & Chantarangul, P. (2019). Effects of urban geometry and green area on thermal condition of urban street canyons in Bangkok. *Architect. Sci. Rev.*,

Taylor and Francis Ltd. Vol. 62 (1), pp. 35–46.
<https://doi.org/10.1080/00038628.2018.1534724>.

- Tam, B.Y., Gough, W.A., & Mohsin, T. (2015). The impact of urbanization and the urban heat island effect on day to day temperature variation. *Urban Clim.*, Vol. 12, pp. 1–10. doi:10.1016/j.uclim.2014.12.004
- Tan, C.L., Wong, N. H., & Jusuf, S. K. (2014). Effects of vertical greenery on mean radiant temperature in the tropical urban environment. *Landscape and Urban Planning*. Vol. 127, 0169-2046
- Tan, J., Zheng, Y., Tang, X., Guo, C., Li, L., Song, G., Zhen, X., Yuan, D., Kalkstein, A.J., Li, F., & Chen, H. (2010). The urban heat island and its impact on heat waves and human health in Shanghai. *Int. J. Biometeorol.*, Vol. 54, pp. 75–84. doi:10.1007/s00484-009-0256-x
- Tan, P. Y., & Sia, A. (2009) Understanding the performance of plants on non-irrigated green roofs in Singapore using a biomass yield approach, *Nature in Singapore*, pp 149-153, National University of Singapore
- Tombazis, A.N. (1996) On skins and other preoccupations of architectural design, *Renewable Energy*, Vol. 8, Issues 1–4, pp. 51-55, ISSN 0960-1481, [https://doi.org/10.1016/0960-1481\(96\)88819-7](https://doi.org/10.1016/0960-1481(96)88819-7).
- Tran, H., Uchiyama, D., Ochi, S., & Yasuoka, Y. (2006). Assessment with satellite data of the urban heat island effects in Asian mega cities. *Int. J. Appl. Earth Obs. Geoinf.*, Vol. 8, pp. 34–48. doi:10.1016/j.jag.2005.05.00
- United Nations. (2019). Population Division: *World Urbanization Prospects: The 2019 revision*, Department of Economic and Social Affairs, Population Division, United Nations, New York.
- United Nations. (2014). *World Urbanization Prospects: The 2014 Revision*, Department of Economic and Social Affairs, Population Division, United Nations, New York.
- United Nations. (2011). *World urbanization prospects: the 2011 revision*. United Nations Department of Economic and Social Affairs, Population Division, New York, New York, USA. [online] URL: <http://esa.un.org/unup/>.
- Urban Redevelopment Authority. (2014). *Circular Package: Landscaping for Urban Spaces and High-rises* (LUSH) 2.0 programme.
- USEPA. *Green Building Strategy*. (2008). Retrieved, from USEPA (United States Environmental Protection Agency): Environmental Protection Agency) (2008). EPA Green Building Strategy. Retrhttp://www.epa.gov/greenbuilding/pubs/greenbuilding_strategy_
- Veisten, K., Smyrnova, Y., Klæboe, R., Hornikx, M., Mosslemi, & M., Kang, J. (2012). Valuation of green walls and green roofs as soundscape measures: including monetised amenity values together with noise-attenuation values in a cost-benefit analysis of a green wall affecting courtyards. *Int. J. Environ. Res. Public Health*, Vol. 9, 37703788

- Wang, Y. (2016). The effect of urban green infrastructure on local microclimate and human thermal comfort. *British J. Psychiatry*. <https://doi.org/10.1192/bjp.111.479.1009-a>.
- Weerakkody, U., Dover, J. W., Mitchell, P. & Reiling, K. (2017). Particulate matter pollution capture by leaves of seventeen living wall species with special reference to rail-traffic at a metropolitan station. *Urban Forestry & Urban Greening*. Vol. 27, pp. 173–186. doi: 10.1016/j.ufug.2017.07.005.
- Weng, Q., Lu, D., & Schubring, J. (2004). Estimation of land surface temperature-vegetation abundance relationship for urban heat island studies. *Remote Sens. Environ.*, Vol. 89, pp. 467–483. doi:10.1016/j.rse.2003.11.005
- White, E. V., & Gatersleben, B. (2011). Greenery on residential buildings: Does it affect preferences and perceptions of beauty? *J. Environ. Psychol.*, Vol. 31, pp. 89–98. doi:10.1016/j.jenvp.2010.11.002
- White, J.W. & Snodgrass, E. (2003). Extensive greenroof plant selection and characteristics *Proc. 1st Intl. Green Roof Conf.: Greening rooftops for sustainable communities*, 1 166 176
- World Health Organization. (2000). *Air Quality Guidelines for Europe*, in: *WHO Regional Publications*, European Series, No. 91., pp. 149–186.
- Wickramasinghe, L.S., Subasinghe, S.M.C.U.P., & Ranawala, S.M. (2016). Spatial and temporal changes of the green cover of colombo city in sri lanka from 1956 to 2010. *J. Environ. Prof. Sri Lanka*, Vol. 5, pp. 53–66.
- Wijayatunga, P.D.C., Fernando, W.J.L.S., & Shrestha, R.M. (2003) Greenhouse gas emission mitigation in the Sri Lanka, power sector supply side and demand side options, *Energy Conservation and Management*, Vol. 44, pp. 3247-3265.
- Wong, N.H., Kwang Tan, A.Y., Chen, Y., Sekar, K., Tan, P.Y., Chan, D., Chiang, K., & Wong, N.C. (2010a). Thermal evaluation of vertical greenery systems for building walls. *Build. Environ.*, Vol. 45, pp. 663–672. doi:10.1016/j.buildenv.2009.08.005
- Wong, N.H., Tan, A.Y.K., Tan, P.Y., Sia, A., & Wong, N.C. (2010b). Perception Studies of Vertical Greenery Systems in Singapore. *J. Urban Plan. Dev.* Vol. 136, pp. 330–338. doi:10.1061/(ASCE)UP.1943-5444.0000034
- Wong, PC, Prasad, D., & Behnia, M. (2008). A new type of double-skin façade configuration for the hot and humid climate. *Energy and Buildings*, Vol.40, pp. 1941–1945.
- Yuen, B., & Hien, W.N. (2005). Resident perceptions and expectations of rooftop gardens in Singapore. *Landsc. Urban Plan.* Vol. 73, pp. 263–276. doi:10.1016/j.landurbplan.2004.08.001
- Zhang, T., Zheng, J., Yu, Z., Gu X., Tian, X., Peng, C., & Chow, W. S. (2018) Variations in photoprotective potential along gradients of leaf development and plant succession in subtropical forests under contrasting irradiances. *Environmental and Experimental Botany*, Vol. 154, pp. 23-32, 0098-8472, doi:10.1016/j.envexpbot.2017.07.016