

References

- [1] L. Prompers, M. Huijberts and J. Apelqvist, “High prevalence of ischaemia, infection and serious comorbidity in patients with diabetic foot disease in Europe. Baseline results from the Eurodiale Study.,” *Diabetologia*, vol. 50, no. 1, p. 18–25., 2007.
- [2] K. Bakker, J. Apelqvist and N. C. Schaper, “International Working Group on Diabetic Foot Editorial B. Practical guidelines on the management and prevention of the diabetic foot 2011. ;,” *Diabetes Metab Res Rev*, vol. 28, no. 1, p. 225–231, 2012.
- [3] J. M. Andrew, M. Boulton, S. Robert, M. D. Kirsner and M. D. Loretta Vileikyte, “Neuropathic diabetic foot ulcers. ; (1);,” *New Eng J Med*, vol. 351, no. 1, p. 48–55, 2004.
- [4] International Diabetes Federation, “IDF Diabetes Atlas Ninth edition 2019,” 2019.
- [5] A. Healy, R. Naemi and N. Chockalingam, “The effectiveness of footwear as an intervention to prevent or to reduce biomechanical risk factors associated with diabetic foot ulceration: A systematic review,” *Journal of Diabetes and its Complications*, vol. 27, no. 4, pp. 391-400, 2013.
- [6] N. Pound, S. Chipchase, K. Treece, F. Game and W. Jeffcoate, “Ulcer-free survival following management of foot ulcers in diabetes,” *Diabetic Medicine*, vol. 22, no. 10, pp. 1306-1309, 2005.
- [7] S. A. Bus, R. Waaijman, M. Arts, M. de Haart, T. Busch-Westbroek, J. van Baal and F. Nollet, “Effect of Custom-Made Footwear on Foot Ulcer Recurrence in Diabetes: A multicenter randomized controlled trial,” *Diabetes Care*, vol. 36, no. 12, pp. 4109-4116, 2013.
- [8] T. Ziegler, “3D printing: customized insoles for diabetes patients,” fraunhofer, 2 Nov 2016. [Online]. Available: <https://www.fraunhofer.de/en/press/research-news/2016/november/3d-printing--customized-insoles-for-diabetes-patients.html>. [Accessed 27 Oct 2017].
- [9] W. P. Chen, C. W. Ju and F. T. Tang, “Effects of total contact insoles on the plantar stress redistribution: a finite element analysis,” *Clinical biomechanics*, vol. 18, no. 6, p. S17–S24, 2003.
- [10] S. A. Bus, “The Role of Pressure Offloading on Diabetic Foot Ulcer Healing and Prevention of Recurrence,” *Plastic and Reconstructive Surgery*, vol. 138, no. 3S, pp. 179S-187S, 2016.
- [11] J. J. Holewski, K. M. Moss, R. M. Stess, P. M. Graf and C. Grunfeld, “Prevalence of foot pathology and lower extremity complications in a diabetic outpatient clinic,” *J Rehabil Res Dev*, vol. 26, no. 3, pp. 35-44, 1989.
- [12] M. C. Hodge, T. M. Bach and G. M. Carter, “Orthotic management of plantar pressure and pain in rheumatoid arthritis,” *Clinical Biomechanics*, vol. 14, pp. 567-75, 1999.

- [13] H. Kato, T. Takada, T. Kawamura, N. Hotta and S. Torii, "The reduction and redistribution of plantar pressures using foot orthoses in diabetic patients," *Diabetes Research and Clinical Practice*, vol. 31, pp. 115- 118, 1996.
- [14] J. S. Paton, "A comparison of customised and prefabricated insoles to reduce risk factors for neuropathic diabetic foot ulceration: a participant-blinded randomised controlled trial," *Journal of Foot and Ankle Research*, 2012.
- [15] S. A. Bus, R. Van Deursen, D. Armstrong, J. Lewis, C. Caravaggi and P. Cavanagh, "Footwear and offloading interventions to prevent and heal foot ulcers and reduce plantar pressure in patients with diabetes: a systematic review," *Diabetes/Metabolism Research and Reviews*, vol. 32, pp. 99-118, 2016.
- [16] L. Huppin, "A new look at orthotics for diabetics," Sep 2012. [Online]. Available: <https://podiatrym.com/pm/Huppin912.pdf>. [Accessed 27 Oct 2017].
- [17] M. Curryer and E. D. Lemaire, "Effectiveness of various materials in reducing plantar shear forces. A pilot study," *Journal of the American Podiatric Medical Association*, vol. 90, no. 7, pp. 346-353, 2000.
- [18] J. Paton, R. B. Jones, E. Stenhouse and G. Bruce, "The Physical Characteristics of Materials Used in the Manufacture of Orthoses for Patients with Diabetes," *Foot & Ankle International*, vol. 28, no. 10, pp. 1057-1063, 2007.
- [19] G. Campbell, E. Newell and M. McLure, "Compression testing of foamed plastics and rubbers for use as orthotic shoe insoles," *Prosthet Orthot Int.*, vol. 6, no. 1, pp. 48-52, 1982.
- [20] L. Huppin, 2020. [Online]. Available: <https://podiatrym.com/pdf/2020/8/Huppin920web.pdf>.
- [21] O. Wichterle and D. Lím, "Hydrophilic gels for biological use," *Nature*, vol. 185, p. 117-118, 1960.
- [22] J. Kopeček and J. Yang, "Hydrogels as smart materials," *Polym Int*, 2007.
- [23] Q. Chen, H. Chen, L. Zhua and J. Zheng, "Fundamentals of double network hydrogels," *Journal of Materials Chemistry B*, vol. 3, no. 18, pp. 3654-3676, 2005.
- [24] N. A. Peppas, P. Bures, W. Leobandung and H. Ichikawa, "Hydrogels in pharmaceutical formulations," *European Journal of Pharmaceutics and Biopharmaceutics*, vol. 50, no. 1, pp. 27-46, 2000.
- [25] C. Fleck, "Why "Wet to Dry"?," *The Journal of the American College of Certified Wound Specialists*, vol. 1, no. 4, pp. 109-113, 2009.
- [26] V. Jones, J. E. Grey and K. G. Harding, "Wound dressings," *BMJ*, vol. 332, no. 7544, pp. 777-780, 2006.
- [27] Wounds International and Systagenix;, "ADAPTIC TOUCH® Non-Adhering Silicone Dressing: case studies," 2013.
- [28] E. Caló and V. V. Khutoryanskiy, "Biomedical applications of hydrogels: A review of patents and commercial products," *European Polymer Journal*, vol. 65, pp. 252-267, 2015.

- [29] C. Weller, "Interactive dressings and their role in moist wound management," *Advanced Textiles for Wound Care*, pp. 97-113, 2009.
- [30] W. R. Spence, R. D. Burk and J. W. J. Rae, "Gel support for prevention of decubitus ulcers," *Arch Phys Med Rehabil.*, vol. 48, no. 6, pp. 283-288, 1967.
- [31] J. Cheung and M. Zhang, "A 3-dimensional finite element model of the human foot and ankle for insole design," *Archives of Physical Medicine and Rehabilitation*, vol. 86, no. 2, pp. 353-358, 2005.
- [32] B. Kathirgamanathan, P. Silva and J. Fernandez, "Implication of obesity on motion, posture and internal stress of the foot: an experimental and finite element analysis," *Computer Methods in Biomechanics and Biomedical Engineering*, vol. 22, no. 1, pp. 47-54, 2018.
- [33] D. Caccavo and G. Lamberti, "PoroViscoElastic model to describe hydrogels' behavior," *Materials Science and Engineering: C*, vol. 76, pp. 102-113, 2017.
- [34] P. E. Chatzistergos, R. Naemi, A. Healy, P. Gerth and N. Chockalingam, "Subject Specific Optimisation of the Stiffness of Footwear Material for Maximum Plantar Pressure Reduction," *Annals of Biomedical Engineering*, vol. 45, no. 8, pp. 1929-1940, 2017.
- [35] C. C. Hsu et al., "Diabetic effects on microchambers and macrochambers tissue properties in human heel pads," *Clinical Biomechanics*, vol. 24, no. 8, pp. 682-686, 2009.
- [36] A. Gefen, "Plantar soft tissue loading under the medial metatarsals in the standing diabetic foot," *Medical Engineering & Physics*, vol. 25, no. 6, pp. 491-499, 2003.
- [37] M. H. Jahss et al, "Investigations into the Fat Pads of the Sole of the Foot: Anatomy and Histology," *Foot & Ankle*, vol. 13, no. 5, pp. 233-242, 1992.
- [38] B. Derby and R. Akhtar, *Mechanical properties of aging soft tissues*, Springer, 2014.
- [39] Y. N. Wang, K. Lee and W. R. Ledoux, "Histomorphological Evaluation of Diabetic and Non-Diabetic Plantar Soft Tissue," *Foot & Ankle International*, vol. 32, no. 8, pp. 802-810, 2011.
- [40] C. Y. L. Chao, Y. Zheng and G. L. Y. Cheing, "Epidermal Thickness and Biomechanical Properties of Plantar Tissues in Diabetic Foot," *Ultrasound in Medicine & Biology*, vol. 37, no. 7, pp. 1029-1038, 2011.
- [41] S. Pai and W. R. Ledoux, "The compressive mechanical properties of diabetic and non-diabetic plantar soft tissue," *Journal of Biomechanics*, vol. 43, no. 9, pp. 1754-1760, 2010.
- [42] S. Pai and W. R. Ledoux, "The shear mechanical properties of diabetic and non-diabetic plantar soft tissue," *Journal of Biomechanics*, vol. 45, no. 2, pp. 364-370, 2012.
- [43] L. Fernández-Seguín, J. Diaz Mancha, R. Sánchez Rodríguez, E. Escamilla Martínez, B. Gómez Martín and J. Ramos Ortega, "Comparison of plantar pressures and contact area between normal and cavus foot," *Gait & Posture*, vol. 39, no. 2, pp. 789-792, 2014.

- [44] T. M. Owings et al, "Plantar pressures in diabetic patients with foot ulcers which have remained healed," *Diabetic Medicine*, vol. 26, no. 11, pp. 1141-1146, 2009.
- [45] M. Yavuz et al., "Plantar Shear Stress in Individuals With a History of Diabetic Foot Ulcer: An Emerging Predictive Marker for Foot Ulceration," *Diabetes Care*, vol. 40, no. 2, pp. e14-e15, 2016.
- [46] S. Stucke et al., "Spatial relationships between shearing stresses and pressure on the plantar skin surface during gait," *Journal of Biomechanics*, vol. 45, no. 3, pp. 619-622, 2012.
- [47] S. Wu, R. Crews and D. Armstrong, "The pivotal role of offloading in the management of neuropathic foot ulceration," *Current Diabetes Reports*, vol. 5, no. 6, pp. 423-429, 2005.
- [48] L. A. Lavery, J. G. Fleishli, T. J. Laughlin, S. A. Vela, D. C. Lavery and D. G. Armstrong, "Is postural instability exacerbated by off-loading devices in high risk diabetics with foot ulcers?," *Ostomy Wound Manage*, vol. 44, no. 1, pp. 26-32, 1998.
- [49] P. Chakraborty, S. Ray, D. Biswas, A. Baidya, R. Bhattacharjee, P. Mukhopadhyay, S. Ghosh, S. Mukhopadhyay and S. Chowdhury, "A Comparative Study Between Total Contact Cast and Pressure-Relieving Ankle Foot Orthosis in Diabetic Neuropathic Foot Ulcers," *Journal of Diabetes Science and Technology*, vol. 9, no. 2, pp. 302-308, 2014.
- [50] S. Bus, J. Ulbrecht and P. Cavanagh, "Pressure relief and load redistribution by custom-made insoles in diabetic patients with neuropathy and foot deformity," *Clinical Biomechanics*, vol. 19, no. 6, pp. 629-638, 2004.
- [51] A. Sarikhani, A. Motalebizadeh, S. Asiaei and B. K. D. Azad, "Studying Maximum Plantar Stress per Insole Design Using Foot CT-Scan Images of Hyperelastic Soft Tissues," *Applied Bionics and Biomechanics*, vol. 2016, pp. 1-6, 2016.
- [52] K. Mills, P. Blanch and B. Vicenzino, "Influence of Contouring and Hardness of Foot Orthoses on Ratings of Perceived Comfort," *Medicine & Science in Sports & Exercise*, vol. 43, no. 8, pp. 1507-1512, 2011.
- [53] A. Martinez-Santos, S. Preece and C. J. Nester, "Evaluation of orthotic insoles for people with diabetes who are at-risk of first ulceration," *Journal of Foot and Ankle Research*, vol. 12, no. 1, 2019.
- [54] N. C. Schaper, J. J. V. Netten, J. Apelqvist, S. A. Bus, R. J. Hinchliffe and B. A. Lipsky, 2019. [Online]. Available: <https://iwgdfguidelines.org/wp-content/uploads/2019/05/IWGDF-Guidelines-2019.pdf>.
- [55] J. P. Pollard, L. P. Le Quesne and J. W. Tappin, "Forces under the foot," *Journal of Biomedical Engineering*, vol. 5, no. 1, pp. 37-40, 1983.
- [56] W. R. Spence and M. N. Shields, "Prevention of blisters, callosities and ulcers by absorption of shear forces," *Journal of the American Podiatric Medical Association*, vol. 58, no. 10, pp. 428-434, 1968.

- [57] C. Leber and P. M. Evanski, "A comparison of shoe insole materials in plantar pressure relief," *Prosthetics and Orthotics International*, vol. 10, no. 3, pp. 135-138, 1986.
- [58] J. W. K. Tong and E. Y. K. Ng, "Preliminary investigation on the reduction of plantar loading pressure with different insole materials (SRP – Slow Recovery Poron®, P – Poron®, PPF – Poron®+Plastazote, firm and PPS – Poron®+Plastazote, soft)," *The Foot*, vol. 20, no. 1, pp. 1-6, 2010.
- [59] O. Mohamed, K. Cerny, L. Rojek, K. Herbert, R. Turner and S. Waistell, "The Effects of Plastazote and Aliplast /Plastazote Orthoses on Plantar Pressures in Elderly Persons With Diabetic Neuropathy," *JPO Journal of Prosthetics and Orthotics*, vol. 16, no. 2, pp. 55-63, 2004.
- [60] D. J. Lott, M. K. Hastings, P. K. Commean, K. E. Smith and M. J. Mueller, "Effect of footwear and orthotic devices on stress reduction and soft tissue strain of the neuropathic foot," *Clinical Biomechanics*, vol. 22, no. 3, pp. 352-359, 2007.
- [61] W. T. Lo, K. L. Yick, S. P. Ng and J. Yip, "New methods for evaluating physical and thermal comfort properties of orthotic materials used in insoles for patients with diabetes," *Journal of Rehabilitation Research and Development*, vol. 51, no. 2, pp. 311-324, 2014.
- [62] R. Patwa, N. Saha and P. Saha, "Magnetic hydrogel based shoe insoles for prevention of diabetic foot," *Journal of Magnetism and Magnetic Materials*, vol. 514, p. 167153, 2020.
- [63] E. Kerman, "New Approach to Foot Orthotics Materials: Hydrogel Insoles," The university of British Columbia, Okanagan, 2020.
- [64] A. C. Faulí, C. L. Andrés, N. P. Rosas, M. J. Fernández, E. M. Parreño and C. O. Barceló, "Physical Evaluation of Insole Materials Used to Treat the Diabetic Foot," *Journal of the American Podiatric Medical Association*, vol. 98, no. 3, pp. 229-238, 2008.
- [65] A. Requena, 2008. [Online]. Available: <http://biomechconsulting.com/wp-content/uploads/2016/11/BIOMECH-BI002.pdf>.
- [66] U. H. Tang et al, "Comparison of plantar pressure in three types of insole given to patients with diabetes at risk of developing foot ulcers – A two-year, randomized trial," *Journal of Clinical & Translational Endocrinology*, vol. 1, no. 4, pp. 121-132, 2014.
- [67] M. Yavuz et al., "Temperature as a predictive tool for plantar triaxial loading," *Journal of Biomechanics*, vol. 47, no. 15, pp. 3767-3770, 2014.
- [68] D. G. Armstrong, K. Holtz-Neiderer, C. Wendel, M. J. Mohler, H. .. Kimbriel and L. A. Lavery, "Skin Temperature Monitoring Reduces the Risk for Diabetic Foot Ulceration in High-risk Patients," *The American Journal of Medicine*, vol. 120, no. 12, pp. 1042-1046, 2007.
- [69] J. S. Wrobel et al, "A Novel Shear Reduction Insole Effect on the Thermal Response to Walking Stress, Balance, and Gait," *Journal of Diabetes Science and Technology*, vol. 8, no. 6, pp. 1151-1156, 2014.

- [70] R. A. Nardin, P. M. Fogerson, R. Nie and S. B. Rutkove, "Foot Temperature in Healthy Individuals," *Journal of the American Podiatric Medical Association*, vol. 100, no. 4, pp. 258-264, 2010.
- [71] S. Bagavathiappan et al., "Correlation between Plantar Foot Temperature and Diabetic Neuropathy: A Case Study by Using an Infrared Thermal Imaging Technique," *Journal of Diabetes Science and Technology*, vol. 4, no. 6, pp. 1386-1392, 2010.
- [72] N. Papanas, K. Papatheodorou, D. Papazoglou, C. Monastiriotis and E. Maltezos, "Foot Temperature in Type 2 Diabetic Patients with or without Peripheral Neuropathy," *Experimental and Clinical Endocrinology & Diabetes*, vol. 117, no. 1, pp. 44-47, 2008.
- [73] P. N. Reddy, G. Cooper, A. Weightman, E. Hodson-Tole and N. D. Reeves, "Walking cadence affects rate of plantar foot temperature change but not final temperature in younger and older adults," *Gait & Posture*, vol. 52, pp. 272-279, 2017.
- [74] M. Hall, D. G. Shurr, M. B. Zimmerman and C. L. Saltzman, "Plantar Foot Surface Temperatures with Use of Insoles," *The Iowa Orthopaedic Journal*, vol. 24, pp. 72-75, 2004.
- [75] J. Gong, Y. Katsuyama, T. Kurokawa and Y. Osada, "Double-Network Hydrogels with Extremely High Mechanical Strength," *Advanced Materials*, vol. 15, no. 14, pp. 1155-1158, 2003.
- [76] J. Hu, K. Hiwatashi, T. Kurokawa, S. Liang, Z. Wu and J. Gong, "Microgel-Reinforced Hydrogel Films with High Mechanical Strength and Their Visible Mesoscale Fracture Structure," *Macromolecules*, vol. 44, no. 19, pp. 7775-7781, 2011.
- [77] Q. Chen, H. Chen, L. Zhu and G. Zhen, "Engineering of Tough Double Network Hydrogels," *Macromolecular Chemistry and Physics*, vol. 217, no. 9, pp. 1022-1036, 2016.
- [78] J. Tang, J. Li, J. J. Vlassak and Z. Suo, "Fatigue fracture of hydrogels," *Extreme Mechanics Letters*, vol. 10, pp. 24-31, 2017.
- [79] R. Bai et al., "Fatigue fracture of tough hydrogels," *Extreme Mechanics Letters*, vol. 15, pp. 91-96, 2017.
- [80] R. Bai, J. Yang, X. P. Morelle, C. Yang and Z. Suo, "Fatigue Fracture of Self-Recovery Hydrogels," *ACS Macro Letters*, vol. 7, no. 3, pp. 312-317, 2018.
- [81] J. Thomas, A. Shuen, A. Lowman and M. Marcolongo, "The effect of fatigue on associating hydrogels for nucleus pulposus replacement," in *2003 IEEE 29th Annual Proceedings of Bioengineering Conference*, Newark, NJ, USA, 2003.
- [82] J. Hu et al., "Functional compressive mechanics and tissue biocompatibility of an injectable SF/PU hydrogel for nucleus pulposus replacement," *Scientific Reports*, vol. 7, no. 1, 2017.
- [83] J. Stammen, S. Williams, D. Ku and R. Guldberg, "Mechanical properties of a novel PVA hydrogel in shear and unconfined compression," *Biomaterials*, vol. 28, no. 19, pp. 2987-2993, 2007.

- [84] A. Bassi, "Dynamic modulus of rubber by impact and rebound measurements," *Polymer Engineering and Science*, vol. 18, no. 10, pp. 750-754, 1978.
- [85] H. Yoo and H. Kim, "Synthesis and properties of waterborne polyurethane hydrogels for wound healing dressings," *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, vol. 85B, no. 2, pp. 326-333, 2008.
- [86] R. Udayanandana, P. Silva and T. Gunasekara, "Mechanical properties of double network poly (Acrylic Acid) based Hydrogels for potential use as a biomaterial," in *2019 41st Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, Berlin, 2019.
- [87] M. Zhong et al, "Dually cross-linked single network poly(acrylic acid) hydrogels with superior mechanical properties and water absorbency," *Soft Matter*, vol. 12, no. 24, pp. 5420-5428, 2016.
- [88] A. Pal, A. Giri and A. Bandyopadhyay, "Influence of hydrodynamic size and zeta potential of a novel polyelectrolyte poly(acrylic acid) grafted guar gum for adsorption of Pb(II) from acidic waste water," *Journal of Environmental Chemical Engineering*, vol. 4, no. 2, pp. 1731-1742, 2016.
- [89] S. Sharma, A. Dua and A. Malik, "Superabsorbent Polymer Gels based on Polyaspartic Acid and Polyacrylic Acid," *Journal of Material Science & Engineering*, vol. 5, no. 3, pp. 1-7, 2016.
- [90] S. Mammadova et al, "Synthesis, Structure and Swelling Properties of Hydrogels Based on Polyacrylic Acid," *Asian Journal of Chemistry*, vol. 29, no. 3, pp. 576-580, 2017.
- [91] J. E. Elliott, M. Macdonald, J. Nie and C. N. Bowman, "Structure and swelling of poly(acrylic acid) hydrogels: effect of pH, ionic strength, and dilution on the crosslinked polymer structure," *Polymer*, vol. 45, no. 5, pp. 1503-1510, 2004.
- [92] B. Işık, "Swelling behavior and determination of diffusion characteristics of acrylamide-acrylic acid hydrogels," *Journal of Applied Polymer Science*, vol. 91, no. 2, pp. 1289-1293, 2003.
- [93] M. Yin, M. Yao, S. Gao, A. P. Zang, H. Tam and P. A. Wai, "Rapid 3D Patterning of Poly(acrylic acid) Ionic Hydrogel for Miniature pH Sensors," *Advanced Materials*, vol. 28, no. 7, pp. 1394-1399, 2015.
- [94] J. You et al., "Quaternized Chitosan/Poly(acrylic acid) Polyelectrolyte Complex Hydrogels with Tough, Self-Recovery, and Tunable Mechanical Properties," *Macromolecules*, vol. 49, no. 3, pp. 1049-1059, 2016.
- [95] G. He et al., "Preparation and properties of quaternary ammonium chitosan-g-poly(acrylic acid-co-acrylamide) superabsorbent hydrogels," *Reactive and Functional Polymers*, vol. 111, pp. 14-21, 2017.
- [96] M. I. Sujjan et al., "Bi-functional silica nanoparticles for simultaneous enhancement of mechanical strength and swelling capacity of hydrogels," *RSC Advances*, vol. 10, no. 11, pp. 6213-6222, 2020.
- [97] J. A. Wiersma, M. Bos and A. J. Pennings, "High strength poly(meth)acrylamide copolymer hydrogels," *Polymer Bulletin*, vol. 33, no. 6, pp. 615-622, 1994.

- [98] E. A. Smith, S. L. Prues and F. W. Oehme, "Environmental Degradation of Polyacrylamides," *Ecotoxicology and Environmental Safety*, vol. 37, no. 1, pp. 76-91, 1997.
- [99] J. Kroschwitz and H. Mark, "Encyclopedia of polymer science and engineering," New York, Wiley, 1985, p. 171.
- [100] S. Ronken et al, "A comparison of healthy human and swine articular cartilage dynamic indentation mechanics," *Biomechanics and Modeling in Mechanobiology*, vol. 12, no. 2, pp. 243-248, 2012.
- [101] J. Wang, L. Lou and J. Qiu, "Super-tough hydrogels using ionically crosslinked networks," *Journal of Applied Polymer Science*, vol. 136, no. 44, p. 48182, 2019.
- [102] N. Orakdogan and O. Okay, "Correlation between crosslinking efficiency and spatial inhomogeneity in poly(acrylamide) hydrogels," *Polymer Bulletin*, vol. 57, no. 5, pp. 631-641, 2006.
- [103] W. Funke, O. Okay and B. Joos-Muller, "Intramolecularly crosslinked macromolecules with a globular structure," *Advances in Polymer Science*, pp. 139-234, 1998.
- [104] Scientific, Fisher, May 2007. [Online]. Available: <https://fscimage.fishersci.com/msds/90858.htm>. [Accessed 6 August 2020].
- [105] I. Gupta, R. S. Tomar, A. K. Nagpal and R. Singhal, "Synthesis and characterization of poly(AAm-co-BMA-co-AAc) hydrogels: effect of acrylamide content on swelling behaviour," *Designed Monomers and Polymers*, vol. 9, no. 6, pp. 589-605, 2006.
- [106] W. Y. Chiu, G. M. Carratt and D. S. Soong, "A computer model for the gel effect in free-radical polymerization," *Macromolecules*, vol. 16, no. 3, pp. 348-357, 1983.
- [107] R. Chen et al., "Temperature-regulated flexibility of polymer chains in rapidly self-healing hydrogels," *NPG Asia Materials*, vol. 11, no. 1, 2019.
- [108] B. H. Cipriano et al, "Superabsorbent Hydrogels That Are Robust and Highly Stretchable," *Macromolecules*, vol. 47, no. 13, pp. 4445-4452, 2014.
- [109] S. B. Ross-Murphy and S. Todd, "Ultimate tensile measurements of filled gelatin gels," *Polymer*, vol. 24, no. 3, pp. 481-486, 1983.
- [110] B. D. Johnson, D. Beebe and W. C. Crone, "Effects of swelling on the mechanical properties of a pH-sensitive hydrogel for use in microfluidic devices," *Materials Science and Engineering: C*, vol. 24, no. 4, pp. 575-581, 2004.
- [111] P. J. Flory and J. Rehner, "Statistical Mechanics of Cross-Linked Polymer Networks I. Rubberlike Elasticity," *The Journal of Chemical Physics*, vol. 11, no. 11, pp. 512-520, 1943.
- [112] K. Daizo, S. Yujiro, S. Kiyoshi, S. Masaji and O. Masahide, "method of drying a hydrogel". United states of America Patent US3290790A, 1964.
- [113] I. Yazici and O. Okay, "Spatial inhomogeneity in poly(acrylic acid) hydrogels," *Polymer*, vol. 46, no. 8, pp. 2595-2602, 2005.

- [114] M. M. Fitzgerald, K. Bootsma, J. A. Berberich and J. L. Sparks, "Tunable Stress Relaxation Behavior of an Alginate-Polyacrylamide Hydrogel: Comparison with Muscle Tissue," *Biomacromolecules*, vol. 16, no. 5, pp. 1497-1505, 2015.
- [115] M. L. Oyen, "Mechanical characterisation of hydrogel materials," *International Materials Reviews*, vol. 59, no. 1, pp. 44-59, 2013.
- [116] M. Shibayama, "Spatial inhomogeneity and dynamic fluctuations of polymer gels," *Macromolecular Chemistry and Physics*, vol. 199, no. 1, pp. 1-30, 1998.
- [117] F. Schosseler, F. Ilmain and S. J. Candau, "Structure and properties of partially neutralized poly(acrylic acid) gels," *Macromolecules*, vol. 24, no. 1, pp. 225-234, 1991.
- [118] M. Y. Kizilay and O. Okay, "Effect of Initial Monomer Concentration on Spatial Inhomogeneity in Poly(acrylamide) Gels," *Macromolecules*, vol. 36, no. 18, pp. 6856-6862, 2003.
- [119] W. Zhang et al, "Fatigue of double-network hydrogels," *Engineering Fracture Mechanics*, vol. 187, pp. 74-93, 2018.
- [120] R. E. Webber, C. Creton, H. R. Brown and J. P. Gong, "Large Strain Hysteresis and Mullins Effect of Tough Double-Network Hydrogels," *Macromolecules*, vol. 40, no. 8, 2007.
- [121] T. Zhang, S. Lin, H. Yuk and X. Zhao, "Predicting fracture energies and crack-tip fields of soft tough materials," *Extreme Mechanics Letters*, vol. 4, pp. 1-8, 2015.
- [122] R. S. Rivlin and A. G. Thomas, "Rupture of rubber. I. Characteristic energy for tearing," *Journal of Polymer Science*, vol. 10, no. 3, pp. 291-318, 1953.
- [123] N. Zhang, Z. Pan, J. Lei and Z. Liu, "Effects of temperature on the fracture and fatigue damage of temperature sensitive hydrogels," *RSC Advances*, vol. 8, no. 54, pp. 31048-31054, 2018.
- [124] G. J. Lake and A. G. Thomas, "The strength of highly elastic materials," *Proceedings of the Royal Society of London. Series A, Mathematical and Physical Sciences*, vol. 300, no. 1460, pp. 108-119, 1967.
- [125] F. A. Morrison, *Understanding Rheology*, Don Mills: Oxford University Press, 2001.
- [126] J. M. Zuidema, C. J. Rivet, R. J. Gilbert and F. A. Morrison, "A protocol for rheological characterization of hydrogels for tissue engineering strategies," *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, vol. 102, no. 5, pp. 1063-1073, 2013.
- [127] T. Yeung et al., "Effects of substrate stiffness on cell morphology, cytoskeletal structure, and adhesion," *Cell Motility and the Cytoskeleton*, vol. 60, no. 1, pp. 24-34, 2004.
- [128] X. Zhao, N. Huebsch, D. J. Mooney and Z. Suo, "Stress-relaxation behavior in gels with ionic and covalent crosslinks," *Journal of Applied Physics*, vol. 107, no. 6, pp. 063509-1-5, 2010.
- [129] Q. M. Wang, A. C. Mohan, M. L. Oyen and X. H. Zhao, "Separating viscoelasticity and poroelasticity of gels with different length and time scales," *Acta Mechanica Sinica*, vol. 30, no. 1, pp. 20-27, 2014.

- [130] D. F. Williams, *The Williams dictionary of biomaterials*, Liverpool: Liverpool University Press, 1999.
- [131] Y. Ikada, "Biocompatibility of hydrogels," in *Gels Handbook*, San Diego [u.a.], Academic Pr, 2001, pp. 388-407.
- [132] B. V. Slaughter, S. S. Khurshid, O. Z. Fisher, A. Khademhosseini and N. A. Peppas, "Hydrogels in Regenerative Medicine," *Advanced Materials*, vol. 21, no. 32-33, pp. 3307-3329, 2009.
- [133] D. N. Shah, S. M. Recktenwall-Work and K. S. Anseth, "The effect of bioactive hydrogels on the secretion of extracellular matrix molecules by valvular interstitial cells," *Biomaterials*, vol. 29, no. 13, pp. 2060-2072, 2008.
- [134] M. F. Passos et al, "PHEMA Hydrogels Obtained by Infrared Radiation for Cartilage Tissue Engineering," *International Journal of Chemical Engineering*, vol. 2019, pp. 1-9, 2019.
- [135] S. Jiang, S. Liu and W. Feng, "PVA hydrogel properties for biomedical application," *Journal of the Mechanical Behavior of Biomedical Materials*, vol. 4, no. 7, pp. 1228-1233, 2011.
- [136] M. Parlato, S. Reichert, N. Barney and W. L. Murphy, "Poly(ethylene glycol) Hydrogels with Adaptable Mechanical and Degradation Properties for Use in Biomedical Applications," *Macromolecular Bioscience*, vol. 14, no. 5, pp. 687-698, 2014.
- [137] X. Xu, A. K. Jha, D. A. Harrington, M. C. Farach-Carson and X. Jia, "Hyaluronic acid-based hydrogels: from a natural polysaccharide to complex networks," *Soft Matter*, vol. 8, no. 12, p. 3280-3294, 2012.
- [138] D. Saraydın, S. Ünver-Saraydın, E. Karadağ, E. Koptagel and O. Güven, "In vivo biocompatibility of radiation crosslinked acrylamide copolymers," *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, vol. 217, no. 2, pp. 281-292, 2004.
- [139] M. V. Risbud and R. R. Bhonde, "Polyacrylamide-Chitosan Hydrogels: In Vitro Biocompatibility and Sustained Antibiotic Release Studies," *Drug Delivery*, vol. 7, no. 2, pp. 69-75, 2000.
- [140] R. K. Roeder, "Chapter 3. Mechanical Characterization of Biomaterials," in *Characterization of Biomaterials*, Notre Dame, Elsevier Science, 2013, pp. 56-83.
- [141] G. A. Holzapfel, "a continuum approach for engineering," in *Nonlinear solid mechanics*, Chichester, UK, John Wiley and Sons Ltd, 2000.
- [142] T. van Vliet, "Large deformation and fracture behaviour of gels," *Current Opinion in Colloid & Interface Science*, vol. 1, no. 6, pp. 740-745, 1996.
- [143] T. van Vliet, H. Luyten and P. Walstra, "Fracture and Yielding of Gels," *Food Polymers, Gels and Colloids*, pp. 392-403, 1991.
- [144] X. Wang and W. Hong, "Delayed fracture in gels," *Soft Matter*, vol. 8, no. 31, pp. 8171-8178, 2012.
- [145] M. A. Haque, T. Kurokawa and J. P. Gong, "Anisotropic hydrogel based on bilayers: color, strength, toughness, and fatigue resistance," *Soft Matter*, vol. 8, no. 31, p. 8008, 2012.

- [146] W. Hong, X. Zhao, J. Zhou and Z. Suo, "A theory of coupled diffusion and large deformation in polymeric gels," *Journal of the Mechanics and Physics of Solids*, vol. 56, no. 5, pp. 1779-1793, 2008.
- [147] C. Huang, V. C. Mow and G. A. Ateshian, "The Role of Flow-Independent Viscoelasticity in the Biphasic Tensile and Compressive Responses of Articular Cartilage," *Journal of Biomechanical Engineering*, vol. 123, no. 5, pp. 410-417, 2001.
- [148] Y. Hu and Z. Suo, "Viscoelasticity and poroelasticity in elastomeric gels," *Acta Mechanica Solida Sinica*, vol. 25, no. 5, pp. 441-458, 2012.
- [149] M. A. Biot, "Theory of Deformation of a Porous Viscoelastic Anisotropic Solid," *Journal of Applied Physics*, vol. 27, no. 5, pp. 459-467, 1956.
- [150] X. Wang and W. Hong, "A visco-poroelastic theory for polymeric gels," *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 468, no. 2148, pp. 3824-3841, 2012.
- [151] Y. Mao, S. Lin, X. Zhao and L. Anand, "A large deformation viscoelastic model for double-network hydrogels," *Journal of the Mechanics and Physics of Solids*, vol. 100, pp. 103-130, 2017.
- [152] ABAQUS, "ABAQUS User's Manual, Version 6.14," Providence, RI, 2014.
- [153] M. Shibayama and K. Nagai, "Shrinking Kinetics of Poly(N-isopropylacrylamide) Gels Jumped across Their Volume Phase Transition Temperatures," *Macromolecules*, vol. 32, no. 22, pp. 7461-7468, 1999.
- [154] H. Y. Liu and X. X. Zhu, "Lower critical solution temperatures of N-substituted acrylamide copolymers in aqueous solutions," *Polymer*, vol. 40, no. 25, pp. 6985-6990, 1999.
- [155] E. C. Muniz and G. Geuskens, "Compressive Elastic Modulus of Polyacrylamide Hydrogels and Semi-IPNs with Poly(N-isopropylacrylamide)," *Macromolecules*, vol. 34, no. 34, pp. 4480-4484, 2001.
- [156] X. Hu et al., "Dynamics of Dual Networks: Strain Rate and Temperature Effects in Hydrogels with Reversible H-Bonds," *Macromolecules*, vol. 50, no. 2, pp. 652-659, 2017.
- [157] D. Lemmon, T. Shiang, A. Hashmi, J. Ulbrecht and P. Cavanagh, "The effect of insoles in therapeutic footwear—A finite element approach," *Journal of Biomechanics*, vol. 30, no. 6, pp. 615-620, 1997.
- [158] S. Goske, A. Erdemir, M. Petre, S. Budhabhatti and P. Cavanagh, "Reduction of plantar heel pressures: Insole design using finite element analysis," *Journal of Biomechanics*, vol. 39, no. 13, pp. 2363-2370, 2006.
- [159] Z. Taha, M. Norman, S. Omar and E. Suwarganda, "A Finite Element Analysis of a Human Foot Model to Simulate Neutral Standing on Ground.," *Procedia Engineering*, vol. 147, pp. 240-245, 2016.
- [160] S. Maas, B. Ellis, G. Ateshian and J. Weiss, "FEBio: Finite Elements for Biomechanics," *Journal of Biomechanical Engineering*, vol. 134, no. 1, p. 011005, 2012.
- [161] A. P. G. Castro, J. Yao, T. Battisti and D. Lacroix, "Poroelastic Modeling of Highly Hydrated Collagen Hydrogels: Experimental Results vs. Numerical

- Simulation With Custom and Commercial Finite Element Solvers,” *Frontiers in Bioengineering and Biotechnology*, vol. 6, 2018.
- [162] C. Briody, B. Duignan, S. Jerrams and J. Tiernan, “The implementation of a visco-hyperelastic numerical material model for simulating the behaviour of polymer foam materials,” *Computational Materials Science*, vol. 64, pp. 47-51, 2012.
- [163] R. W. Ogden, “Large Deformation Isotropic Elasticity: On the Correlation of Theory and Experiment for Compressible Rubberlike Solids,” *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 328, no. 1575, pp. 567-583, 1972.
- [164] A. E. Forte, F. D'Amico, M. N. Charalambides, D. Dini and J. G. Williams, “Modelling and experimental characterisation of the rate dependent fracture properties of gelatine gels,” *Food Hydrocolloids*, vol. 46, pp. 180-190, 2015.
- [165] C. W. J. Oomens, M. Vijven and W. M. Peters, “Skin Mechanics,” in *Biomechanics of Living Organs: Hyperelastic Constitutive Laws for Finite Element Modeling*, Academic press, 2017, pp. 347-357.
- [166] A. E. Bowden and J. Bergstrom, “Computer Modeling and Simulation of UHMWPE,” in *UHMWPE Biomaterials Handbook (Third Edition)*, Elsevier Science Publishing Co Inc, 2016, pp. 753-771.
- [167] R. Udayanandana, P. Silva and T. Gunasekara, “Compression Fatigue and Stress Relaxation Properties of Single Network Polyacrylamide Hydrogels,” in *2019 Moratuwa Engineering Research Conference (MERCOn)*, Colombo, 2019.
- [168] Y. Nho et al, “Poly(acrylic acid)/polyethylene glycol hyrogel prepared by using gamma-ray irradiation for mucosa adhesion,” *Journal of the Korean Physical Society*, vol. 66, no. 1, pp. 17-21, 2015.
- [169] M. J. Mueller et al, “Effect of Achilles tendon lengthening on neuropathic plantar ulcers. A randomized clinical trial,” *The Journal of Bone and Joint Surgery-American Volume*, vol. 85, no. 8, pp. 1436-1445, 2003.
- [170] J. Foto and J. Birke, “Evaluation of Multidensity Orthotic Materials Used in Footwear for Patients with Diabetes,” *Foot & Ankle International*, vol. 19, no. 12, pp. 836-841, 1998.
- [171] J. Yang, C. Shao and L. Meng, “Strain Rate-Dependent Viscoelasticity and Fracture Mechanics of Cellulose Nanofibril Composite Hydrogels,” *Langmuir*, vol. 35, no. 32, pp. 10542-10550, 2019.
- [172] C. Gamonpilas, M. N. Charalambides and J. G. Williams, “Determination of large deformation and fracture behaviour of starch gels from conventional and wire cutting experiments,” *Journal of Materials Science*, vol. 44, no. 18, pp. 4976-4986, 2009.
- [173] J. Zhang, C. R. Daubert and E. A. Foegeding, “Characterization of polyacrylamide gels as an elastic model for food gels,” *Rheologica Acta*, vol. 44, no. 6, pp. 622-630, 2005.
- [174] H. J. Naghash and O. Okay, “Formation and structure of polyacrylamide gels,” *Journal of Applied Polymer Science*, vol. 60, no. 7, pp. 971-979, 1996.

- [175] T. van Vliet and P. Walstra, "Large deformation and fracture behaviour of gels," *Faraday Discussions*, vol. 101, p. 359, 1995.
- [176] T. Lu, J. Wang, R. Yang and T. Wang, "A Constitutive Model for Soft Materials Incorporating Viscoelasticity and Mullins Effect," *Journal of Applied Mechanics*, vol. 84, no. 2, pp. 021010-1-9, 2016.
- [177] I. D. Külcü, "Characterization of stress softening and self-healing in a double network hydrogel," *Results in Physics*, vol. 12, pp. 1826-1833, 2019.
- [178] J. Lei, S. Xu, Z. Li and Z. Liu, "Study on Large Deformation Behavior of Polyacrylamide Hydrogel Using Dissipative Particle Dynamics," *Frontiers in Chemistry*, vol. 8, 2010.
- [179] A. Erson et al., "Temperature Regulating Shoes for Prevention of Diabetic Foot Ulcers," *Diabetes*, vol. 67, no. Supplement 1, pp. 41-LB, 2018.
- [180] Y. Shimazaki and K. Aisaka, "Novel Thermal Analysis Model of the Foot-Shoe Sole Interface during Gait Motion," *Proceedings*, vol. 2, no. 6, p. 278, 2018.
- [181] N. Tang et al., "Thermal Transport in Soft PAAm Hydrogels," *Polymers*, vol. 9, no. 12, p. 688, 2017.
- [182] Silicones, Endeavour, "Silicone rubber for shoe insole," [Online]. Available: <https://www.eeclsilicone.com/silicone-rubber-for-shoe-insole.html>.
- [183] W. H. Organization, "Global report on diabetes," WHO Press, France, 2016.
- [184] Y. He, F. Yang, H. Zhao, Q. Gao, B. Xia and J. Fu, "Research on the printability of hydrogels in 3D bioprinting," *Scientific Reports*, vol. 6, no. 1, 2016.
- [185] M. Nakamura, A. Kobayashi, F. Takagi, A. Watanabe, Y. Hiruma, K. Ohuchi, Y. Iwasaki, M. Horie, I. Morita and S. Takatani, "Biocompatible inkjet printing technique for designed seeding of individual living cells," *Tissue Eng*, vol. 11, no. 11-12, pp. 1658-1666, 2005.
- [186] J. Barron, B. Spargo and B. Ringeisen, "Biological laser printing of three dimensional cellular structures," *Applied Physics A*, vol. 79, no. 4-6, pp. 1027-1030, 2004.
- [187] I. Ozbolat and M. Hospodiuk, "Current advances and future perspectives in extrusion-based bioprinting," *Biomaterials*, vol. 76, pp. 321-343, 2016.
- [188] F. Yang, V. Tadepalli and B. Wiley, "3D Printing of a Double Network Hydrogel with a Compression Strength and Elastic Modulus Greater than those of Cartilage," *ACS Biomaterials Science & Engineering*, vol. 3, no. 5, pp. 863-869, 2017.
- [189] J. Wei, J. Wang, S. Su, S. Wang, J. Qiu, Z. Zhang, G. Christopher, F. Ning and W. Cong, "3D printing of an extremely tough hydrogel," *RSC Adv.*, vol. 5, no. 99, pp. 81324-81329, 2015.
- [190] H. Zimmermann, S. Shirley and U. Zimmermann, "Alginate-based encapsulation of cells," *Past, present, and future*, *Current Diabetes Reports*, vol. 7, no. 4, pp. 314-320, 2007.
- [191] J. Visser, F. Melchels, J. Jeon, E. Bussel, L. Kimpton, H. Byrne, W. Dhert, P. Dalton, D. Hutmacher and J. Malda, "Reinforcement of hydrogels using three-

- dimensionally printed microfibrils,” *Nature Communications*, vol. 6, p. 6933, 2015.
- [192] Z. Koutkalaki, P. Papagiannis, P. Azariadis, P. Papanikos, S. Kyratzi, D. Zissis, D. Lekkas and E. Xidias, “Towards a Foot Bio-model for Performing Finite Element Analysis for Footwear Design Optimization using a Cloud Infrastructure.,” *Computer-Aided Design and Applications*, 2015.
- [193] Y. Hsu, Y. Gung, S. Shih, C. Feng, S. Wei, C. Yu and C. Chen, “Using an Optimization Approach to Design an Insole for Lowering Plantar Fascia Stress—A Finite Element Study.,” *Annals of Biomedical Engineering*, vol. 36, no. 8, pp. 1345-1352, 2008.
- [194] T. Spirka, A. Erdemir, S. Ewers Spaulding, A. Yamane, S. Telfer and P. Cavanagh, “Simple finite element models for use in the design of therapeutic footwear,” *Journal of Biomechanics*, vol. 47, p. 2948–2955, 2014.
- [195] S. A. Bus, M. Maas, P. R. Cavanagh, R. P. J. Michels and M. Levi, “Plantar Fat-Pad Displacement in Neuropathic Diabetic Patients With Toe Deformity: A magnetic resonance imaging study,” *Diabetes Care*, vol. 27, no. 10, pp. 2376-2381, 2004.
- [196] O. Okay, “Macroporous copolymer networks,” *Progress in Polymer Science*, vol. 25, no. 6, pp. 711-779, 2000.
- [197] J. Paton, R. B. Jones, E. Stenhouse and G. Bruce, “The Physical Characteristics of Materials Used in the Manufacture of Orthoses for Patients with Diabetes,” *Foot & Ankle International*, vol. 28, no. 10, pp. 1057-1063, 2007.
- [198] R. Cornock, S. Beirne, B. Thompson and G. Wallace, “Coaxial additive manufacture of biomaterial composite scaffolds for tissue engineering,” *Biofabrication*, vol. 6, no. 2, p. 025002, 2014.
- [199] B. Dhariwala, E. Hunt and T. Boland, “Rapid Prototyping of Tissue-Engineering Constructs, Using Photopolymerizable Hydrogels and Stereolithography,” *Tissue Engineering*, vol. 10, no. 9-10, pp. 1316-1322, 2004.
- [200] B. Fischer, A. Schulz, M. Gepp, J. Neubauer, L. Gentile and H. Zimmermann, “3D printing of hydrogels in a temperature controlled environment with high spatial resolution,” *Current Directions in Biomedical Engineering*, vol. 2, no. 1, p. 109–112, 2016.
- [201] O. Silas et al, “Thermal stiffening of hydrophobic association hydrogels,” *Polymer*, vol. 145, pp. 374-381, 2018.