

References

- [1] “3D Hand Pose with MediaPipe and TensorFlow.js.” [Online]. Available: <https://blog.tensorflow.org/2021/11/3D-handpose.html>
- [2] H. Cooper, B. Holt, and R. Bowden, “Sign Language Recognition,” p. 23.
- [3] “Fingerspelling Alphabet - British Sign Language (BSL).” [Online]. Available: <https://www.british-sign.co.uk/fingerspelling-alphabet-charts/>
- [4] M. Punchimudiyanse and R. G. N. Meegama, “Computer Interpreter for Translating Written Sinhala to Sinhala Sign Language,” *OUSL Journal*, vol. 12, no. 1, p. 70, Jul. 2017. [Online]. Available: <https://ouslj.sljol.info/article/10.4038/ouslj.v12i1.7377/>
- [5] P. Fernando and P. Wimalaratne, “Sign Language Translation Approach to Sinhalese Language,” *GSTF Journal on Computing (JoC)*, vol. 5, no. 1, p. 9, Sep. 2016. [Online]. Available: <http://www.globalsciencejournals.com/article/10.7603/s40601-016-0009-8>
- [6] M. Punchimudiyanse and R. G. N. Meegama, “Animation of Fingerspelled Words and Number Signs of the Sinhala Sign Language,” *ACM Transactions on Asian and Low-Resource Language Information Processing*, vol. 16, no. 4, pp. 1–26, Sep. 2017. [Online]. Available: <https://dl.acm.org/doi/10.1145/3092743>
- [7] R. Akmeliawati, F. Dadgostar, S. Demidenko, N. Gamage, Y. Kuang, C. Messom, M. Ooi, A. Sarrafzadeh, and G. SenGupta, “Towards real-time sign language analysis via markerless gesture tracking,” in *2009 IEEE Instrumentation and Measurement Technology Conference*. Singapore: IEEE, May 2009, pp. 1200–1204. [Online]. Available: <http://ieeexplore.ieee.org/document/5168637/>
- [8] L. K. S. Tolentino, R. O. S. Juan, A. C. Thio-ac, M. A. B. Pamahoy, J. R. R. Forteza, X. J. O. Garcia, and Department of Electronics Engineering, Technological University of the Philippines and the University Extension Services Office, Technological University of the Philippines, Philippines, “Static Sign Language Recognition Using Deep Learning,” *International Journal of Machine Learning and Computing*, vol. 9, no. 6, pp. 821–827, Dec. 2019. [Online]. Available: <http://www.ijmlc.org/content-103-1026-1.html>
- [9] L. Pigou, S. Dieleman, P.-J. Kindermans, and B. Schrauwen, “Sign Language Recognition Using Convolutional Neural Networks,” in *Computer Vision - ECCV 2014 Workshops*, L. Agapito, M. M. Bronstein, and C. Rother, Eds. Cham: Springer International Publishing, 2015, vol. 8925, pp. 572–578, series Title: Lecture Notes in Computer Science. [Online]. Available: http://link.springer.com/10.1007/978-3-319-16178-5_40

- [10] R. Kurdyumov, P. Ho, and J. Ng, “Sign Language Classification Using Webcam Images,” p. 4.
- [11] J. Rekha, J. Bhattacharya, and S. Majumder, “Shape, texture and local movement hand gesture features for Indian Sign Language recognition,” in *3rd International Conference on Trendz in Information Sciences & Computing (TISC2011)*. Chennai, India: IEEE, Dec. 2011, pp. 30–35. [Online]. Available: <http://ieeexplore.ieee.org/document/6169079/>
- [12] J. Sanalohit and T. Katanyukul, “TFS Recognition: Investigating MPH}{Thai Finger Spelling Recognition: Investigating MediaPipe Hands Potentials,” *arXiv:2201.03170 [cs]*, Jan. 2022, arXiv: 2201.03170. [Online]. Available: <http://arxiv.org/abs/2201.03170>
- [13] J. Singha, A. Roy, and R. H. Laskar, “Dynamic hand gesture recognition using vision-based approach for human–computer interaction,” *Neural Computing and Applications*, vol. 29, no. 4, pp. 1129–1141, Feb. 2018. [Online]. Available: <http://link.springer.com/10.1007/s00521-016-2525-z>
- [14] M. Zhang, X. Cheng, D. Copeland, A. Desai, M. Y. Guan, G. A. Brat, and S. Yeung, “Using Computer Vision to Automate Hand Detection and Tracking of Surgeon Movements in Videos of Open Surgery,” *arXiv:2012.06948 [cs]*, Dec. 2020, arXiv: 2012.06948. [Online]. Available: <http://arxiv.org/abs/2012.06948>
- [15] F. Zhang, V. Bazarevsky, A. Vakunov, A. Tkachenka, G. Sung, C.-L. Chang, and M. Grundmann, “MediaPipe Hands: On-device Real-time Hand Tracking,” *arXiv:2006.10214 [cs]*, Jun. 2020, arXiv: 2006.10214. [Online]. Available: <http://arxiv.org/abs/2006.10214>
- [16] J. Singha and K. Das, “Indian Sign Language Recognition Using Eigen Value Weighted Euclidean Distance Based Classification Technique,” *International Journal of Advanced Computer Science and Applications*, vol. 4, no. 2, 2013. [Online]. Available: <http://thesai.org/Publications/ViewPaper?Volume=4&Issue=2&Code=IJACSA&SerialNo=28>
- [17] B. Doosti, “Hand Pose Estimation: A Survey,” *arXiv:1903.01013 [cs]*, Jun. 2019, arXiv: 1903.01013. [Online]. Available: <http://arxiv.org/abs/1903.01013>
- [18] V. Ramakrishna, D. Munoz, M. Hebert, J. Andrew Bagnell, and Y. Sheikh, “Pose Machines: Articulated Pose Estimation via Inference Machines,” in *Computer Vision – ECCV 2014*, D. Fleet, T. Pajdla, B. Schiele, and T. Tuytelaars, Eds. Cham: Springer International Publishing, 2014, vol. 8690, pp. 33–47, series Title: Lecture Notes in Computer Science. [Online]. Available: http://link.springer.com/10.1007/978-3-319-10605-2_3
- [19] S.-E. Wei, V. Ramakrishna, T. Kanade, and Y. Sheikh, “Convolutional Pose Machines,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. Las Vegas, NV, USA: IEEE, Jun. 2016, pp. 4724–4732. [Online]. Available: <http://ieeexplore.ieee.org/document/7780880/>

- [20] T. Simon, H. Joo, I. Matthews, and Y. Sheikh, “Hand Keypoint Detection in Single Images using Multiview Bootstrapping,” *arXiv:1704.07809 [cs]*, Apr. 2017, arXiv: 1704.07809. [Online]. Available: <http://arxiv.org/abs/1704.07809>
- [21] U. Iqbal, P. Molchanov, T. Breuel, J. Gall, and J. Kautz, “Hand Pose Estimation via Latent 2.5D Heatmap Regression,” in *Computer Vision – ECCV 2018*, V. Ferrari, M. Hebert, C. Sminchisescu, and Y. Weiss, Eds. Cham: Springer International Publishing, 2018, vol. 11215, pp. 125–143, series Title: Lecture Notes in Computer Science. [Online]. Available: http://link.springer.com/10.1007/978-3-030-01252-6_8
- [22] P. Panteleris, I. Oikonomidis, and A. Argyros, “Using a single RGB frame for real time 3D hand pose estimation in the wild,” *arXiv:1712.03866 [cs]*, Dec. 2017, arXiv: 1712.03866. [Online]. Available: <http://arxiv.org/abs/1712.03866>
- [23] S. Agahian, F. Negin, and C. Köse, “An efficient human action recognition framework with pose-based spatiotemporal features,” *Engineering Science and Technology, an International Journal*, vol. 23, no. 1, pp. 196–203, Feb. 2020. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S2215098618312345>
- [24] G.-B. Huang, Q.-Y. Zhu, and C.-K. Siew, “Extreme learning machine: Theory and applications,” *Neurocomputing*, vol. 70, no. 1-3, pp. 489–501, Dec. 2006. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0925231206000385>
- [25] D. C. Luvizon, D. Picard, and H. Tabia, “2D/3D Pose Estimation and Action Recognition Using Multitask Deep Learning,” in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*. Salt Lake City, UT, USA: IEEE, Jun. 2018, pp. 5137–5146. [Online]. Available: <https://ieeexplore.ieee.org/document/8578637/>
- [26] J. Liu, A. Shahroudy, D. Xu, and G. Wang, “Spatio-Temporal LSTM with Trust Gates for 3D Human Action Recognition,” *arXiv:1607.07043 [cs]*, Jul. 2016, arXiv: 1607.07043. [Online]. Available: <http://arxiv.org/abs/1607.07043>
- [27] J. Liu, G. Wang, P. Hu, L.-Y. Duan, and A. C. Kot, “Global Context-Aware Attention LSTM Networks for 3D Action Recognition,” in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. Honolulu, HI: IEEE, Jul. 2017, pp. 3671–3680. [Online]. Available: <http://ieeexplore.ieee.org/document/8099874/>
- [28] F. Baradel, C. Wolf, and J. Mille, “Pose-conditioned Spatio-Temporal Attention for Human Action Recognition,” *arXiv:1703.10106 [cs]*, Aug. 2017, arXiv: 1703.10106. [Online]. Available: <http://arxiv.org/abs/1703.10106>
- [29] H. H. Pham, H. Salmane, L. Khoudour, A. Crouzil, P. Zegers, and S. A. Velastin, “Spatio-Temporal Image Representation of 3D Skeletal Movements

for View-Invariant Action Recognition with Deep Convolutional Neural Networks,” *Sensors*, vol. 19, no. 8, p. 1932, Apr. 2019. [Online]. Available: <https://www.mdpi.com/1424-8220/19/8/1932>

- [30] C. Wang, Y. Wang, and A. L. Yuille, “An Approach to Pose-Based Action Recognition,” in *2013 IEEE Conference on Computer Vision and Pattern Recognition*. Portland, OR, USA: IEEE, Jun. 2013, pp. 915–922. [Online]. Available: <http://ieeexplore.ieee.org/document/6618967/>
- [31] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, “Focal Loss for Dense Object Detection,” *arXiv:1708.02002 [cs]*, Feb. 2018, arXiv: 1708.02002. [Online]. Available: <http://arxiv.org/abs/1708.02002>
- [32] W. Liu, D. Anguelov, D. Erhan, C. Szegedy, S. Reed, C.-Y. Fu, and A. C. Berg, “SSD: Single Shot MultiBox Detector,” *arXiv:1512.02325 [cs]*, vol. 9905, pp. 21–37, 2016, arXiv: 1512.02325. [Online]. Available: <http://arxiv.org/abs/1512.02325>
- [33] A. Bewley, Z. Ge, L. Ott, F. Ramos, and B. Upcroft, “Simple Online and Realtime Tracking,” *2016 IEEE International Conference on Image Processing (ICIP)*, pp. 3464–3468, Sep. 2016, arXiv: 1602.00763. [Online]. Available: <http://arxiv.org/abs/1602.00763>
- [34] A. A. Chaaoui, J. R. Padilla-Lopez, and F. Florez-Revuelta, “Fusion of Skeletal and Silhouette-Based Features for Human Action Recognition with RGB-D Devices,” in *2013 IEEE International Conference on Computer Vision Workshops*. Sydney, Australia: IEEE, Dec. 2013, pp. 91–97. [Online]. Available: <http://ieeexplore.ieee.org/document/6755884/>
- [35] L. Lo Presti, M. La Cascia, S. Sclaroff, and O. Camps, “Gesture Modeling by Hanklet-Based Hidden Markov Model,” in *Computer Vision – ACCV 2014*, D. Cremers, I. Reid, H. Saito, and M.-H. Yang, Eds. Cham: Springer International Publishing, 2015, vol. 9005, pp. 529–546, series Title: Lecture Notes in Computer Science. [Online]. Available: http://link.springer.com/10.1007/978-3-319-16811-1_35
- [36] M. Santello, M. Flanders, and J. F. Soechting, “Postural Hand Synergies for Tool Use,” *The Journal of Neuroscience*, vol. 18, no. 23, pp. 10 105–10 115, Dec. 1998. [Online]. Available: <https://www.jneurosci.org/lookup/doi/10.1523/JNEUROSCI.18-23-10105.1998>
- [37] S. Cobos, M. Ferre, M. Ángel Sánchez-Urán, J. Ortego, and R. Aracil, “Human hand descriptions and gesture recognition for object manipulation,” *Computer Methods in Biomechanics and Biomedical Engineering*, vol. 13, no. 3, pp. 305–317, Jun. 2010. [Online]. Available: <http://www.tandfonline.com/doi/abs/10.1080/10255840903208171>

- [38] N. Bhatt and V. Skm, “Posture similarity index: a method to compare hand postures in synergy space,” *PeerJ*, vol. 6, p. e6078, Dec. 2018. [Online]. Available: <https://peerj.com/articles/6078>
- [39] N. Pugeault and R. Bowden, “Spelling it out: Real-time ASL fingerspelling recognition,” in *2011 IEEE International Conference on Computer Vision Workshops (ICCV Workshops)*. Barcelona, Spain: IEEE, Nov. 2011, pp. 1114–1119. [Online]. Available: <http://ieeexplore.ieee.org/document/6130290/>
- [40] X. Jiang, B. Hu, S. Chandra Satapathy, S.-H. Wang, and Y.-D. Zhang, “Fingerspelling Identification for Chinese Sign Language via AlexNet-Based Transfer Learning and Adam Optimizer,” *Scientific Programming*, vol. 2020, pp. 1–13, May 2020. [Online]. Available: <https://www.hindawi.com/journals/sp/2020/3291426/>
- [41] N. T. Nguen, S. Sako, and B. Kwolek, “Deep CNN-Based Recognition of JSL Finger Spelling,” in *Hybrid Artificial Intelligent Systems*, H. Pérez García, L. Sánchez González, M. Castejón Limas, H. Quintián Pardo, and E. Corchado Rodríguez, Eds. Cham: Springer International Publishing, 2019, vol. 11734, pp. 602–613, series Title: Lecture Notes in Computer Science. [Online]. Available: http://link.springer.com/10.1007/978-3-030-29859-3_51