

6. References

- Al-abdwais, A. H. and Al-mahaidi, R. S. (2017) 'Bond properties between carbon fibre reinforced polymer (CFRP) textile and concrete using modified cement-based adhesive', *Construction and Building Materials*. Elsevier Ltd, 154, pp. 983–992. doi: 10.1016/j.conbuildmat.2017.08.027.
- Barnes, R. and Fidell, J. (2006) 'Performance in Fire of Small-Scale CFRP Strengthened Concrete Beams', (December), pp. 503–508.
- Elsanadedy, H. M. *et al.* (2013) 'Flexural strengthening of RC beams using textile reinforced mortar - Experimental and numerical study', *Composite Structures*. Elsevier Ltd, 97, pp. 40–55. doi: 10.1016/j.compstruct.2012.09.053.
- Gamage, J. C. P. H. and Wong, M. B. (2006) 'Bond characteristics of CFRP plated concrete members under elevated temperatures', 75, pp. 199–205. doi: 10.1016/j.compstruct.2006.04.068.
- Hashemi, S. and Al-mahaidi, R. (2012) 'Flexural performance of CFRP textile-retrofitted RC beams using cement-based adhesives at high temperature', *Construction and Building Materials*. Elsevier Ltd, 28(1), pp. 791–797. doi: 10.1016/j.conbuildmat.2011.09.015.
- Jamal, T. B. *et al.* (2016) 'A Review Paper on Graphene Modified Cement A Review Paper on Graphene Modified Cement', *BUET-ANWAR ISPAT 1st Bangladesh Civil Engineering SUMMIT*, (November), pp. 146–153.
- Kalifa, P., Menneteau, F. D. and Quenard, D. (2000) 'Spalling and pore pressure in HPC at high temperatures', *Cement and Concrete Research*, 30(12), pp. 1915–1927. doi: 10.1016/S0008-8846(00)00384-7.
- Koisch, B. B. (1998) 'Carbon Fiber Cement Matrix (CFCM) Overlay System For Masonary StrenghteninG', (May), pp. 105–109.
- Li, V. C. *et al.* (2001) 'Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC)', *ACI*

Materials Journal-American Concrete Institute. Detroit, Mich.: American Concrete Institute, [c1987-, 98(6), pp. 483–492.

- Li, V. C. (2007) 'Engineered Cementitious Composites (ECC) – Material , Structural , and Durability Performance'.
- Li, V. C. (2008) 'Durability of mechanically loaded engineered cementitious composites under highly alkaline environments', 30, pp. 72–81. doi: 10.1016/j.cemconcomp.2007.09.004.
- Lin, X. *et al.* (2018) 'Recycling polyethylene terephthalate wastes as short fibers in Strain-Hardening Cementitious Composites (SHCC)', *Journal of Hazardous Materials*, 357(May), pp. 40–52. doi: 10.1016/j.jhazmat.2018.05.046.
- Maalej, M. and Leong, K. S. (2005) 'Engineered cementitious composites for effective FRP-strengthening of RC beams', *Composites Science and Technology*, 65(7–8), pp. 1120–1128. doi: 10.1016/j.compscitech.2004.11.007.
- Mohammed, A. *et al.* (2015) 'Incorporating graphene oxide in cement composites: A study of transport properties', *Construction and Building Materials*. Elsevier Ltd, 84, pp. 341–347. doi: 10.1016/j.conbuildmat.2015.01.083.
- Mohammed, A. *et al.* (2016) 'Utilization of Graphene Oxide to Synthesize High-Strength Cement-Based Adhesive', pp. 1–7. doi: 10.1061/(ASCE)MT.1943-5533.0001705.
- Mohammed, A. *et al.* (2018) 'The role of graphene oxide in limited long-term carbonation of cement-based matrix', *Construction and Building Materials*. Elsevier Ltd, 168, pp. 858–866. doi: 10.1016/j.conbuildmat.2018.02.082.
- Mohammed, A., Al-saadi, N. T. K. and Al-mahaidi, R. (2016) 'Bond behaviour between NSM CFRP strips and concrete at high temperature using innovative high-strength self-compacting cementitious adhesive (IHSSC-CA) made with graphene oxide', *Construction and Building Materials*. Elsevier Ltd, 127, pp. 872–883. doi: 10.1016/j.conbuildmat.2016.10.066.
- Mohammed, A., Al-Saadi, N. T. K. and Al-Mahaidi, R. (2017) 'Assessment of bond strength of NSM CFRP strips embedded in concrete using cementitious adhesive made with graphene oxide', *Construction and Building Materials*. Elsevier Ltd, 154, pp. 504–513. doi: 10.1016/j.conbuildmat.2017.07.238.

- Mohammed, A., Sanjayan, J. G. and Nazari, A. (2017) 'Effects of graphene oxide in enhancing the performance of concrete exposed to high-temperature', *Australian Journal of Civil Engineering*. Taylor & Francis, 8353(September), pp. 1–10. doi: 10.1080/14488353.2017.1372849.
- Pan, Z. *et al.* (2015) 'Mechanical properties and microstructure of a graphene oxide-cement composite', *Cement and Concrete Composites*, 58, pp. 140–147. doi: 10.1016/j.cemconcomp.2015.02.001.
- Petkova, D., Donchev, T. and Wen, J. (2014) 'Experimental study of the performance of CFRP strengthened small scale beams after heating to high temperatures', *Construction and Building Materials*. Elsevier Ltd, 68, pp. 55–61. doi: 10.1016/j.conbuildmat.2014.06.014.
- Rhee, I. *et al.* (2015) 'Compressive strength sensitivity of cement mortar using rice husk-derived graphene with a high specific surface area', *Construction and Building Materials*. Elsevier Ltd, 96, pp. 189–197. doi: 10.1016/j.conbuildmat.2015.08.016.
- Sahmaran, M., Lachemi, M. and Li, V. C. (2010) 'Assessing mechanical properties and microstructure of fire-damaged engineered cementitious composites', *ACI Materials Journal*. American Concrete Institute, 107(3), p. 297.
- Sathishkumar, P. *et al.* (2016) 'Significance of Various Fibres on Engineered Cementitious Concrete', 4(1), pp. 284–290.
- Sedaghat, A. *et al.* (2014) 'Investigation of Physical Properties of Graphene-Cement Composite for Structural Applications', *Open Journal of Composite Materials*, 04(01), pp. 12–21. doi: 10.4236/ojcm.2014.41002.
- Silva, D. A. da *et al.* (2005) 'Degradation of recycled PET fibers in Portland cement-based materials', *Cement and Concrete Research*. Elsevier, 35(9), pp. 1741–1746.
- Täljsten, B. and Blanksvärd, T. (2007) 'Mineral-Based Bonding of Carbon FRP to Strengthen Concrete Structures', (April), pp. 120–128.
- Tareq, N. *et al.* (2017a) 'Assessment of residual strength of concrete girders rehabilitated using NSM CFRP with cementitious adhesive made with graphene oxide after exposure to fatigue loading', *Construction and Building Materials*. Elsevier Ltd, 153, pp. 402–422. doi: 10.1016/j.conbuildmat.2017.07.121.

- Tareq, N. *et al.* (2017b) 'Performance of RC beams rehabilitated with NSM CFRP strips using innovative high-strength self-compacting cementitious adhesive (IHSSC-CA) made with graphene oxide', *Composite Structures*, 160, pp. 392–407. doi: 10.1016/j.compstruct.2016.10.084.
- Tareq, N. *et al.* (2018) 'Bond performance of NSM CFRP strips embedded in concrete using direct pull-out testing with cementitious adhesive made with graphene oxide', *Construction and Building Materials*. Elsevier Ltd, 162, pp. 523–533. doi: 10.1016/j.conbuildmat.2017.12.050.
- Wang, Q. *et al.* (2015) 'Influence of graphene oxide additions on the microstructure and mechanical strength of cement', *Xinxing Tan Cailiao/New Carbon Materials*. Institute of Coal Chemistry, Chinese Academy of Sciences, 30(4), pp. 349–356. doi: 10.1016/S1872-5805(15)60194-9.
- Wu, C. and Li, V. C. (2017a) 'CFRP-ECC hybrid for strengthening of the concrete structures', *Composite Structures*. Elsevier Ltd, 178, pp. 372–382. doi: 10.1016/j.compstruct.2017.07.034.
- Wu, C. and Li, V. C. (2017b) 'Thermal-mechanical behaviors of CFRP-ECC hybrid under elevated temperatures', *Composites Part B: Engineering*. Elsevier Ltd, 110, pp. 255–266. doi: 10.1016/j.compositesb.2016.11.037.
- Yu, J. *et al.* (2015) 'Mechanical performance of ECC with high-volume fly ash after sub-elevated temperatures', *Construction and Building Materials*. Elsevier Ltd, 99, pp. 82–89. doi: 10.1016/j.conbuildmat.2015.09.002.
- Yu, J. and Leung, C. K. Y. (2017) 'Strength improvement of strain-hardening cementitious composites with ultrahigh-volume fly ash', *Journal of Materials in Civil Engineering*. American Society of Civil Engineers, 29(9), p. 5017003.